

Gas Range, 48", 8 Burners

Series 7 | Professional

Stainless Steel | Natural Gas




Size plus power. Eight burners deliver powerful 23,500 BTU heat, with two gas ovens for a combined 7.7 cu ft capacity.

- Top burner heat of 23,500 BTU, for seriously fast boiling
- Expansive 7.7 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "



FEATURES & BENEFITS

Cooktop Power

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials. The ovens have true convection and electronic oven control for precise and consistent temperatures.

Easy To Clean

A sealed cooktop surface coupled with a commercial-style stainless steel finish means your cooktop simply needs a quick wipe to keep it looking good as new.

Instant Visibility

Control dials have halo-illumination glowing white – heating up; orange – temperature reached; red – self-cleaning mode. The oven is illuminated by two powerful incandescent lights.

Cooking Flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

Consistent Broiling

The Gas Range broiler provides an even heat that covers a very large surface area – perfect for browning a fully loaded oven tray.

SPECIFICATIONS

Accessories (sold separately)

Square handle option	AH-R48
----------------------	--------

Burner ratings

Maximum burner power	23500 BTU
Power back centre	18500BTU
Power back centre (2)	18500BTU
Power back left	18500BTU
Power back right	18500BTU
Power front centre	18500BTU
Power front centre (2)	18500BTU
Power front left	23500BTU
Power front right	23500BTU

Total cooktop power	158000 BTU	Oven features		Safety	
<hr/>		Auto re-ignition system		ADA compliant	
Capacity		Internal light	true	Full extension telescopic sliding shelves	
<hr/>		<hr/>		<hr/>	
Shelf positions (main oven)	5	Power Requirements		Secondary oven features	
Shelf positions (second oven)	5	Amperage	15 A	3/4 Extension racks	2
<hr/>		Rated current	15 A	Electronic oven control	
Controls		Supply frequency	60 Hz	Internal light	
Electric circuit	3 wire	<hr/>		<hr/>	
Metal illuminated dials		Product Dimensions		Secondary oven functions	
<hr/>		Depth	29 1/8 "	Bake	
Gas Requirements		Depth (excluding handles)	2918 mm	Number of secondary oven functions	2
Fitting and pipe	1/2 NPT, min. 5/8" flex line	Height	35 3/4 - 36 3/4 "	Proof	
Supply Pressure (natural gas)	6" to 9" W.C	Width	47 7/8 "	<hr/>	
<hr/>		<hr/>		<hr/>	
Main oven features		Rangetop features		SKU	71350
Broil pan		Sealed range top		<hr/>	
Electronic oven control		Vent trim included		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Full extension telescopic racks		<hr/>		<hr/>	
Infrared broiler		Recommended Back Guards Ventilation		Other product downloads available at fisherpaykel.com	
Internal light		Combustible situation	BGRV2-3048H	↓ 2D-DWG Gas Range	
<hr/>		Minimum CFM	1200	↓ 2D-DXF Gas Range	
Main oven functions		Non combustibile situation	BGRV2-3048 / BGRV2-1248	↓ Archicad Gas Range	
Bake		Recommended hood	HCB48-12_N (48" Professional Range Hood, Dual Blower)	<hr/>	
Broil		<hr/>		<hr/>	
Convection bake		<hr/>		<hr/>	
Number of oven functions	3	<hr/>		<hr/>	
<hr/>		<hr/>		<hr/>	

- [↓ Data Sheet Gas Range](#)
- [↓ Service & Warranty](#)
- [↓ Installation Guide EN / Guide d'installation FR](#)
- [↓ Planning Guide Gas Range](#)
- [↓ Revit Gas Range](#)
- [↓ Rhino 5](#)
- [↓ Sketchup Gas Range](#)
- [↓ User Guide EN](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com