QUICK REFERENCE GUIDE > RS6019F2L1 Date: 20.06.2024 > 1

# Integrated Dual Zone Freezer, 60cm

Series 9 | Integrated

Panel Ready | Left hinge



Pair with the Integrated Dual Zone Refrigerator for the ultimate kitchen solution – this model features two independent food zones taking cooling flexibility to a new level.\*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Flush fit design with 4mm gaps and custom height installation
- Two independent food zones with adjustable temperature from -21 to -14°C

Easy-to-use touch-control panel and Wi-Fi capability

# **DIMENSIONS**

Height 1870 mm
Width 592 mm
Depth 576 mm

## **FEATURES & BENEFITS**

#### Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

#### **Independent Food Zones**

When it comes to optimal food preservation, one temperature does not fit all. With two independent food zones, you can create the perfect climate for storing different foods. Each zone has adjustable temperature from -21°C to -14°C, ideal for items such as meat, seafood, frozen desserts and ice.

## Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

## Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

## Flexible Storage

Designed to make it simple for you to store, access and remove food, this freezer includes LED-lit adjustable cantilevered shelving and full extension bins.

#### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

#### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

#### **SPECIFICATIONS**

#### Accessories (included)

Hinge change (from left hinge to right hinge)

Joiner kit AJRS19LR

# Accessories (sold separately)

Door panel stainless steel RD6019 (right & left hinge)

Handle kit Contemporary round, aluminium

AHSRDSF

Handle kit Contemporary square fine,

AHD5RDSF

aluminium

**QUICK REFERENCE GUIDE >** RS6019F2L1 Date: 20.06.2024 > 2

Handle kit Contemporary square fine, black	AHD5RDSFB	Door alarm	•
Handle kit Professional round flush	AHP3RDSF	Fast freeze	,
Toe kick stainless steel 1200mm	AKRS12010	Freezer bins	2
Toe kick stainless steel 1800mm	AKRS18010	LED ceiling lighting	•
Toe kick stainless steel 600mm	AKRS06010		
		Installation Dimensions	
Capacity		Minimum inside width of cabinetry frame	600 mm
Total gross capacity	329 L	Minimum internal depth of cabinetry	600 mm
Volume	304 L	Minimum internal height of cabinetry	1880 mm
Volume freezer	304 L		
		Performance	
Consumption		ActiveSmart™ Foodcare	•
Energy rating	4 star	Adaptive defrost	•
Energy usage	256kWh/year	Dual evaporator	•
In-use energy carbon emissions estimate 3	4.7kgCO2e/year	Frost free	•
		Inverter controlled compressor	•
Features		Sabbath mode	•
Adjustable glass cantilevered shelves			
Adjustable glass callilevered sherves  Adjustable glass shelves	2	Power requirements	
Smart appliance AU NZ		Rated current	10 A
Smart appliance EU	•	Supply frequency	50 Hz
Smart appliance UK IE	•	Supply voltage	230 V
SmartTouch control panel	•	capply voltage	200 (
Wi-Fi connectivity	•		
Williams		Product dimensions	
		Depth	576 mm
Freezer Features		Height	1870 mm
Bottle chill	•	Width	592 mm

## Warranty

Parts and labour 2 years
Sealed system parts only 5 years

SKU 26198

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

2D-DWG Freezer

2D-DWG Freezer with Custom Panel

↓ 2D-DXF Freezer

2D-DXF Freezer with Custom Panel

Archicad 23 Freezer

, Data Sheet Freezer

Data Sheet Freezer with Custom Panel

Energy Label

Service & Warranty

Installation Guide Integrated Refrigeration

Planning Guide Refrigeration

Revit 18 Freezer

Rhino 5 Freezer

Rhino 5 Freezer with Custom Panel

Rhino 5 Freezer Door with Classic Round Handle

Rhino 5 Freezer Door with Contemporary Round Handle

Rhino 5 Freezer Door with Professional Round Flush Handle

QUICK REFERENCE GUIDE > RS6019F2L1 Date: 20.06.2024 > 3

- Rhino 5 Freezer Door with Square Fine Black Handle
- - Rhino 5 Freezer Door with Square Fine Handle

Sketchup 8 Freezer with Custom Panel

- Sketchup 8 Freezer
- - Sketchup 8 Freezer Door with Classic Round Handle
- Sketchup 8 Freezer Door with Contemporary Round Handle
  - Sketchup 8 Freezer Door with Professional Round Flush
  - Handle
- Sketchup 8 Freezer Door with Square Fine Black Handle
- - Sketchup 8 Freezer Door with Square Fine Handle
- - User Guide Integrated Refrigerator & Freezer

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com