QUICK REFERENCE GUIDE > DD60SI9

# Series 9, Integrated Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.\*

- Customise with your own front panel and handle to match your kitchen cabinetry
- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

 Customise with your own front panel and handle to match your kitchen cabinetry

# **DIMENSIONS**

Height	410 mm
Width	599 mm
Depth	553 mm



# **FEATURES & BENEFITS**

#### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

### **Knock To Pause**

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A double knock on the front panel will pause the dishwasher which can be restarted again by using the start/play button.

#### **Quiet Performer**

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

# **SPECIFICATIONS**

#### Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

# Accessories (sold separately)

Door panel black stainless steel ADDD60SPB Door panel recessed handle black stainless ADDD60STNB Door panel recessed handle matte black ADDD60STZB Door panel recessed handle stainless steel ADDD60STNX Door panel stainless steel ADDD60SPX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S Handle kit Contemporary square fine, AHD5aluminium OBDD-60SX

QUICK REFERENCE GUIDE > DD60SI9

Handle kit Contemporary square fine, blac	k AHD5- OBDD-60SB	Smart appliance	•	Extra Dry	•	
Handle kit Contemporary square, aluminiu	m <b>AHD3-OBDD-60S</b>			Quick	•	
Handle kit Contemporary square, black	AHD3-OBDD-60B	Features		Sanitise	•	
Handle kit Professional round flush	AHP3-DWDD-60S	Fan assisted drying	•	Wash Programs		
		Flow through detergent dispenser	•	-		
Capacity and loading		Quiet operation	•	Delicate	•	
Accommodates round plates up to	280mm	SmartDrive™ technology	•	Eco	•	
Adjustable height, foldable cupracks	•			Fast	•	
Fold down tines	•	Performance		Heavy Medium	•	
Pitch adjustable tines	•	Noise emissions	47 -10 4	Rinse		
Place settings	7	Noise emissions	43 dBA	Killse	·	
Place settings	7					
		Power requirements		Water connection		
Consumption		Amperage	5A	Water pressure	30kPa - 1000 kPa	
Energy rating	3.5 star	Supply frequency	50Hz	Water supply	3/4" BSP (20mm) Connector Water	
Energy usage	136kWh/year	Supply voltage	220 - 240V		Inlet Hose	
In-use energy carbon emissions estimate	88.6kgCO2e/year					
Water consumption (per wash cycle)	6.9L	Product dimensions				
Water rating	4.5 star (WELS)	Depth	553 mm	SKU	82321	
		Height	410 mm			
Controls		Width	599 mm	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these		
End of cycle beeps	•			dimensions and specifications may cha	nge at any time. You should therefore	
Energy saving delay start option of up to 1 hours	•	Warranty		check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Internal wash selector	•	Parts and labour	2 years	, ,pp.1011000 Etd 2020		
Keylock	•					
Knock to pause	•			Other product downloads available at fisherpaykel.com		
Rinse aid indicator light	•	Wash Program Modifiers				

QUICK REFERENCE GUIDE > DD60SI9

- ↓ 2D-DWG Integrated Single DishDrawer™ Dishwasher
- J 2D-DXF Integrated Single DishDrawer™ Dishwasher
- J Data Sheet Integrated Single DishDrawer™ Dishwasher
- ↓ Energy and Water Label
- ↓ Service & Warranty
- J Installation Guide Single DishDrawer™ Dishwasher
- ↓ Planning Guide Integrated Single DishDrawer™ Dishwasher
- Quick Start Guide
- Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- ♣ Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- J Sketchup Single DishDrawer™ Dishwasher
- Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ User Guide DishDrawer™ Dishwasher
- ↓ Wash Program Data DishDrawer™ Dishwasher

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

