QUICK REFERENCE GUIDE > RS6019BRU1 Date: 21.08.2024 > 1

60cm Series 9 Integrated Refrigerator Freezer, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker

· Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870 mm
Width 592 mm
Depth 576 mm

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

Hinge change (from right hinge to left hinge)

Accessories (sold separately)

Door panel set stainless steel

Right hinge RD6019BR, Left hinge RD6019BL

Handle kit Classic AHCLRDB

Handle kit Contemporary round, aluminium AHSI

Handle kit Contemporary squarefine, AHOSROBEIDS Smart appliance Smart applia							
Handle kit Contemporary square fine, black AHDSRDB196 Smart Toplance		AHD5RDB19	LED side lighting	•	Humidity control system	•	
Handle kit Professional round flush AHP3RDB19 AJRS19R Valent rank capacity 1L Power requirements 10 AKRS12010 Toe kick stainless steel 1800mm AKRS12010 AKRS12010 AKRS12010 Toe kick stainless steel 1800mm AKRS12010 AKRS12010 AKRS12010 Toe kick stainless steel 1800mm AKRS12010 AKRS		AUDEDDB10B	Smart appliance	•	Inverter controlled compressor	•	
Stackable bottle holders 2			SmartTouch control panel	•	Sabbath mode	•	
Note			Stackable bottle holders	2			
Toe kick stainless steel 1800mm			Water tank capacity	1 L			
Total gross capacity					Power requirements		
Water filter replacement 847200 - FWC3 Automatic ice maker 50 Hz Bottle chill 1000 ralarm					Rated current	10 A	
Automatic ice maker			Freezer Features		Supply frequency	50 Hz	
Capacity Door alarm Fast freeze Fast free	Water filter replacement	847200 - FWC3	Automatic ice maker	•	Supply voltage	230 V	
Total gross capacity 328 L Freezer bins 3 Depth 576 mm 576 mm 570 lume 303 L 16 Boost 16 Boost 16 Boost 16 Boost 16 Boost 16 Boost 180 L			Bottle chill	•			
Features Adjustable door shelves Covered d	Capacity		Door alarm	•			
Volume 1301 Ice Boost Height 1870 mm Volume freezer 1231 Ice making rate per day 1 kg Width 592 mm Volume refrigerator 1801 LED bin lighting Consumption LED ceilling lighting Energy rating 5 star Energy usage 244kWh/year Installation Dimensions In-use energy carbon emissions estimate 33.0kgCO2e/year Minimum internal depth of cabinetry frame 600 mm Minimum internal depth of cabinetry frame 600 mm Minimum internal depth of cabinetry 600 mm Minimum internal depth of cabinetry 1880 mm Features Minimum internal depth of cabinetry 1880 mm Covered door shelves 4			Fast freeze	•	Product dimensions		
Volume freezer 123 L Volume refrigerator 180 L LED bin lighting LED cielling lighting	Total gross capacity		Freezer bins	3	Depth	576 mm	
Leb minighting Leb			Ice Boost	•	Height	1870 mm	
LED bin lighting LED ceiling lighting LED side lighting Marranty Parts and labour Sealed system parts only	Volume freezer	123 L	Ice making rate per day	1 kg	Width	592 mm	
LED side lighting • Warranty Energy rating 5 star Energy usage 244kWh/year Installation Dimensions In-use energy carbon emissions estimate 33.0kgCO2e/year Minimum internal depth of cabinetry frame 600 mm Minimum internal depth of cabinetry 600 mm Minimum internal height of cabinetry 600 mm Minimum internal height of cabinetry 1880 mm Features Adjustable door shelves 4 Minimum internal height of cabinetry 1880 mm Adjustable glass cantilevered shelves • Performance Covered door shelves 1 ActiveSmart™ Foodcare	Volume refrigerator	180 L	LED bin lighting	•			
Consumption Energy rating 5 star Energy usage 244kWh/year Installation Dimensions In-use energy carbon emissions estimate 33.0kgCO2e/year Minimum inside width of cabinetry frame 600 mm Minimum internal depth of cabinetry 600 mm Minimum internal height of cabinetry 1880 mm Minimum internal height of cabinetry 1880 mm Adjustable glass cantilevered shelves 1 Performance Covered door shelves 1 ActiveSmart™ Foodcare			LED ceiling lighting	•			
Energy rating 5 star Energy usage 244kWh/year Installation Dimensions In-use energy carbon emissions estimate 7 start	Consumption		LED side lighting	•	Warranty		
Energy usage In-use energy carbon emissions estimate 33.0kgCO2e/year Minimum inside width of cabinetry frame Minimum internal depth of cabinetry Minimum internal height of cabinetry Minimum internal height of cabinetry Adjustable door shelves Adjustable glass cantilevered shelves Covered door shelves 1 ActiveSmart™ Foodcare Door alarm Door alarm LED bin lighting 1 ActiveSmart Foodcare Doul evaporator Frost free Installation Dimensions Installation Dimensions Minimum install width of cabinetry frame Minimum insternal height of cabinetry Minimum internal h	·				Parts and labour	2 years	
In-use energy carbon emissions estimate 33.0kgCO2e/year Minimum inside width of cabinetry frame 600 mm Minimum internal depth of cabinetry 600 mm Minimum internal height of cabinetry 1880 mm Adjustable door shelves Adjustable glass cantilevered shelves Covered door shelves 1 ActiveSmart™ Foodcare Door alarm Internal water dispenser LED bin lighting Minimum inside width of cabinetry frame 600 mm Minimum internal height of cabinetry 1880 mm SKU 26200 The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Significant in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Significant in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Significant in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. U	Energy rating				Sealed system parts only	5 years	
Minimum inside width of cabinetry frame 600 mm Minimum internal depth of cabinetry 600 mm Minimum internal height of cabinetry 1880 mm Adjustable door shelves Adjustable glass cantilevered shelves Covered door shelves 1 ActiveSmart™ Foodcare Door alarm Internal water dispenser LED bin lighting Minimum inside width of cabinetry frame 600 mm Minimum internal depth of cabinetry 600 mm Minimum internal depth of cabinetry 1880 mm SKU 26200 SKU 26200 The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Internal water dispenser LED bin lighting Yericana Active Smart™ Foodcare Adaptive defrost Dual evaporator Frost free **Adaptive defrost Dual evaporator Frost free	Energy usage	244kWh/year	Installation Dimensions				
Features Adjustable door shelves Adjustable glass cantilevered shelves Covered door shelves 1 ActiveSmart™ Foodcare Door alarm Internal water dispenser LED bin lighting Minimum internal height of cabinetry Minimum internal height of cabinetry 1880 mm SKU 26200 SKU 26200 The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Internal water dispenser LED bin lighting SKU 26200 SKU 26200 The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 Appliances Ltd 2020	In-use energy carbon emissions estimate	33.0kgCO2e/year	Minimum inside width of cabinetry frame	600 mm			
Features Adjustable door shelves Adjustable glass cantilevered shelves Covered door shelves 1 ActiveSmart™ Foodcare Door alarm Internal water dispenser LED bin lighting Minimum internal height of cabinetry Minimum internal height of cabinetry Performance Performance ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Minimum internal height of cabinetry 1880 mm The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 Appliances Ltd 2020			Minimum internal depth of cabinetry	600 mm			
Adjustable glass cantilevered shelves • Performance Covered door shelves Door alarm Internal water dispenser LED bin lighting • Performance • ActiveSmart™ Foodcare • Adaptive defrost • Dual evaporator • Dual evaporator • Frost free • Frost free • Performance • ActiveSmart™ Foodcare • Adaptive defrost • Dual evaporator • Performance • Covered door shelves • Adaptive ferost • Adaptive defrost • Dual evaporator • Performance • Covered door shelves • Check with Fisher & Paykel's Customer Care Centre to ensure this page • Correctly describes the model currently available. © Fisher & Paykel • Appliances Ltd 2020 • Performance • Performance • Adaptive defrost • Dual evaporator • Performance • Covered door shelves • Door alarm • Performance • Covered door shelves • Check with Fisher & Paykel's Customer Care Centre to ensure this page • Correctly describes the model currently available. © Fisher & Paykel • Appliances Ltd 2020 • Performance • Prost free • Prost free	Features		Minimum internal height of cabinetry	1880 mm	SKU	26200	
Adjustable glass cantilevered shelves Covered door shelves 1 ActiveSmart™ Foodcare Adaptive defrost Internal water dispenser LED bin lighting Performance Performance Adjustable glass cantilevered shelves ActiveSmart™ Foodcare ActiveSmart™ Foodcare ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Performance Product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 Frost free Frost free • • • • • • • • • • • • • • • • • •	Adjustable door shelves	4					
Covered door shelves1ActiveSmart™ Foodcaredimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this pageDoor alarm•Adaptive defrost•correctly describes the model currently available. © Fisher & PaykelInternal water dispenser•Dual evaporator•Appliances Ltd 2020LED bin lighting•Frost free•	Adjustable glass cantilevered shelves	•	Performance				
Door alarm Adaptive defrost Internal water dispenser Dual evaporator Frost free Adaptive defrost Correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 * Correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 * Correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 * Correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 * Correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	Covered door shelves	1			dimensions and specifications may change at any time. You should therefore		
Internal water dispenser LED bin lighting Adaptive derrost Dual evaporator Frost free Appliances Ltd 2020 Company of the derrost of th	Door alarm	•		•			
LED bin lighting Frost free Frost free	Internal water dispenser	•		•			
Frost free •	LED bin lighting	•	·	•			
	LED ceiling lighting	•	Frost free	•			

QUICK REFERENCE GUIDE > RS6019BRU1

Other product downloads available at fisherpaykel.com

2D-DWG Refrigerator Freezer

↓ 2D-DWG Refrigerator Freezer with Custom Panel

- ↓ 2D-DXF Refrigerator Freezer
- ↓ 2D-DXF Refrigerator Freezer with Custom Panel
- ↓ ArchiCAD 23 Refrigerator Freezer
- Data Sheet Refrigerator Freezer
- Energy Label
- ↓ Service & Warranty
- ↓ Installation Guide Integrated Refrigerator
- → Planning Guide Refrigeration
- ↓ Rhino 5 Refrigerator Freezer
- ↓ Rhino 5 Refrigerator Freezer with Custom Panel
- L Rhino 5 Refrigerator Freezer Door with Classic Round Handle
- Rhino 5 Refrigerator Freezer Door with Contemporary Round Handle
- Rhino 5 Refrigerator Freezer Door with Professional Round
- Rhino 5 Refrigerator Freezer Door with Square Fine Black Handle
- ↓ Rhino 5 Refrigerator Freezer Door with Square Fine Handle
- Sketchup 8 Refrigerator Freezer
- ↓ Sketchup 8 Refrigerator Freezer with Custom Panel
- Sketchup 8 Refrigerator Freezer Door with Classic Round Handle
- Sketchup 8 Refrigerator Freezer Door with Contemporary Round Handle
- Sketchup 8 Refrigerator Freezer Door with Professional Round Flush Handle
- Sketchup 8 Refrigerator Freezer Door with Square Fine Handle
- User Guide Integrated Refrigerator & Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 0800 372 273 Wwww.fisherpaykel.com

FISHER & PAYKEL