QUICK REFERENCE GUIDE > RS4621FRJK3

46cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134 mm
Width 451 mm
Depth 610 mm



FEATURES & BENEFITS

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit

AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 457mm	RD4621L10D	Adjustable glass cantilevered shelves	•	Frost free freezer	•
Door panel stainless steel Right hinge 457mm	RD4621R10D	Adjustable glass shelves	3	Inverter controlled compressor	•
	AUCL DDCE	Smart appliance	•	Noise emissions	42 dBA
Handle kit Classic	AHCLRDSF	SmartTouch interface at counter height	•	Noise emissions class	D
Handle kit Contemporary round, aluminium	AHSRDSF	Water Filter	847200	Sabbath mode	•
Handle kit Contemporary square fine, aluminium	AHD5RDSF			Variable food modes	Soft freeze; Freeze; Deep
Handle kit Contemporary square fine, black	AHD5RDSFB	Francisk Factures			Freeze
Handle kit Professional round flush	AHP3RDSF	Freezer Features		Variable temperature zones	2
Joiner Kit	AJ-RS21LR	Automatic ice maker	•		
Toe kick stainless steel 1067mm	AKRS10710	Bottle chill	•		
Toe kick stainless steel 1220mm	AKRS12210	Door alarm	•	Power requirements	
Toe kick stainless steel 1676mm	AKRS16810	Fast freeze	•	Rated current	10 A
Toe kick stainless steel 1828mm	AKRS18310	Freezer bins	4	Supply frequency	50 Hz
Toe kick stainless steel 457mm	AKRS04610	Ice Boost	•	Supply voltage	230 V
Water filter replacement	847200 - FWC3	LED bin lighting	•		
		LED ceiling lighting	•		
		LED side lighting	•	Product dimensions	
Capacity		SmartTouch interface at counter height	•	Depth	610 mm
Total gross capacity	242 L			Height	2134 mm
Volume	220 L			Width	451 mm
Volume freezer	220 L	Installation Dimensions			
		Minimum inside width of cabinetry frame	457 mm		
		Minimum internal depth of cabinetry	635 mm	Product information	
Consumption		Minimum internal height of cabinetry	2134 mm	Packaged weight	118 kg
Energy rating	E			Unpackaged weight	100 kg
Energy usage	235kWh/year				
In-use energy carbon emissions estimate	46.7kgCO2e/year	Performance			
		ActiveSmart™ Foodcare	•	Warranty	
		Adaptive defrost	•	Parts and labour	5 years
Features		Dual evaporator	•	Sealed system parts only	5 years
Adjustable door shelves	4	Frost free	•		•

QUICK REFERENCE GUIDE > RS4621FRJK3

SKU 26670

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Column Freezer Hinge
- ↓ 2D-DWG Integrated Column Freezer
- ↓ 2D-DWG Integrated Column Freezer Panel Prep
- ↓ 2D-DXF Integrated Column Freezer Hinge
- ↓ 2D-DXF Integrated Column Freezer
- ↓ 2D-DXF Integrated Column Freezer Panel Prep
- Data Sheet Integrated Column Freezer Dual Install (457mm + 610mm)
- Data Sheet Integrated Column Freezer Dual Install (457mm +762mm)
- Data Sheet Integrated Column Freezer with Contemporary Square Handle Kit
- Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit
- Declaration of Conformity Refrigeration with WiFi Capability
- Energy Label Integrated Column Freezer
- ↓ Service & Warranty
- ↓ Water Filter Replacement Instructions & Installation Guide EN
- Installation Guide Integrated Column Refrigerator
- Key Purchase Decisions Integrated Columns
- Planning Guide Integrated Columns
- User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com