QUICK REFERENCE GUIDE > RS4621FRJK1 Date: 06.11.2024 > 1

46cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage

Internal ice maker with boost feature for busy times

DIMENSIONS

Height 2134 mm
Width 451 mm
Depth 610 mm

FEATURES & BENEFITS

Variable Temperature Zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 457mm

Door panel stainless steel Right hinge 457mm

Handle kit Classic

Handle kit Contemporary round, aluminium

RD4621L10D

RD4621R10D

AHCLRDSF

AHSRDSF

QUICK REFERENCE GUIDE > RS4621FRJK1 Date: 06.11.2024 > 2

Handle kit Contemporary square fine, aluminium	AHD5RDSF	Automatic ice maker	•	Power requirements	
Handle kit Contemporary square fine, black	AHD5RDSFB	Bottle chill	•	Rated current	10 A
Handle kit Professional round flush	AHP3RDSF	Door alarm	•	Supply frequency	50 Hz
Joiner kit	AJ-RS21LR	Fast freeze	•	Supply voltage	230 V
Toe kick stainless steel 1067mm	AKRS10710	Freezer bins	4		
Toe kick stainless steel 1220mm	AKRS10710 AKRS12210	Ice Boost	•		
Toe kick stainless steel 1220mm	AKRS12210 AKRS16810	LED bin lighting	•	Product dimensions	
		LED ceiling lighting	•	Depth	610 mm
Toe kick stainless steel 1828mm	AKRS18310	LED side lighting	•	Height	2134 mm
Toe kick stainless steel 457mm	AKRSO4610	SmartTouch interface at counter height	•	Width	451 mm
Capacity		Installation Discousions			
Total gross capacity	242 L	Installation Dimensions		Product information	
Volume	220 L	Minimum inside width of cabinetry frame	457 mm	Packaged weight	118 kg
Volume freezer	220 L	Minimum internal depth of cabinetry	635 mm	Unpackaged weight	100 kg
volume meezer		Minimum internal height of cabinetry	2134 mm		
Consumption				Warranty	
Energy rating	2 E stor	Performance		Parts and labour	2 years
	2.5 star	ActiveSmart™ Foodcare	•	Sealed system parts only	5 years
		Adaptive defrost	•		
Features		Dual evaporator	•		
		Frost free	•		
Adjustable door shelves	4	Frost free freezer	•	SKU	26156
Adjustable glass cantilevered shelves	•	Inverter controlled compressor	•		
Adjustable glass shelves	3	Noise emissions	42 dBA	The product dimensions and specifications in this page apply to the specific	
Smart appliance	•	Noise emissions class	D	product and model. Under our policy of continuous improvement, these	
SmartTouch interface at counter height	•	Sabbath mode	•	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Water Filter	847200	Variable food modes	Soft freeze; Freeze; Deep Freeze		
Freezer Features		Variable temperature zones	2		

QUICK REFERENCE GUIDE > RS4621FRJK1 Date: 06.11.2024 > 3

Other product downloads available at fisherpaykel.com



2D-DXF Integrated Refrigeration - K05 Hinge

2D-DXF Panel Preparation

Energy Label Integrated Column Freezer

↓ Service & Warranty

Water Filter Replacement Instructions - Parts 847200 and 847201 - EN

↓ Installation Guide Integrated Column Refrigerator

Revit Integrated Column Freezer

↓ Rhino Integrated Column Freezer

Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle

Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle

↓ Sketchup Integrated Column Freezer

Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle

Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle

↓ User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

