QUICK REFERENCE GUIDE > DD60SCTX9

Series 7, Contemporary Tall Single DishDrawer Dishwasher

Series 7 | Contemporary

Stainless Steel




Created with extra height for large dishes and designed to be placed anywhere in your kitchen, for loading dishes with less bending.

- With extra height for taller dishes, and customisable internal shelving
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	573 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

Seamless Integration

DishDrawer™ Dishwashers can be installed in any kitchen space and are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials.

SPECIFICATIONS

Accessories (included)

Cutlery basket	•	
Knife clip and multipurpose clip	•	

Capacity and loading

Accommodates round plates up to	310mm
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings	7

Controls

QUICK REFERENCE GUIDE > DD60SCTX9 Date: 17.12.2024 > 2

Electronic fault/Diagnostic indicator	•	Warranty	
End of cycle beeps	•	Parts and labour	2 years
Energy saving delay start option of up to 12 hours	•		
Keylock	•	Wash Dragram Madifiars	
Rinse aid indicator light	•	Wash Program Modifiers	
		Extra Dry	•
		Quick	•
Features		Sanitise	•
Fan assisted drying	•	Wash modifiers	3
Flood protection	•		
Flow through detergent dispenser	•	Wash Programs	
Motor type	BLDC	Wash Programs	
Quiet operation	•	Delicate	•
SmartDrive™ technology	•	Eco	•
		Fast	•
		Heavy	•
Performance		Medium	•
Noise emissions	42 dBA	Rinse	•
		Wash programs	6
Power requirements			
Amperage	5A	Water connection	
Supply frequency	50Hz	Water pressure	30kPa - 1000 kPa
Supply voltage	220 - 240V	Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Product dimensions			
Depth	573 mm	SKU	82365
Height	454 mm		02000
Width	599 mm		
· · · · · · · · · · · · · · · · · · ·	555 11111		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Single DishDrawer™ Dishwasher 2D-DXF Single DishDrawer™ Dishwasher Data Sheet Single DishDrawer™ Dishwasher Service & Warranty Installation Guide Single DishDrawer™ Dishwasher Revit Single DishDrawer™ Dishwasher Rhino Single DishDrawer™ Dishwasher Sketchup Single DishDrawer™ Dishwasher User Guide DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > DD60SCTX9 Date: 17.12.2024 > 3

