# 46cm Series 11 Integrated Column Freezer, Ice

Series 11   Integrated	
Panel Ready   Right Hing	e


Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS





## **FEATURES & BENEFITS**

## Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

## Perfect fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

## Clever energy

Our ActiveSmart<sup>™</sup> Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

## Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

## **Design Quality**

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

## Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

## SPECIFICATIONS

## Accessories (included)

Joiner kit

AJ-RS21LR

Accessories (sold separately)

## QUICK REFERENCE GUIDE > RS4621FRJK3

Door panel stainless steel Left hinge 457mm	RD4621L10D
Door panel stainless steel Right hinge 457mm	RD4621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner Kit	AJ-RS21LR
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1676mm	AKRS16810
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 457mm	AKRS04610
Water filter replacement	847200 - FWC3

## Capacity

Total gross capacity	242 L
Volume	220 L
Volume freezer	220 L

## Consumption

Energy rating	E
Energy usage	235kWh/year
In-use energy carbon emissions estimate	46.7kgCO2e/year

4

#### Features

Adjustable	door shelves
Aujustable	door sherves

Adjustable glass cantilevered shelves	•
Adjustable glass shelves	3
Smart appliance	•
SmartTouch interface at counter height	•
Water Filter	847200
Freezer Features	
Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	4
Ice Boost	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at counter height	•
Installation Dimensions	
Minimum inside width of cabinetry frame	457 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal height of cabinetry	2134 mm
Performance	
ActiveSmart™ Foodcare	
Adaptive defrost	•
Dual evaporator	•
Frost free	•

	Inverter controlled compressor
42 dBA C	Noise emissions Noise emissions class
Soft freeze Freeze; Dee Freez	Variable food modes
	Variable temperature zones
	Power requirements
10 /	Rated current
50 H	Supply frequency
50 H 230 Y	Supply frequency Supply voltage
	Supply voltage
230	Supply voltage Product dimensions
230 v 610 mr	Supply voltage Product dimensions Depth
230 v 610 mr 2134 mr	Supply voltage Product dimensions Depth Height
230 v 610 mr 2134 mr	Supply voltage Product dimensions Depth Height Width

Parts and labour	5 years
Sealed system parts only	5 years

\_\_\_\_

#### QUICK REFERENCE GUIDE > RS4621FRJK3

SKU

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Column Freezer Hinge
- 2D-DWG Integrated Column Freezer
- 2D-DWG Integrated Column Freezer Panel Prep
- ↓ 2D-DXF Integrated Column Freezer Hinge
- ↓ 2D-DXF Integrated Column Freezer
- 2D-DXF Integrated Column Freezer Panel Prep
- ↓ Data Sheet Integrated Column Freezer Dual Install (457mm + 610mm)
- ↓ Data Sheet Integrated Column Freezer Dual Install (457mm +762mm)
- ↓ Data Sheet Integrated Column Freezer with Contemporary Square Handle Kit
- ↓ Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit
- Data Sheet Integrated Column Freezer
- Declaration of Conformity Refrigeration with WiFi Capability
- Energy Label Integrated Column Freezer
- Service & Warranty
- ↓ Water Filter Replacement Instructions & Installation Guide EN
- Installation Guide Integrated Column Refrigerator
- Key Purchase Decisions Integrated Columns
- Planning Guide Integrated Columns
- Specification Guide Integrated Column Freezer
- ↓ User Guide Integrated Refrigerator Freezer EN

#### Where applicable:

26670

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com