QUICK REFERENCE GUIDE > RDV3-366-N

# Dual Fuel Range, 36", 6 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural Gas




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 4.8 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

## DIMENSIONS

| Height | 35 3/4 - 36 3/4 " |
|--------|-------------------|
| Width  | 35 7/8 "          |
| Depth  | 29 1/8 "          |



## **FEATURES & BENEFITS**

#### Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

**Generous Capacity** 

Featuring a large 4.8 cu ft total capacity convection oven, with enough room to fit a 32 lb turkey and full-size baking sheets.

## Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

## **Cooktop Power**

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

## **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

## Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

# **SPECIFICATIONS**

# Accessories (included)

Adjustable feet covers

Branded coin end cap

## Accessories (sold separately)

Square handle option AH-R36
Wok grate included No

QUICK REFERENCE GUIDE > RDV3-366-N Date: 28.06.2024 > 2

| Burner ratings               |             | Multi-language interface                  | •                 | Air fry                           | •        |
|------------------------------|-------------|-------------------------------------------|-------------------|-----------------------------------|----------|
| Maximum burner power         | 23500 BTU   | Precise cooking with food probe           | •                 | Bake                              | •        |
| Power back centre            | 18500BTU    | Recipe and food based functions           | •                 | Classic bake                      | •        |
| Power back left              | 18500BTU    | Sabbath mode                              | •                 | Clean                             | •        |
| Power back right             | 18500BTU    | Smart appliance                           | •                 | Convection bake                   | •        |
| Power front centre           | 18500BTU    | Tilting touch screen interface            | •                 | Convection Broil                  | •        |
| Power front left             | 23500BTU    | Wi-Fi connectivity                        | •                 | Dehydrate                         | •        |
| Power front right            | 23500BTU    |                                           |                   | Dehydrate                         | •        |
| Total cooktop power          | 121000 BTU  |                                           |                   | Maxi Broil                        | •        |
|                              |             | Gas Requirements                          |                   | Number of functions               | 15       |
|                              | _           | Fitting and pipe                          | ½ NPT, min. 5%" 🛭 | Pastry bake                       | •        |
| Capacity                     |             |                                           | flex line         | Pizza bake                        | •        |
| Shelf positions              | 5           | Supply Pressure (natural gas)             | 6" to 9" W.C      | Rapid proof                       | •        |
| Total capacity               | 4.8 cu ft   |                                           |                   | Roast                             | •        |
| Usable capacity              | 3.8 cu ft   | Main oven functions                       |                   | Slow cook                         | •        |
| •                            |             |                                           |                   | True convection                   | •        |
|                              |             | Warm                                      | •                 | Warm                              | •        |
| Cleaning                     |             |                                           |                   |                                   |          |
| Easy clean porcelain basepan | •           | Oven features                             |                   | Oven performance                  |          |
| Pyrolytic self-clean         | •           | Auto re-ignition system                   | •                 | Bake power                        | 4600W    |
|                              |             | Concealed element                         | •                 | Broil                             | 4000 BTU |
| Communica                    |             | Electronic oven control                   | •                 | Main oven - True convection power | 2500 W   |
| Consumption                  |             | Food probe                                | •                 | Figure Office Convection power    | 2300 W   |
| Energy usage                 | 490kWh/year | Full extension telescopic sliding shelves | •                 |                                   |          |
|                              |             | Internal light                            | true              | Power requirements                |          |
| Controls                     |             | Large broil pan                           | •                 | Amperage                          | 30 A     |
|                              |             | Self-clean proof side racks               | •                 | Supply frequency                  | 60 Hz    |
| Dial with illuminated halo   | •           | Titanium coated, illuminated metal dials  | •                 | - 166.3 odgo o                    | 30.12    |
| Electric circuit             | 4 wire      |                                           |                   |                                   |          |
| High resolution display      | •           |                                           |                   | Product details                   |          |
| Metal illuminated dials      | •           | Oven functions                            |                   |                                   |          |

QUICK REFERENCE GUIDE > RDV3-366-N

Self Cleaning Sf

Product dimensions

Depth 29 1/8 "
Depth (excluding handles) 2918 mm
Height 35 3/4 - 36 3/4 "
Width 35 7/8 "

Rangetop features

Sealed range top •
Vent trim included •

## **Recommended Back Guards Ventilation**

Combustible situation

Non combustible situation

BGRV2-3036 / BGRV2-1236

Recommended hood

HCB36-6\_N (36" Professional Range Hood) / HCB36-12\_N (36" Professional Range Hood, Dual Blower)

BGRV3-3036H

## Safety

ADA compliant
Full extension telescopic sliding shelves

#### Secondary oven features

Food probe

SKU 81898

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

, 2D-DWG Dual Fuel Range with Backguard BGRV2-1236

2D-DWG Dual Fuel Range with Backguard BGRV2-3036

2D-DWG Dual Fuel Range with Backguard BGRV2-3036H and Angled Trim

, 2D-DXF Dual Fuel Range with Backguard BGRV2-1236

2D-DXF Dual Fuel Range with Backguard-BGRV2-3036

2D-DXF Dual Fuel Range with Backguard BGRV2-3036H and Angled Trim

ArchiCAD Dual Fuel Range

Data Sheet Dual Fuel Range with Backguard BGRV2-1236

Data Sheet Dual Fuel Range with Backguard BGRV2-3036H and Angled Trim

Data Sheet Dual Fuel Range

Energy Label Dual Fuel Cooker

Service & Warranty

Installation Guide EN

. Guide d'installation FR

Planning Guide Professional Style Dial/Handle Accessories

✓ Revit Dual Fuel Range
 ✓ Rhino Dual Fuel Range
 ✓ Sketchup Dual Fuel Range
 ✓ Specification Guide Dual Fuel Range
 ✓ User Guide Professional Range EN

Guide d'utilisation FR

Guide d'utilisation FR

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

