Dual Fuel Range, 30", 4 Burners, Self-cleaning

Series 9 | Classic

Black




Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a convection oven with 9 functions.

- Four burner gas cooktop with two dual wok burners
- Convection oven with 3.5 cu.ft total capacity and nine oven functions including Roast, Aero Pastry[™] with pizza mode and rapid proof for baking bread
- Non-tip full-extension shelves for safe removal of hot dishes

• High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

| Height | 35 3/4 - 37 5/8 " |
|--------|-------------------|
| Width | 29 7/8 " |
| Depth | 25 1/4 " |



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech[™] system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and glowing halo dials all add up to an exceptional, premium range.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

| 2-pc grill system (Broil pan and Grill rack) | • |
|--|-------------------------|
| Broil pan | • |
| Full extension telescopic shelves | 2 sets (part 578776) |
| Small pot support | 1 (part 533981 cast) |

Accessories (sold separately)

QUICK REFERENCE GUIDE > OR30SCG6B1

| Hob rear trim Kick strip, black (optional) | 3 1/8" (part 84656) KICKOR30B1 |
|---|--------------------------------------|
| Burner ratings | |
| Dual wok burner inner/outer (LPG) | 1000 - 18000BTU |
| Dual wok burner inner/outer (natural gas) | 1000 - 18000BTU |
| Maximum burner power | 18000 BTU |
| Semi-rapid burner (LPG) | 1500 - 7600BTU |
| Semi-rapid burner (natural gas) | 1500 - 8000BTU |
| Total cooktop power | 52000 BTU |
| Capacity Shelf positions Total capacity Usable capacity | 7 3.5 cu ft 2.9 cu ft |
| Cleaning | |
| Acid resistant graphite enamel | • |
| Drop down broil element | • |
| Drop down grill element | • |
| Flat easy clean glass surface | • |
| Pyrolytic proof shelf runners | • |
| Pyrolytic self-clean | • |
| Removable oven door | • |
| Removable shelf runners | • |

Automatic cooking/minute timer Automatic pre-set temperatures Celsius/Fahrenheit temperature . Electronic clock High resolution display Laser etched graphics Precise electronic temperature control Sabbath mode Turned stainless steel clock buttons **Gas Requirements** 11" W.C.P Supply Pressure (LPG) Supply Pressure (natural gas) 4" W.C.P Installation Dimensions Installation cutout dimensions (Width) 30 mm **Oven features** AeroTech[™] technology Auto re-ignition system Automatic rapid pre-heat Bright chromed, cast zinc dials with illuminated halos Concealed element Electronic oven control Full extension telescopic sliding shelves Internal light 2 x 25W halogen

Audio feedback

Soft open/close door True convection Turned stainless steel clock dial **Oven functions** Aero Broil Aero[™] Bake Aero[™] Pastry with Pizza mode Bake Number of functions 9 Pyrolytic self-clean Rapid proof Roast True Aero True convection Oven performance Broil power 4050 W CoolTouch door Triple glazed Warming drawer power 220 W

Power Requirements

| Amperage | 30 A |
|------------------|-------|
| Supply frequency | 60 Hz |

Product Details

Self Cleaning Sf

(rear)

Date: 05.07.2024 > 2

Yes

Controls

QUICK REFERENCE GUIDE > OR30SCG6B1

Product Dimensions

| Depth | 25 1/4 " |
|--------|-------------------|
| Height | 35 3/4 - 37 5/8 " |
| Width | 29 7/8 " |

Rangetop features

| Brass burner spreader (power burner) | • |
|--|---|
| Embossed brass burner cap (power burner) | • |
| Hob rail | • |
| LPG / Natural Gas compatible | • |
| Sealed range top | • |
| | |
| | |

Rangetop Performance

| Rangetop Performance | |
|----------------------|---|
| Number of burners | 4 |

Safety

| ADA compliant | • |
|---|------------|
| Advanced cooling system | • |
| Anti-tilt bracket | • |
| Balanced oven door | • |
| Catalytic venting system | • |
| Full extension telescopic sliding shelves | • |
| Non-tip shelves | • |
| Spill containment | 45.42 L |
| Spill containment | 1/2 gallon |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

Date: 05.07.2024 > 3

T 1.888.936.7872 Wwww.fisherpaykel.com

Other product downloads available at fisherpaykel.com

| $\overline{1}$ | 2D-DWG Dual Fuel Range |
|----------------|----------------------------|
| $\overline{1}$ | 2D-DXF Dual Fuel Range |
| $\overline{1}$ | Data Sheet Dual Fuel Range |
| $\overline{1}$ | Service & Warranty |
| $\overline{1}$ | Installation Guide EN |
| $\overline{1}$ | Guide d'installation FR |
| $\overline{1}$ | Revit Dual Fuel Cooker |
| $\overline{1}$ | Rhino Dual Fuel Cooker |
| 1 | Sketchup Dual Fuel Cooker |
| | |

↓ User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region. Our In-use Energy Carbon Emissions Estimate is designed to assist

customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

SKU

81718