QUICK REFERENCE GUIDE > RDV2-488-N_N
Date: 11.09.2025 > 1

48" Series 9 Professional 8 Burner Dual Fuel Range, Natural Gas

Series 9 | Professional



A striking addition to your kitchen, with eight high powered gas burners and two ovens with a combined capacity of 6.9 cu ft.


- Top burner heat of 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes

DIMENSIONS

Height 35 3/4 - 36 3/4 "

Width 47 7/8 "

Depth 29 1/8 "



FEATURES & BENEFITS

Cooktop Power

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials. The ovens have true convection and electronic oven control for precise and consistent temperatures.

Consistent broiling

The Dual Fuel Range broiler provides an even heat that covers a very large surface area — perfect for browning a fully loaded oven tray.

Easy to clean

The Dual Fuel Range oven has a self-cleaning function and removable side racks. The cooktop has sealed burners and an encapsulated cooking surface with a commercial-style stainless steel finish.

Instant Visibility

Control dials have halo-illumination glowing white - heating up; orange - temperature reached; red - self-cleaning mode. The oven is illuminated by two powerful incandescent lights.

Cooking flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

SPECIFICATIONS

Accessories (sold separately)

Square handle option AH-R48

Burner ratings

Maximum burner power Power back centre 18500BTU Power back centre (2) Power back left Power back right Power front centre Power front centre (2) Power front left 23500 BTU 18500BTU 18500BTU 23500BTU 23500BTU		
Power back centre (2) Power back left Power back right Power front centre Power front centre (2) 18500BTU 18500BTU 18500BTU	Maximum burner power	23500 BTU
Power back left 18500BTU Power back right 18500BTU Power front centre 18500BTU Power front centre (2) 18500BTU	Power back centre	18500BTU
Power back right Power front centre 18500BTU Power front centre (2) 18500BTU	Power back centre (2)	18500BTU
Power front centre 18500BTU Power front centre (2) 18500BTU	Power back left	18500BTU
Power front centre (2) 18500BTU	Power back right	18500BTU
10000210	Power front centre	18500BTU
Power front left 23500BTU	Power front centre (2)	18500BTU
	Power front left	23500BTU

Power front right	23500BTU	Main oven functions		Rangetop features	
Total cooktop power	158000 BTU	Bake	•	Sealed range top	•
		Broil	•	Vent trim included	•
Compositor		Clean	•		
Capacity		Convection bake	•		
Shelf positions	5	Convection broil	•	Safety	
Shelf positions (main oven)	5	Number of oven functions	6	Full extension telescopic sliding shelves	•
Shelf positions (second oven)	5	Self cleaning	•		
		True convection	•		
				Secondary oven features	
Cleaning				Broil	•
Pyrolytic self-clean	•	Oven features		Concealed element	•
		Auto re-ignition system	•	Electronic oven control	•
				Internal light	•
Controls					
Electric circuit	4 wire	Oven performance			_
Metal illuminated dials	•	Bake power	4600	Secondary oven functions	
		Broil	3600 W	Bake	•
		Main oven - True convection power	2500 W	Number of secondary oven functions	3
Gas Requirements				Proof	•
Fitting and pipe	½ NPT, min. %″ ∑ flex line				
Supply Pressure (natural gas)	6" to 9" W.C	Power Requirements			
	0 10 0 1110	Rated current	50 A	SKU 713	36
		Supply frequency	60 Hz	715	,0
Main oven features					
Concealed Element	•	Product Dimensions		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these	
Electronic oven control	•	Product Dimensions		dimensions and specifications may change at any time. You should therefore	
Internal light	•	Depth	29 1/8 "	check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel	
Large broil pan	•	Depth (excluding handles)	2918 mm	Appliances Ltd 2020	
		Height	35 3/4 - 36 3/4 "		
		Width	47 7/8 "		

Other product downloads available at fisherpaykel.com

↓ 2D-DWG Dual Fuel Range

↓ 2D-DXF Dual Fuel Range

Archicad Dual Fuel Range

↓ Data Sheet Dual Fuel Range

Installation Guide EN / Guide d'installation FR

Planning Guide Dual Fuel Range

↓ Rhino

Right To Repair Declaration (English, French)

↓ Sketchup Dual Fuel Range

↓ User Guide EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com