QUICK REFERENCE GUIDE > RS4621FRJK3

Integrated Column Freezer, 45.7cm, Ice

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134 mm
Width 451 mm
Depth 610 mm



FEATURES & BENEFITS

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever energy

Our ActiveSmart™ Foodcare Fridge Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit

AJ-RS21LR

Accessories (sold separately)

42 dBA	Noise emissions	3	Adjustable glass shelves	RD4621L10D	Door panel stainless steel Left hinge 457mm
D	Noise emissions class	•	SmartTouch interface at counter height	RD4621R10D	Door panel stainless steel Right hinge
•	Sabbath mode	847200	Water Filter	ALICI DDCE	457mm
Soft freeze;	Variable food modes			AHCLRDSF	Handle kit Classic
Freeze; Deep Freeze				AHSRDSF	Handle kit Contemporary round, aluminium
2	Variable temperature zones		Freezer Features	AHD5RDSF	Handle kit Contemporary square fine, aluminium
		•	Automatic ice maker	AHD5RDSFB	Handle kit Contemporary square fine, black
		•	Bottle chill	AHP3RDSF	Handle kit Professional round flush
	Power requirements	•	Door alarm	AKRS10710	Toe kick stainless steel 1067mm
10 A	Rated current	•	Fast freeze	AKRS12210	Toe kick stainless steel 1220mm
50 Hz	Supply frequency	4	Freezer bins	AKRS16810	Toe kick stainless steel 1676mm
230 V	Supply voltage	•	Ice Boost	AKRS18310	Toe kick stainless steel 1828mm
		•	LED bin lighting	AKRS04610	Toe kick stainless steel 457mm
		•	LED ceiling lighting	847200 - FWC3	Water filter replacement
	Product dimensions	•	LED side lighting		
610 mm	Depth	•	SmartTouch interface at counter height		
2134 mm	Height				Capacity
451 mm	Width			242 L	Total gross capacity
			Installation Dimensions	220 L	Volume
		457 mm	Minimum inside width of cabinetry frame	220 L	Volume freezer
	Product information	635 mm	Minimum internal depth of cabinetry		
118 kg	Packaged weight	2134 mm	Minimum internal height of cabinetry		
100 kg	Unpackaged weight				Consumption
				E	Energy rating
			Performance	235kWh/year	Energy usage
	Warranty	•	ActiveSmart™ Foodcare	72.6kgCO2e/year	In-use energy carbon emissions estimate
5 years	Parts and labour	•	Adaptive defrost		
5 years	Sealed system parts only	•	Dual evaporator		
		•	Frost free		Features
		•	Frost free freezer	4	Adjustable door shelves
	2141	•	Inverter controlled compressor	•	Adjustable glass cantilevered shelves
26670	SKU				

QUICK REFERENCE GUIDE > RS4621FRJK3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Column Freezer - Hinge

2D-DWG Integrated Column Freezer

2D-DWG Integrated Column Freezer - Panel Prep

↓ 2D-DXF Integrated Column Freezer - Hinge

2D-DXF Integrated Column Freezer

2D-DXF Integrated Column Freezer - Panel Prep

Data Sheet Integrated Column Freezer Dual Install (457mm + 610mm)

Data Sheet Integrated Column Freezer Dual Install (457mm +762mm)

Data Sheet Integrated Column Freezer with Contemporary Square Handle Kit

Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit

Data Sheet Integrated Column Freezer

Declaration of Conformity Refrigeration with WiFi Capability

Energy Label Integrated Column Freezer

Service & Warranty

Water Filter Replacement Instructions & Installation Guide EN

Installation Guide Integrated Column Refrigerator

↓ Key Purchase Decisions Integrated Columns

Planning Guide Integrated Columns

Specification Guide Integrated Column Freezer

User Guide Integrated Refrigerator Freezer EN

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com

Where applicable: