QUICK REFERENCE GUIDE > RS7621SLK1

# 76cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Left hinge




Install it separately or pair with another Column for true design freedom – this model is left hinge with stainless steel interior.\*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage

# **DIMENSIONS**

Height 2134 mm
Width 756 mm
Depth 610 mm



#### **FEATURES & BENEFITS**

#### Variable temperature zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

### Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

#### Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

## Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

#### Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

## Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

#### Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

## **SPECIFICATIONS**

#### Accessories (sold separately)

Door panel stainless steel Left hinge 762mm Door panel stainless steel Right hinge RD7621L10D RD7621R10D

762mm

Handle kit Classic

AHCLRDSF

Handle kit Contemporary round, aluminium	AHSRDSF	Gallon door shelves	1	Noise emissions class	D
Handle kit Contemporary square fine,	AHD5RDSF	LED bin lighting	•	Sabbath mode	•
aluminium	AUDEDDCED	LED ceiling lighting	•	Variable temperature zones	2
Handle kit Contemporary square fine, black	AHD5RDSFB	LED side lighting	•		
Handle kit Professional round flush	AHP3RDSF	SmartTouch interface at counter height	•		
Joiner Kit	AJ-RS21LR	Stackable bottle holders	4	Power requirements	
Foe kick stainless steel 1220mm	AKRS12210			Rated current	10 A
Foe kick stainless steel 1372mm	AKRS13710			Supply frequency	50 Hz
oe kick stainless steel 1524mm	AKRS15210	Freezer Features		Supply voltage	230 V
oe kick stainless steel 1981mm	AKRS19810	LED bin lighting	•		
oe kick stainless steel 2134mm	AKRS21310	LED ceiling lighting	•		
Toe kick stainless steel 762mm	AKRS7610	LED Lighting	•	Product dimensions	
		LED side lighting	•	Depth	610 mm
apacity		SmartTouch interface at counter height	•	Height	2134 mm
				Height to top of cabinet	756 mm
otal gross capacity	498 L			Width	756 mm
/olume	463 L	Installation Dimensions			
Volume refrigerator	463 L	Minimum inside width of cabinetry frame	762 mm		
		Minimum internal depth of cabinetry	635 mm	Product information	
Consumption		Minimum internal height of cabinetry	2134 mm	Packaged weight	156 kg
Consumption				Unpackaged weight	133 kg
Energy rating	4 star				
Energy usage	203kWh/year	Performance			
n-use energy carbon emissions estimate 1	32.2kgCO2e/year	ActiveSmart™ Foodcare	•	Warranty	
		Adaptive defrost	•	Parts and labour	2 years
Features		Dual evaporator	•	Sealed system parts only	5 years
eatures		Frost free	•		
Adjustable door shelves	4	Frost free freezer	•		
Adjustable glass shelves	4	Humidity control system	•		
Covered door shelves	1	Inverter controlled compressor	•	SKU	26161
Door alarm	•	Noise emissions	42 dBA		
Front levelling feet	•				

QUICK REFERENCE GUIDE > RS7621SLK1

Date: 17.10.2024 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

↓ Service & Warranty

Installation Guide Toe Kick

Revit Integrated Column Refrigerator

↓ Rhino Integrated Column Refrigerator

Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle

Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle

Sketchup Integrated Column Refrigerator

Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle

Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle

User Guide Integrated Columns

User Guide Integrated Refrigerator Freezer EN

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com