


# 30" Series 9 Integrated Column Refrigerator

Series 9 | Integrated

Panel Ready | Left hinge




<p>Install it separately or pair with another Column for seamless kitchen integration - this model is left hinge with white interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

|        |          |
|--------|----------|
| Height | 84 "     |
| Width  | 29 3/4 " |
| Depth  | 24 "     |



## FEATURES & BENEFITS

### Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

### Clever Energy

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

### Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

### Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

### Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

### Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

## SPECIFICATIONS

Accessories (sold separately)

|   |                                 |   |                        |   |                           |
|---|---------------------------------|---|------------------------|---|---------------------------|
| Door panel stainless steel Left hinge 84"                   | <b>RD3084L4D</b>                | Energy usage                            | <b>247kWh/year</b>     | Supply frequency  | <b>60 Hz</b>              |
| Door panel stainless steel Right hinge 84"                  | <b>RD3084R4D</b>                | In-use energy carbon emissions estimate | <b>90.5kgCO2e/year</b> | Supply voltage  | <b>115 V</b>              |
| Handle kit Classic  | <b>AHCLRDSF</b>                 | <hr/>                                   |                        |   |                           |
| Handle kit Contemporary round, aluminium                    | <b>AHSRDSF</b>                  | <b>Features</b>                         |                        | <b>Product Dimensions</b>   |                           |
| Handle kit Contemporary square fine, aluminium              | <b>AHD5RDSF</b>                 | Adjustable door shelves                 | <b>4</b>               | Depth   | <b>24 "</b>               |
| Handle kit Contemporary square fine, black                  | <b>AHD5RDSFB</b>                | Adjustable glass cantilevered shelves   | <b>•</b>               | Height  | <b>84 "</b>               |
| Handle kit Professional round flush                         | <b>AHP3RDSF</b>                 | Covered door shelves                    | <b>1</b>               | Width   | <b>29 3/4 "</b>           |
| Handle kit Professional round flush, Brass off-stands       | <b>AHP3RDSFBA</b>               | Door alarm                              | <b>•</b>               | <hr/>   |                           |
| Handle kit Professional round flush, Dark Copper off-stands | <b>AHP3RDSFDC</b>               | Fruit and vegetable bins                | <b>4</b>               | <b>Product information</b>  |                           |
| Joiner Kit  | <b>AJ-RS84LR</b>                | LED bin lighting                        | <b>•</b>               | Packaged weight   | <b>309 lbs</b>            |
| Stainless steel door panel                                  | <b>30" Left hinge RD3084L4D</b> | LED ceiling lighting                    | <b>•</b>               | Unpackaged weight   | <b>294 lbs</b>            |
| Toe kick stainless steel 30"                                | <b>AKRS3004</b>                 | LED lighting                            | <b>•</b>               | <hr/>   |                           |
| Toe kick stainless steel 48"                                | <b>AKRS4804</b>                 | LED side lighting                       | <b>•</b>               | <b>Safety and compliance</b>  |                           |
| Toe kick stainless steel 54"                                | <b>AKRS5404</b>                 | SmartTouch interface at counter height  | <b>•</b>               | ADA compliant   | <b>•</b>                  |
| Toe kick stainless steel 60"                                | <b>AKRS6004</b>                 | Soft-close fruit and vegetable bins     | <b>•</b>               | <hr/>   |                           |
| Toe kick stainless steel 66"                                | <b>AKRS6604</b>                 | Stackable bottle holders                | <b>4</b>               | <b>Warranty</b>   |                           |
| Toe kick stainless steel 72"                                | <b>AKRS7204</b>                 | <hr/>                                   |                        |   |                           |
| Toe kick stainless steel 78"                                | <b>AKRS7804</b>                 | <b>Performance</b>                      |                        | Parts and labor   | <b>2 years</b>            |
| Toe kick stainless steel 84"                                | <b>AKRS8404</b>                 | ActiveSmart™ Foodcare                   | <b>•</b>               | Sealed system parts & labor   | <b>additional 3 years</b> |
| <hr/>   |                                 | Dual evaporator                         | <b>•</b>               | <hr/>   |                           |
| <b>Capacity</b>   |                                 | Humidity control system                 | <b>•</b>               | SKU   | 26127                     |
| Total gross capacity  | <b>16.3 cu ft</b>               | Inverter controlled compressor          | <b>•</b>               | <hr/>   |                           |
| Volume  | <b>16.3 cu ft</b>               | Sabbath mode                            | <b>•</b>               | <hr/>   |                           |
| Volume refrigerator   | <b>16.3 cu ft</b>               | Variable food modes                     | <b>•</b>               | <hr/>   |                           |
| <hr/>   |                                 | Variable temperature zones              | <b>2</b>               | <hr/>   |                           |
| <b>Consumption</b>  |                                 | <b>Power Requirements</b>               |                        | <hr/>   |                           |
| Energy rating   | <b>Energy star</b>              | Rated current                           | <b>10 A</b>            | The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 |                           |

Other product downloads available at fisherpaykel.com

- [↓ 2D-DWG Integrated Column Refrigerator](#)
- [↓ 2D-DXF Integrated Column Refrigerator](#)
- [↓ Data Sheet Integrated Column Refrigerator](#)
- [↓ Data Sheet Integrated Column Refrigerator Dual Install \(18" + 30"\)](#)
- [↓ Data Sheet Integrated Column Refrigerator Dual Install \(24" + 30"\)](#)
- [↓ Data Sheet Integrated Column Refrigerator Dual Install \(30" + 30"\)](#)
- [↓ Energy Label](#)
- [↓ Service & Warranty](#)
- [↓ Installation Guide](#)
- [↓ Installation Guide Toe Kick](#)
- [↓ Water Filter Replacement Instructions - Parts 847200 and 847201 - FR](#)
- [↓ Installation Guide FR](#)
- [↓ Installation Guide](#)
- [↓ Key Purchase Decisions Integrated Column Refrigerator](#)
- [↓ Planning Guide Integrated Column Refrigerator](#)
- [↓ Revit Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ User Guide EN](#)
- [↓ User Guide FR](#)
- [↓ User Guide](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
 T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)