QUICK REFERENCE GUIDE > DD60SHI9

Series 9, Integrated Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height	410 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

EASE OF USE

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

KNOCK TO PAUSE

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A double knock on the front panel will pause the dishwasher which can be restarted again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60SPB

Door panel stainless steel ADDD60SPX

Capacity and loading

Accommodates round plates up to	280mm
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7

Controls

QUICK REFERENCE GUIDE > DD60SHI9

Electronic fault/Diagnostic indicator	•	Width	599 mm
End of cycle beeps	•		
Energy saving delay start option of up to 12 hours	•	Warranty	
Internal wash selector	•	Parts and labour	2 years
Keylock	•	raits and labour	2 years
Knock to pause	•		
Rinse aid indicator light	•	Wash Program Modifiers	
		Extra Dry	•
Features		Quick	•
		Sanitise	•
Built-in water softener	•	Wash modifiers	3
Fan assisted drying	•		
Flood protection	•		
Flow through detergent dispenser	•	Wash Programs	
Quiet operation SmartDrive™ technology	•	Delicate	•
	•	Eco	•
		Fast	•
Performance		Heavy	•
Noise emissions		Medium	•
	43 dBA	Rinse	•
		Wash programs	6
Power requirements			
Amperage	5A	Water connection	
Supply frequency	50Hz	Water pressure	100kPa - 1000kPa
Supply voltage	220 - 240V	Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Product dimensions			55.1.056
Depth	553 mm		
Height	410 mm	SKU	81248

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Single DishDrawer™ Dishwasher
 2D-DXF Integrated Single DishDrawer™ Dishwasher
 Data Sheet Integrated Single DishDrawer™ Dishwasher
 Service & Warranty
 Installation Guide Single DishDrawer™ Dishwasher
 Installation Guide (EN)
 Installation Guide (ZH)
 Quick Start Guide
 Revit Integrated Single DishDrawer™ Dishwasher
 Rhino Integrated Single DishDrawer™ Dishwasher
 Rhino Integrated Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
 Sketchup Integrated Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle

Where applicable:

Dishwasher

User Guide DishDrawer™ ZH

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Specification Guide Integrated Single DishDrawer™

QUICK REFERENCE GUIDE > DD60SHI9

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com