QUICK REFERENCE GUIDE > DD60DHI9

# Integrated Double DishDrawer Dishwasher, Sanitise

Series 9 | Integrated

Panel Ready



Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- · Flexible racking can be folded down to fit bigger dishes


 Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

#### **DIMENSIONS**

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 553 mm



## **FEATURES & BENEFITS**

## Independent Wash

With the ability to use both drawers independently and select different wash programs, the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

## Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

#### **Knock To Pause**

These DishDrawer™ Dishwashers have a knock to pause function – a knock on the front panel will pause the dishwasher.

#### **Quiet Performer**

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

#### **SPECIFICATIONS**

### Accessories (included)

Cutlery basket

Kickstrip

true

Knife clip and multipurpose clip

•

## Accessories (sold separately)

Door panel black stainless steel ADDD60DPB

Door panel stainless steel ADDD60DPX

Handle kit Contemporary square fine, aluminium

AHD5DDDW60S

Handle kit Contemporary square fine, black AHD5DDDW60B

QUICK REFERENCE GUIDE > DD60DHI9

Capacity and loading		Flow through detergent dispenser	•	Wash Programs		
Accommodates round plates up to	280mm	Quiet operation	•	Delicate	•	
Adjustable height, foldable cupracks	•	SmartDrive™ technology	•	Eco	•	
Fold down tines	•			Fast	•	
Pitch adjustable tines	•			Heavy	•	
Place settings	16	Performance		Medium	•	
Place settings per drawer	8	Noise on standard cycle top drawer	43 dBA	Rinse	•	
				Wash programs	6	
Consumption		Power requirements				
Cleaning Index	1.16	Amperage	10A	Water connection		
Drying Index	0.97	Supply frequency	50Hz	Water pressure	100kPa - 1000kPa	
Energy consumption	0.61kWh/cycle per drawer	Supply voltage	220 - 240V	Water supply	3/4" BSP (20mm) Connector Water	
Water usage (per wash cycle)	8L per drawer				Inlet Hose	
		Product dimensions			_	
		Depth	553 mm			
Controls		Height	820 - 880 mm	SKU	83030	
Electronic fault/Diagnostic indicator	•	Width	599 mm			
End of cycle beeps	•			The product dimensions and specification	ons in this page apply to the specific	
Energy saving delay start option of up to 12 hours	•	Warranty		product and model. Under our policy of dimensions and specifications may chan	continuous improvement, these	
Internal wash selector	•	•		check with Fisher & Paykel's Customer C		
Keylock	•	Parts and labour	1 year	correctly describes the model currently Appliances Ltd 2020	available. © Fisher & Paykel	
Knock to pause	•			Appliances Eta 2020		
Rinse aid indicator light	•	Wash Program Modifiers				
		Other p Extra Dry •		Other product downloads availab	Other product downloads available at fisherpaykel.com	
Features		Quick	•	1 2D DWC Double DishDrawe	r™ Dishwashar	
Built-in water softener •		Sanitise	•	<ul> <li>2D-DWG Double DishDrawer™ Dishwasher</li> <li>2D-DXF Double DishDrawer™ Dishwasher</li> </ul>		
	•	Wash modifiers	3	✓ Service & Warranty		
Fan assisted drying	•			<u>▼</u>		
Flood protection	•			<del>-</del>		

QUICK REFERENCE GUIDE > DD60DHI9

- $\overline{\mathbf{\Lambda}}$
- Installation Guide Double DishDrawer™ Dishwasher
- → Planning Guide Integrated Double DishDrawer™ Dishwasher EN
- ↓ Quick Start Guide MMM ZH
- ↓ Revit Integrated Double DishDrawer™ Dishwasher
- ↓ Rhino Integrated Double DishDrawer™ Dishwasher
- → Rhino Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- J Sketchup Integrated Double DishDrawer™ Dishwasher
- Sketchup Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Specification Guide Double DishDrawer™ Dishwasher EN
- ↓ User Guide XXXX ZH

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.