# Dual Fuel Range, 48", 5 Burners with Griddle, Selfcleaning

Series 9 | Professional

Stainless Steel | Natural Gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with griddle and a top burner heat up to 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities

Ensure perfect results with the food probe, included

# **DIMENSIONS**

35 3/4 - 36 3/4 "
47 7/8 "
29 1/8 "



## **FEATURES & BENEFITS**

## Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

## Generous Capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

## Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

#### Cooktop Power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

## **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

## Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

# **SPECIFICATIONS**

# Accessories (included)

Adjustable feet covers •

Branded coin end cap

Accessories (sold separately)		Electric circuit	4 wire	Convection bake	•
Square handle option	AH-R48	High resolution display	•	Convection broil	•
oqualo nanalo option		Metal illuminated dials	•	Maxi broil	•
		Multi-language interface	•	Number of oven functions	15
Burner ratings		Precise cooking with food probe	•	Pizza bake	•
Maximum burner power	23500 BTU	$recipe {\sf AndFoodBasedFunctions}$	•	Rapid proof	•
Power back centre	23500BTU	Sabbath mode	•	Roast	•
Power back left	18500BTU	Smart appliance	•	Slow cook	•
Power back right	18500BTU	Tilting touch screen interface	•	True convection	•
Power front left	18500BTU	Wi-Fi connectivity	•	Warm	•
Power front right	18500BTU				
Power griddle	24000BTU	Can Baruiyamanta		Over feetures	
Total cooktop power	121500 BTU	Gas Requirements		Oven features	
		Fitting and pipe	½ NPT, min. %″ ∑ flex line	Auto re-ignition system	•
	_	Supply Pressure (natural gas)	6" to 9" W.C	Concealed element	•
Capacity		Supply Fressure (natural gas)	0 10 9 W.C	Electronic oven control	•
Shelf positions (main oven)	5			Full extension telescopic sliding shelves	•
Shelf positions (second oven)	5	Main oven features		Internal light	true
Total capacity (main oven)	4.8 cu ft	Concealed Element		Titanium coated, illuminated metal dials	•
Total capacity second oven	2.1 cu ft	Electronic oven control	•		
Usable capacity (main oven)	3.8 cu ft	Full extension telescopic racks	•	Our for the	
		Internal light		Oven functions	
Cleaning		Large broil pan		Air fry	•
		Self-clean proof side racks		Bake	•
Easy clean porcelain basepan	•	Self-Clear proof side racks	•	Classic bake	•
Pyrolytic self-clean	•			Clean	•
		Main oven functions		Convection bake	•
		A : 6	_	Convection Broil	•
Controls		Air fry	•	Dehydrate	•
Dial with illuminated halo	•	Bake	•	Dehydrate	•
Dual control oven dials	•	Classic bake	•	Maxi Broil	•
Dadi control over didis		Clean	•		

QUICK REFERENCE GUIDE > RDV3-485GD-N Date: 05.07.2024 > 3

Number of functions	15	Height	35 3/4 - 36 3/4 "	Air fry •		
Pastry bake	•	Width	47 7/8 "	Bake •		
Pizza bake	•			Classic bake •		
Rapid proof	•			Convection bake •		
Roast	•	Rangetop features		Convection broil •		
Slow cook	•	Sealed range top	•	Maxi broil •		
True convection	•	Vent trim included	•	Number of secondary oven functions 11		
Warm	•			Pastry bake •		
			_	Pizza bake •		
		Recommended Back Guards Ventilation		Rapid proof •		
Oven performance		Combustible situation	BGRV3-3048H	Roast •		
Bake power	4600	Non combustible situation	BGRV2-3048 / BGRV2-1248	Warm •		
Broil	3600 W	Recommended hood	HCB48-12_N			
Main oven - True convection power	2500 W		(48"" Professional Range Hood, Dual Blower)	SKU 81894		
Power Requirements						
Connection	4-prong grounding type [NEMA 14-50 plug]	Safety  ADA compliant		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page		
Service	50 A	ADA compilant		correctly describes the model currently available. $\circledcirc$ Fisher & Paykel		
Supply	120 / 240 V, 60 Hz	Secondary oven features		Appliances Ltd 2020		
		3/4 Extension racks	2	Other product downloads available at fisherpaykel.com		
Product Details		Concealed element	•			
Solf Clooping St	Yes	Electronic oven control	•			
Self Cleaning Sf	tes	Food probe	•			
		Internal light	•			
Product Dimensions				✓ Service & Warranty		
	201/0"					
Depth	29 1/8 "	Secondary oven functions				
Depth (excluding handles)	2918 mm					

QUICK REFERENCE GUIDE > RDV3-485GD-N



SketchUp Dual Fuel Range



# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

 ${f T}$  1.888.936.7872  ${f W}$ www.fisherpaykel.com