QUICK REFERENCE GUIDE > RS2484FLJK1 Date: 19.06.2024 > 1

Integrated Column Freezer, 24", Ice

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.
p>

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

 Height
 84 "

 Width
 23 3/4 "

 Depth
 24 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (included)

| Joiner kit | AJ-RS84LR | Energy usage | 439kWh/year | Power requirements | |
|--|-------------|---|-----------------|---|-----------------------|
| | | In-use energy carbon emissions estimate | 54.1kgCO2e/year | Rated current | 10 A |
| | | | | Supply frequency | 60 Hz |
| Accessories (sold separately) | | | | Supply voltage | 115 V |
| Handle kit Contemporary round, aluminium | AHS-RD84 | Features | | | |
| Handle kit Contemporary square fine, aluminium | AHD5RDSF | Adjustable door shelves | 4 | | |
| Handle kit Contemporary square fine, black | AHD5RDSFB | Adjustable glass cantilevered shelves | • | Product dimensions | |
| Handle kit Contemporary square, aluminium | AHD3-RD84 | Door alarm | • | Depth | 24 " |
| Handle kit Professional round | AHC-RD84 | | | Height | 84 " |
| Handle kit Professional round flush | AHP3RDSF | Freezer Features | | Width | 23 3/4 " |
| Handle kit Professional square | AHV2-RD84 | A 1 | | | |
| Stainless steel door panel | RD2484L4D | Automatic ice maker | • | | |
| Toe kick stainless steel 24" | AKRS2404 | Bottle chill | • | Warranty | |
| Toe kick stainless steel 42" | AKRS4204 | Door alarm | • | Parts and labor | 2 years |
| Toe kick stainless steel 48" | AKRS4804 | Fast freeze | • | Sealed system parts only | 5 years |
| Toe kick stainless steel 54" | AKRS5404 | Freezer bins | 4 | | |
| Toe kick stainless steel 60" | AKRS6004 | Ice Boost | • | | |
| Toe kick stainless steel 66" | AKRS6604 | LED bin lighting | • | SKU | 26124 |
| Toe kick stainless steel 72" | AKRS7204 | LED ceiling lighting | • | | 20.2. |
| Toe kick stainless steel 78" | AKRS7804 | LED side lighting | • | | |
| Toe kick stainless steel 84" | AKRS8404 | SmartTouch interface at counter height | • | The product dimensions and specifications in this page apply to the specific | |
| | | | | product and model. Under our policy of continuou dimensions and specifications may change at any | |
| Capacity | | Performance | | check with Fisher & Paykel's Customer Care Centro correctly describes the model currently available. | e to ensure this page |
| | | ActiveSmart™ Foodcare | • | Appliances Ltd 2020 | |
| Total gross capacity | 11.9 cu ft | Adaptive defrost | • | | |
| Volume | 11.9 cu ft | Dual evaporator | • | Other product downloads available at fish | ornaukal aam |
| Volume freezer | 11.9 cu ft | Frost free | • | Other product downloads available at fish | еграукеі.сопі |
| | | Inverter controlled compressor | • | ↓ 2D-DWG Integrated Column Freezer | |
| Consumption | | Sabbath mode | • | ↓ 2D-DXF Integrated Column Freezer | |
| · | | Variable temperature zones | 2 | ↓ Data Sheet Integrated Column Freeze | <u> </u> |
| Energy rating | Energy star | | | _ | |

QUICK REFERENCE GUIDE > RS2484FLJK1 Date: 19.06.2024 > 3

- Data Sheet Integrated Column Freezer Dual Install (18" + 24")
- Data Sheet Integrated Column Freezer Dual Install (24" + 24")
- Data Sheet Integrated Column Freezer Dual Install (24" + 30")
- ↓ Energy Label
- ↓ Water Filter Replacement Instructions & Installation Guide EN
- ↓ Installation Guide
- J. Installation Guide Toe Kick
- Guide d'installation Instructions de Remplacement du Filtre à Fau FR
- ↓ Guide d'installation FR
- ↓ Installation Guide
- ↓ Guide d'installation FR
- ↓ Key Purchase Decisions Integrated Column Freezer
- ↓ Planning Guide Professional Style Dial/Handle Accessories
- Planning Guide Integrated Column Freezer
- Revit Freezer
- ↓ Rhino Freezer
- Rhino Freezer
- → Rhino Freezer
- ↓ Rhino Freezer
- Rhino Freezer
- ↓ Sketchup Freezer
- ↓ Sketchup Freezer
- Sketchup Freezer
- Sketchup Freezer
- ↓ Sketchup Freezer
- Specification Guide Integrated Column Freezer
- ↓ User Guide EN
- User Guide Integrated Refrigerator Freezer EN
- J. Guide d'utilisation FR
- J. Guide d'utilisation FR
- J. User Guide
- Guide d'utilisation FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com