

Integrated Column Refrigerator, 76cm

Series 11 | Integrated

Panel Ready | Right Hinge




<p>Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.*</p>

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm



FEATURES & BENEFITS

Variable temperature zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D	Adjustable glass shelves	4	Frost free freezer	•
Door panel stainless steel Right hinge 762mm	RD7621R10D	Covered door shelves	1	Humidity control system	•
Handle kit Classic	AHCLRDSF	Door alarm	•	Inverter controlled compressor	•
Handle kit Contemporary round, aluminium	AHSRDSF	Front levelling feet	•	Noise emissions	42 dBA
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Gallon door shelves	1	Noise emissions class	D
Handle kit Contemporary square fine, black	AHD5RDSFB	LED bin lighting	•	Sabbath mode	•
Handle kit Professional round flush	AHP3RDSF	LED ceiling lighting	•	Variable temperature zones	2
Joiner Kit	AJ-RS21LR	LED side lighting	•		
Toe kick stainless steel 1220mm	AKRS12210	SmartTouch interface at counter height	•		
Toe kick stainless steel 1372mm	AKRS13710	Stackable bottle holders	4		
Toe kick stainless steel 1524mm	AKRS15210				
Toe kick stainless steel 1981mm	AKRS19810			Power requirements	
Toe kick stainless steel 2134mm	AKRS21310			Rated current	10 A
Toe kick stainless steel 762mm	AKRS7610			Supply frequency	50 Hz
				Supply voltage	230 V
		Freezer Features		Product dimensions	
		LED bin lighting	•	Depth	610 mm
		LED ceiling lighting	•	Height	2134 mm
		LED Lighting	•	Height to top of cabinet	756 mm
		LED side lighting	•	Width	756 mm
		SmartTouch interface at counter height	•		
				Product information	
		Installation Dimensions		Packaged weight	156 kg
		Minimum inside width of cabinetry frame	762 mm	Unpackaged weight	133 kg
		Minimum internal depth of cabinetry	635 mm		
		Minimum internal height of cabinetry	2134 mm		
				Warranty	
		Performance		Parts and labour	2 years
		ActiveSmart™ Foodcare	•	Sealed system parts only	5 years
		Adaptive defrost	•		
		Dual evaporator	•		
		Frost free	•		
Capacity					
Total gross capacity	498 L				
Volume	463 L				
Volume refrigerator	463 L				
Consumption					
Energy rating	4 star				
Energy usage	203kWh/year				
In-use energy carbon emissions estimate	132.2kgCO2e/year				
Features					
Adjustable door shelves	4				

SKU

26162

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓ Energy Label](#)
- [↓ Energy Rating](#)
- [↓ Service & Warranty](#)
- [↓ Installation Guide Toe Kick](#)
- [↓ Revit Integrated Column Refrigerator](#)
- [↓ Rhino Integrated Column Refrigerator](#)
- [↓ Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle](#)
- [↓ Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle](#)
- [↓ Sketchup Integrated Column Refrigerator](#)
- [↓ Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle](#)
- [↓ Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle](#)
- [↓ User Guide Integrated Columns](#)
- [↓ User Guide Integrated Refrigerator Freezer EN](#)

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 [Wwww.fisherpaykel.com](https://www.fisherpaykel.com)

Where applicable: