QUICK REFERENCE GUIDE > DD24DDFTX9 N Date: 17.12.2024 > 1

# Series 9, Contemporary Tall Double DishDrawer Dishwasher

Series 9 | Contemporary

Stainless Steel



Doing the dishes got easier. Load one drawer while the other washes - with the top drawer fitting your large dinner plates easily.


- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes

# **DIMENSIONS**

Height 34 - 36 3/8 "

Width 23 9/16 "

Depth 22 9/16 "



## **FEATURES & BENEFITS**

#### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes

#### Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer $^{\text{TM}}$  Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

#### True half load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads.

### Complementary design

DishDrawer™ Dishwashers are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials for a stylish finish in your kitchen.

## Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

#### Quiet performer

Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## **SPECIFICATIONS**

## Accessories (included)

Cutlery basket • Kickstrip true

Knife clip and multipurpose clip

## Accessories (sold separately)

Handle kit Contemporary square fine, black

AHD5-OBDD-60SB

Capacity and loading		Flood protection	•	Sanitise	
Accommodates round plates up to	12.25" (top) 11" (bottom)	Flow through detergent dispenser	•	Wash modifiers	
		Quiet operation	•		
Adjustable height, foldable cupracks	•	SmartDrive™ technology	•		
Fold down tines	•			Wash Programs	
Pitch adjustable tines	•			Delicate	
Place settings	14	Performance		Eco	
Place settings	14	Noise on standard cycle top drawer	42 dBA	Fast	
Place settings per drawer	7			Heavy	
Place settings per drawer	7			Medium	
		Power Requirements		Rinse	
		Amperage	10A	Wash programs	
Consumption		Electric circuit	3 wire		
Energy usage	263kWh/year	Rated current	15 A		
In-use energy carbon emissions estimate	96.4kgCO2e/year	Supply frequency	60Hz	Water connection	
Water usage (per wash cycle)	3.28 gal running both tubs	Supply voltage	100 - 120V	Inlet water temperature	
	both tubs			Supplied hose to suit 3/8" (9mm) male compression fitting	
		Product Dimensions		Water pressure	3
Controls		Double	22.0/15.11	Water supply	:
Electronic fault/Diagnostic indicator	•	Depth	22 9/16 "		
End of cycle beeps •		Height	34 - 36 3/8 "		
Energy saving delay start option of up to 12 hours	•	Width	23 9/16 "		
Internal wash selector	•			SKU	
Keylock	•	Warranty			
Rinse aid indicator light	•	Parts and labor	Limited 2 years		
Smart appliance	•			The product dimensions and specifications in this product and model. Under our policy of continuou	
		Wash Program Modifiers		dimensions and specifications may change at any check with Fisher & Paykel's Customer Care Centre	time. Yo
Features		Wash Program Modifiers  Extra Dry  •		check with Fisher & Payker's Customer Care Centre correctly describes the model currently available. ( Appliances Ltd 2020	

Quick

Fan assisted drying

Caritia	
Sanitise	•
Wash modifiers	3
Wash Programs	
Delicate	•
Eco	•
Fast	•
Heavy	•
Medium	•
Rinse	•
Wash programs	6
Water connection	
Inlet water temperature	Max 140 °F
Supplied hose to suit 3/8" (9mm) male compression fitting	•
Water pressure	30kPa - 1000 kPa
Water supply	3/8" to suit Male Compression Fitting

apply to the specific provement, these You should therefore ensure this page her & Paykel

82343

QUICK REFERENCE GUIDE > DD24DDFTX9 N Date: 17.12.2024 > 3

#### Other product downloads available at fisherpaykel.com

J 2D-DWG Double DishDrawer™ Dishwasher

2D-DXF Double DishDrawer™ Dishwasher

Data Sheet Double DishDrawer™ Dishwasher

Label Double DishDrawer™ Dishwasher

↓ Service & Warranty

Installation Guide EN

Installation Guide Double DishDrawer™ Dishwasher EN

Installation Guide Double DishDrawer™ Dishwasher EN

↓ Quick Start Guide DishDrawer™ Dishwasher EN

↓ Revit Double DishDrawer™ Dishwasher

L Rhino Double DishDrawer™ Dishwasher

Sketchup Double DishDrawer™ Dishwasher

User Guide DishDrawer™ Dishwasher EN

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

