QUICK REFERENCE GUIDE > OB60SD16PLX1

60cm Series 7 Contemporary Pyrolytic Oven, 16 Function

Series 7 | Contemporary

Stainless Steel




With beautiful Contemporary styling and a generous 85L total capacity, this built-in oven helps to ensures that every dish you create is cooked to perfection.

- 16 oven functions including Pastry Bake, Roast, Dehydrate and Rapid Proof
- · Moisture level control with ActiveVent technology

- Pyrolytic self-cleaning function breaks down food residue for an easy clean
- Guided cooking capability offers helpful tips for different food types

DIMENSIONS

Height	598 mm
Width	596 mm
Depth	565 mm



FEATURES & BENEFITS

Multi-Function Flexibility

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has 16 functions including Pastry Bake, Roast, Fan Grill, Dehydrate and Rapid Proof, allowing you to use a variety of cooking styles.

Generous Capacity

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Cook With Confidence

The intuitive 2.4" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been cooking all your life or are just starting out. Cook by food type and allow your oven to guide you through steps, or change temperature and heat type automatically, depending on your selection.

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech circulates heat evenly for a consistent temperature.

Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Design Freedom

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and detailing to support a cohesive, considered kitchen design.

Safe And Sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

QUICK REFERENCE GUIDE > OB60SD16PLX1

SPECIFICATIONS		Automatic pre-set temperatures	•	Pastry Bake	•
		Celsius/Fahrenheit temperature	•	Pizza bake	•
Accessories (included)		Certified Sabbath mode	•	Pyrolytic self-clean	•
		Delay start	•	Rapid proof	•
Full extension sliding shelves	1 set	Electronic clock	•	Roast	•
Grill rack	1 set	Electronic oven control	•	Slow cook	•
Pyrolytic proof shelf runners	•	Food probe	•	Vent bake	•
Roasting dish	1	Guided cooking by food types	•	Warm	•
Smokeless grill tray	1	Halogen lights	•		
Step down wire shelf	1	Intuitive touchscreen display	•		
Wired temperature sensor	1	Multi-language display	UK English, US	Performance	
			English, Simplified	ActiveVent™ system	•
Compatible			Chinese, Français, Español	AeroTech™ technology	•
Capacity		Consult and line and	Espanoi	Automatic rapid pre-heat	•
Shelf positions	6	Smart appliance	•	Grill power	3000 W
Total capacity	85 L	Soft close doors	•	Temperature range	35°C - 280°C∏
Usable capacity	72 L	True convection oven	•	Whisper quiet cooking	•
		Turned stainless steel dials with illuminated halos	•		
		Wireless temperature sensor compatible	•		
Cleaning				Power requirements	
Acid resistant graphite enamel	•			Amperage	15 A
Pyrolytic proof shelf runners	•	Functions		Rated current	15 A
Pyrolytic self-clean	•	Air fry	•	Supply frequency	50 Hz
Removable oven door	•	Bake	•	Supply voltage	220-240 V
Removable oven door inner glass	•	Classic bake	•	capp.y vertage	
Removable shelf runners	•	Dehydrate	•		
		Fan bake	•	Product dimensions	
Controls		Fan forced	•	Depth	565 mm
		Fan grill	•	Height	598 mm
Adjustable audio and display settings	•	Grill	•	Width	596 mm
Audio feedback	•	Number of functions	16		333
Automatic cooking/minute timer	•		.5		

QUICK REFERENCE GUIDE > OB60SD16PLX1 Date: 30.10.2024 > 3

Safety

Balanced oven door	•
Catalytic venting system	•
Control panel key lock	•
CoolTouch door	•
Non-tip shelves	•
Safety thermostat	•

Warranty

Parts and labour	2 years
SKU	82553

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ 2D-DXF Oven

- ↓ Service & Warranty
- Installation Guide Wall Oven
- ↓ Revit Oven
- ↓ Rhino Oven



SketchUp Oven



User Guide Oven

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

 ${f T}$ 0800 372 273 ${f W}$ www.fisherpaykel.com