Series 9 Integrated Double DishDrawer Dishwasher, Sanitise

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes

- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel
- Wi-Fi connected for remote control and helpful alerts using the Haier Smart Home app

DIMENSIONS

Height 820 - 880 mm
Width 599 mm
Depth 553 mm



FEATURES & BENEFITS

Ease of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to Pause

Instead of needing a remote control, these DishDrawer $^{\text{TM}}$ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

Control from anywhere

Get the most out of your connected appliance with the Haier Smart Home app. Connect and monitor your smart DishDrawer™ Dishwasher while conveniently accessing the latest tips, remote status notifications, and more.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

SPECIFICATIONS

Accessories (included)

Cutlery basket • Kickstrip true

Knife clip and multipurpose clip

QUICK REFERENCE GUIDE > DD60DHI9-CN Date: 28.02.2025 > 2

| Accessories (sold separately) | | Keylock | • | Warranty | |
|--|-----------------------------|------------------------------------|--------------|------------------------|-------------------------------|
| Door panel black stainless steel | ADDD60DPB | Knock to pause | • | Parts and labour | 1 year |
| Door panel stainless steel | ADDD60DPX | Rinse aid indicator light | • | | |
| Handle kit Contemporary square fine, aluminium | AHD5DDDW60S | Wi-Fi connectivity | • | Wash Program Modifiers | |
| Handle kit Contemporary square fine, black | AHD5DDDW60B | Features | | Extra Dry Quick | |
| | | Built-in water softener | • | Sanitise | |
| Capacity and loading | | Fan assisted drying | • | Wash modifiers | 3 |
| Accommodates round plates up to | 280mm | Flood protection | • | Wash modifiers | , |
| Adjustable height, foldable cupracks | • | Flow through detergent dispenser | • | | |
| Fold down tines | • | Motor type | BLDC | Wash Programs | |
| Pitch adjustable tines | • | Quiet operation | • | Delicate | |
| Place settings | 16 | SmartDrive™ technology | • | Eco | • |
| Place settings per drawer | 8 | Three-stage filtration system | • | Fast | • |
| | | | | Heavy | • |
| | | | | Medium | |
| Consumption | | Performance | | Rinse | |
| Cleaning Index | 1.16 | Noise on standard cycle top drawer | 43 dBA | Wash programs | 6 |
| Drying Index | 0.97 | | | Wash programs | Ŭ |
| Energy consumption | 0.61kWh/cycle per drawer | Power requirements | | | |
| Energy rating | Grade 3 | · | | Water connection | |
| Water consumption | 8L per drawer | Amperage | 10A | Water pressure | 100kPa - 1000kPa |
| | | Supply frequency | 50Hz | Water supply | 3/4" BSP (20mm) |
| | | Supply voltage | 220 - 240V | | Connector Water Inlet Hose |
| Controls | | | | | |
| Electronic fault/Diagnostic indicator | • | Product dimensions | | | |
| End of cycle beeps | • | Depth | 553 mm | SKU | 84245 |
| Energy saving delay start option of up to 12 | • | Height | 820 - 880 mm | | 3.2.0 |
| hours | _ | | | | |
| Internal wash selector | • | Width | 599 mm | | |

QUICK REFERENCE GUIDE > DD60DHI9-CN

Date: 28.02.2025 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com

- 2D-DWG DishDrawer™ Dishwasher
- , 2D-DXF DishDrawer™ Dishwasher
- ↓ Service & Warranty
- ↓ Installation Guide EN
- ↓ Planning Guide EN
- ↓ Planning Guide ZH
- ↓ Revit 20 DishDrawer[™] Dishwasher
- ↓ Rhino 6 DishDrawer™ Dishwasher
- J. SketchUp DishDrawer™ Dishwasher
- J. User Guide EN
- ↓ User Guide ZH
- ↓ Water Label ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.