

# 24" Series 11 Integrated Column Refrigerator, Water

Series 11 | Integrated

Panel Ready | Left hinge




Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
- Internal water dispenser for convenient access to fresh, chilled water

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

|        |          |
|--------|----------|
| Height | 84 "     |
| Width  | 23 3/4 " |
| Depth  | 24 "     |



## FEATURES & BENEFITS

### Variable Temperature Zones

Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.

### Internal Water Dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

### Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs - or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

### Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient - adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

### Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

### Perfect Fit

Create an understated and clean look in any kitchen. You can hide our Integrated Column models seamlessly behind your cabinetry, fitting flush with only a 1/8" gap and no visible hinges or grilles.

## SPECIFICATIONS

**Accessories (sold separately)**

|   |                                 |
|---|---------------------------------|
| Door panel stainless steel Left hinge 84"                   | <b>RD2484L4D</b>                |
| Door panel stainless steel Right hinge 84"                  | <b>RD2484R4D</b>                |
| Handle kit Classic  | <b>AHCLRDSF</b>                 |
| Handle kit Contemporary round, aluminium                    | <b>AHSRDSF</b>                  |
| Handle kit Contemporary square fine, aluminium              | <b>AHD5RDSF</b>                 |
| Handle kit Contemporary square fine, black                  | <b>AHD5RDSFB</b>                |
| Handle kit Professional round flush                         | <b>AHP3RDSF</b>                 |
| Handle kit Professional round flush, Brass off-stands       | <b>AHP3RDSFBA</b>               |
| Handle kit Professional round flush, Dark Copper off-stands | <b>AHP3RDSFDC</b>               |
| Joiner Kit  | <b>AJ-RS84LR</b>                |
| Stainless steel door panel                                  | <b>24" Left hinge RD2484L4D</b> |
| Toe kick stainless steel 24"                                | <b>AKRS2404</b>                 |
| Toe kick stainless steel 42"                                | <b>AKRS4204</b>                 |
| Toe kick stainless steel 48"                                | <b>AKRS4804</b>                 |
| Toe kick stainless steel 54"                                | <b>AKRS5404</b>                 |
| Toe kick stainless steel 60"                                | <b>AKRS6004</b>                 |
| Toe kick stainless steel 66"                                | <b>AKRS6604</b>                 |
| Toe kick stainless steel 72"                                | <b>AKRS7204</b>                 |
| Toe kick stainless steel 78"                                | <b>AKRS7804</b>                 |
| Toe kick stainless steel 84"                                | <b>AKRS8404</b>                 |
| Water filter replacement                                    | <b>847200 - FWC3</b>            |

**Capacity**

|                      |                   |
|----------------------|-------------------|
| Total gross capacity | <b>12.4 cu ft</b> |
| Volume               | <b>12.4 cu ft</b> |
| Volume refrigerator  | <b>12.4 cu ft</b> |

**Consumption**

|   |                        |
|---|------------------------|
| Energy rating                           | <b>Energy star</b>     |
| Energy usage                            | <b>439kWh/year</b>     |
| In-use energy carbon emissions estimate | <b>54.1kgCO2e/year</b> |

**Features**

|  |          |
|--|----------|
| Adjustable door shelves                | <b>4</b> |
| Adjustable glass cantilevered shelves  | <b>•</b> |
| Covered door shelves                   | <b>1</b> |
| Door alarm                             | <b>•</b> |
| Fruit and vegetable bins               | <b>4</b> |
| Gallon door shelves                    | <b>1</b> |
| LED bin lighting                       | <b>•</b> |
| LED ceiling lighting                   | <b>•</b> |
| LED lighting                           | <b>•</b> |
| LED side lighting                      | <b>•</b> |
| SmartTouch interface at counter height | <b>•</b> |
| Soft-close fruit and vegetable bins    | <b>•</b> |
| Stackable bottle holders               | <b>4</b> |

**Performance**

|                                       |                              |
|---------------------------------------|------------------------------|
| ActiveSmart™ Foodcare                 | <b>•</b>                     |
| Dual evaporator                       | <b>•</b>                     |
| Frost free                            | <b>•</b>                     |
| Humidity control system               | <b>•</b>                     |
| Inverter controlled compressor        | <b>•</b>                     |
| Sabbath mode                          | <b>•</b>                     |
| Variable food modes lower compartment | <b>Pantry; Fridge; Chill</b> |
| Variable temperature zones            | <b>2</b>                     |

**Power requirements**

|                  |              |
|------------------|--------------|
| Rated current    | <b>10 A</b>  |
| Supply frequency | <b>60 Hz</b> |
| Supply voltage   | <b>115 V</b> |

**Product dimensions**

|        |                 |
|--------|-----------------|
| Depth  | <b>24 "</b>     |
| Height | <b>84 "</b>     |
| Width  | <b>23 3/4 "</b> |

**Warranty**

|                             |                           |
|-----------------------------|---------------------------|
| Parts and labor             | <b>2 years</b>            |
| Sealed system parts & labor | <b>additional 3 years</b> |

SKU 26167

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

**Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)**

- [↓](#) 2D-DWG Integrated Column Refrigerator
- [↓](#) 2D-DXF Integrated Column Refrigerator
- [↓](#) Data Sheet Integrated Column Refrigerator

- [↓ Data Sheet Integrated Column Fridge Dual Install \(18" + 24"\)](#)
- [↓ Data Sheet Integrated Column Fridge Dual Install \(24" + 24"\)](#)
- [↓ Data Sheet Integrated Column Fridge Dual Install \(24" + 30"\)](#)
- [↓ Energy Label](#)
- [↓ Service & Warranty](#)
- [↓ Water Filter Replacement Instructions & Installation Guide EN](#)
- [↓ Installation Guide](#)
- [↓ Installation Guide Toe Kick](#)
- [↓ Guide d'installation - Instructions de Remplacement du Filtre à Eau FR](#)
- [↓ Guide d'installation FR](#)
- [↓ Key Purchase Decisions Integrated Columns](#)
- [↓ Planning Guide Professional Style Dial/Handle Accessories](#)
- [↓ Planning Guide Integrated Columns](#)
- [↓ Revit Integrated Column Refrigerator](#)
- [↓ Rhino Integrated Column Refrigerator with Custom Panel](#)
- [↓ Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle](#)
- [↓ Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle](#)
- [↓ Rhino Integrated Column Refrigerator with Door Panel and Professional Round Handle](#)
- [↓ Rhino Integrated Column Refrigerator with Door Panel and Professional Square Handle](#)
- [↓ Sketchup Integrated Column Refrigerator with Custom Panel](#)
- [↓ Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle](#)
- [↓ Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle](#)
- [↓ Sketchup Integrated Column Refrigerator with Door Panel and Professional Round Handle](#)
- [↓ Sketchup Integrated Column Refrigerator with Door Panel and Professional Square Handle](#)
- [↓ Specification Guide Integrated Column Refrigerator](#)
- [↓ User Guide EN](#)
- [↓ Guide d'utilisation FR](#)

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
 T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

Where applicable: