QUICK REFERENCE GUIDE > RS7621FRJE1

76cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency

- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height 2134 mm
Width 756 mm
Depth 610 mm

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm

Door panel stainless steel Right hinge RD7621R10D
762mm

RD7621R10D

Handle kit Classic AHCLRDSF

Handle kit Contemporary round, aluminium	AHSRDSF	Freezer bins	4	Supply frequency	50 Hz
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Ice Boost	•	Supply voltage	220 - 240 V
Handle kit Contemporary square fine, black	AHD5RDSFB	LED bin lighting	•		
Handle kit Professional round flush	AHP3RDSF	LED ceiling lighting	•		
		LED side lighting	•	Product dimensions	
Joiner kit	AJ-RS21LR	SmartTouch interface at counter height	•	Depth	610 mm
Toe kick stainless steel 1372mm	AKRS13710			Height	2134 mm
Toe kick stainless steel 1524mm	AKRS15210			Width	756 mm
Toe kick stainless steel 762mm	AKRS7610	Installation Dimensions			
		Cabinetry height with included trim kit	2134 mm		
Capacity		Minimum inside width of cabinetry frame	762 mm	Product information	
		Minimum internal depth of cabinetry	635 mm	Packaged weight	156 kg
Total gross capacity	477 L	Minimum internal height of cabinetry	2134 mm	Unpackaged weight	133 kg
Volume freezer	442 L				
Features		Performance		Warranty	
reatures		ActiveSmart™ Foodcare	•	Parts and labour	5 years
Adjustable door shelves	4	Adaptive defrost	•	Sealed system parts only	5 years
Adjustable glass cantilevered shelves	•	Dual evaporator	•		
Adjustable glass shelves	3	Frost free	•		
Door alarm	•	Inverter controlled compressor	•		
LED bin lighting	•	Noise emissions	42 dBA	SKU	26964
LED ceiling lighting	•	Noise emissions class	D		
LED side lighting	•	Sabbath mode	•	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page	
SmartTouch interface at counter height	•	Variable food modes	Soft freeze; Freeze; Deep Freeze		
Freezer Features		Variable temperature zones	2	correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Automatic ice maker	•				
Bottle chill					
	•	Power requirements		Other product developed available at fi	shormaykal com
Door alarm	•	Power requirements Rated current	10 A	Other product downloads available at fi	sherpaykel.com

QUICK REFERENCE GUIDE > RS7621FRJE1 Date: 05.11.2024 > 3

2D-DWG Integrated Refrigeration - K05 Hinge2D-DWG Integrated Refrigeration

, 2D-DXF Integrated Refrigeration - K05 Hinge

↓ 2D-DXF Integrated Refrigeration

↓ 2D-DXF Panel Preparation

↓ Service & Warranty

, Planning Guide Integrated Refrigeration DA

Planning Guide Integrated Refrigeration DEU

Planning Guide Integrated Refrigeration DUT

Planning Guide Integrated Refrigeration EN

Planning Guide Integrated Refrigeration FIN

Planning Guide Integrated Refrigeration FR

Planning Guide Integrated Refrigeration HEB

Planning Guide Integrated Refrigeration ITA

Planning Guide Integrated Refrigeration NOR

Planning Guide Integrated Refrigeration SWE

↓ Revit 20 Freezer

Rhino 6 Freezer

SketchUp Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

