QUICK REFERENCE GUIDE > DD24DAX9 N

# Series 7, Contemporary Double DishDrawer Dishwasher

Series 7 | Contemporary

Stainless Steel



With a contemporary stainless steel finish, each drawer washes independently and fits a half load, so you can run one while you load the other.


- Six wash programs to suit any load, from Delicate to Heavy
- American Disabilities Act (ADA) compliant, this Double DishDrawer™ sits at an accessible height

**DIMENSIONS** 

Height 32 5/16- 34 5/8 "

Width 23 9/16 "

Depth 22 9/16 "



#### **FEATURES & BENEFITS**

#### Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

### Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

#### Easy to load

Running at a very low decibel rating, these DishDrawer™
Dishwashers do their job without making a fuss. The
combination of intelligent technology and simple mechanics
means greater reliability and excellent wash performance.

## **SPECIFICATIONS**

#### Accessories (included)

Cutlery basket • Kickstrip true

#### Capacity and loading

Accommodates round plates up to	11" (top drawer) 11" (bottom drawer)
Fixed height, foldable cupracks	•
Fold down tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

#### Consumption

Energy usage 265kWh/year
In-use energy carbon emissions estimate 97.1kgCO2e/year

Water usage (per wash cycle)	3.44 gal running both tubs
Controls	
Electronic fault/Diagnostic indicator	•
End of cycle beeps	•
Energy saving delay start option of up to 12 hours	•
Rinse aid indicator light	•
Smart appliance	•
Features	
Fan assisted drying	•
Flood protection	•
Flow through detergent dispenser	•
Motor type	BLDC
Quiet operation	•
SmartDrive™ technology	•
Performance	
Noise on standard cycle top drawer	43 dBA
Power Requirements	
Amperage	10A
Electric circuit	3 wire
Rated current	15 A
Supply frequency	60Hz
Supply voltage	100 - 120V

Depth	22 9/16
Height	32 5/16- 34 5/8
Width	23 9/16
Safety and compliance	
ADA compliant	
Warranty	
Parts and labor	Limited 2 year
<b>Wash Programs</b> Delicate	
Fast	
Heavy	
Medium	
Normal eco	
Rinse	
Wash programs	
Water connection	
Supplied hose to suit 3/8" (9mm) male compression fitting	
Water pressure	30kPa - 1000 kP
Water supply	3/8" to suit Male

SKU 82328

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

2D-DWG Double DishDrawer™ Dishwasher
2D-DXF Double DishDrawer™ Dishwasher
Data Sheet Double DishDrawer™ Dishwasher
Energy Label Double DishDrawer™ Dishwasher
Service & Warranty
Installation Guide Double DishDrawer™ Dishwasher EN
Installation Guide EN
Installation Guide Double DishDrawer™ Dishwasher EN
Installation Guide FR
Quick Start Guide EN
Revit Double DishDrawer™ Dishwasher
Revit Double DishDrawer™ Dishwasher
Rhino Double DishDrawer™ Dishwasher
Rhino Double DishDrawer™ Dishwasher
Sketchup Double DishDrawer™ Dishwasher
Sketchup Double DishDrawer™ Dishwasher

### Where applicable:

Fitting

User Guide EN & FR

QUICK REFERENCE GUIDE > DD24DAX9 N Date: 17.12.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com