QUICK REFERENCE GUIDE > RS7621SLHE1 Date: 04.11.2024 > 1

76cm Series 11 Integrated Column Refrigerator, Water

Series 11 | Integrated

Panel Ready | Left hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency

- Flexible storage with two Variable Temperature Zones: choose Fridge, Pantry, or Chill mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

When it comes to optimal food preservation, one temperature doesn't fit all. With Variable Temperature Zones, you can create the ideal climate for different types of food and drinks. Switch a compartment to Fridge, Pantry, or Chill Mode for everyday convenience, or adjust the settings to provide extra capacity when needed.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

RD7621L10D	Door panel stainless steel Left hinge 762mm
RD7621R10D	Door panel stainless steel Right hinge 762mm
AHCLRDSF	Handle kit Classic
AHSRDSF	Handle kit Contemporary round, aluminium
AHD5RDSF	Handle kit Contemporary square fine, aluminium
AHD5RDSFB	Handle kit Contemporary square fine, black

QUICK REFERENCE GUIDE > RS7621SLHE1

Handle kit Professional round flush	AHP3RDSF	ActiveSmart™ Foodcare	•
Joiner kit	AJ-RS21LR	Dual evaporator	•
Toe kick stainless steel 1220mm	AKRS12210	Humidity control system	•
Toe kick stainless steel 1372mm	AKRS13710	Inverter controlled compressor	•
Toe kick stainless steel 1524mm	AKRS15210	Sabbath mode	•
Toe kick stainless steel 1828mm	AKRS18310	Variable food modes lower compartment	Pantry; Fridge;
Toe kick stainless steel 1981mm	AKRS19810		Chill
Toe kick stainless steel 2134mm	AKRS21310	Variable temperature zones	2
Toe kick stainless steel 762mm	AKRS7610		
		Power requirements	
Capacity		Rated current	10 A
Total gross capacity	498 L	Supply frequency	50 Hz
Volume	463 L	Supply voltage	230 - 230 V
Volume refrigerator	463 L		
		Product dimensions	
Features		Depth	610 mm
Adjustable door shelves	4	Height	2134 mm
Adjustable glass cantilevered shelves	•	Width	756 mm
Adjustable glass shelves	3		
Covered door shelves	1	Mayanty	
Door alarm	•	Warranty	
Door didiffi		Parts and labour	2 years
Gallon door shelves	1		
	1	Sealed system parts only	5 years
Gallon door shelves	1 •	Sealed system parts only	5 years
Gallon door shelves LED bin lighting	1 • •	Sealed system parts only	5 years
Gallon door shelves LED bin lighting LED ceiling lighting	1 • •	Sealed system parts only SKU	5 years 26924

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

 ↓ 2D-DWG Integrated Refrigeration - K05 Hinge
 ↓ 2D-DWG Integrated Refrigeration
 ↓ 2D-DXF Integrated Refrigeration - K05 Hinge
 ↓ 2D-DXF Integrated Refrigeration
 ↓ 2D-DXF Panel Preparation
 ↓ 2D-DXF Panel Preparation
 ↓ Planning Guide Integrated Refrigeration EN
 ↓ Revit 20 Refrigerator
 ↓ Rhino 6 Refrigerator

Where applicable:

SketchUp Refrigerator

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Performance

QUICK REFERENCE GUIDE > RS7621SLHE1

