Series 9, Integrated Single DishDrawer Dishwasher


Series 9	Integrated	
Panel Ready		

Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height	410 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

Slide your DishDrawer[™] Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

QUICK, SANITISE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer[™] Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer[™] Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel	ADDD60SPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB

QUICK REFERENCE GUIDE > DD60SHI9

Door panel recessed handle stainless steel	ADDD60STNX
Door panel stainless steel	ADDD60SPX
Handle kit Classic	AHCL-DDDW-60X
Handle kit Contemporary round, aluminium	AHS-OBDD-60S
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S
Handle kit Contemporary square, black	AHD3-OBDD-60B

Capacity and loading

Accommodates round plates up to	280mm
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	6

Consumption

Energy rating	F
Energy usage	61kWh/100 cycles
In-use energy carbon emissions estimate	18.8kgCO2e/100 cycles
Water usage (per wash cycle)	7.9L

Controls

Electronic fault/Diagnostic indicator
End of cycle beeps
Energy saving delay start option of up to 12 hours

Internal wash selector	•
Keylock	•
Knock to pause	•
Rinse aid indicator light	•
Smart appliance	•
Features	
Built-in water softener	•
Fan assisted drying	•
Flood protection	•
Flow through detergent dispenser	•
Motor type	BLDC
Quiet operation	•
SmartDrive™ technology	•
Performance	
Noise emissions	43 dBA
Power requirements	
Amperage	5A
Supply frequency	50Hz
Supply voltage	220 - 240V

Product dimensions

Depth	553 mm
Height	410 mm
Width	599 mm

Warranty	
Parts and labour	5 year
Wash Program Modifiers	
Extra Dry	
Quick	
Sanitise	
Wash modifiers	
Wash Programs	
Delicate	
Eco	
Eco Fast	
Fast	
Fast Heavy	

Water connection

_

Water pressure Water supply	100kPa - 1000kPa 3/4″ BSP (20mm) Connector Water Inlet Hose
SKU	82353

FISHER & PAYKEL

QUICK REFERENCE GUIDE > DD60SHI9

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Single DishDrawer™ Dishwasher
- 2D-DXF Integrated Single DishDrawer™ Dishwasher
- ↓ Data Sheet Integrated Single DishDrawer[™] Dishwasher
- ↓ Declaration of Conformity Single DishDrawer™ Dishwasher
- ↓ Energy Label Single DishDrawer™ Dishwasher
- Service & Warranty
- ↓ Installation Guide Single DishDrawer™ Dishwasher
- ↓ Installation Guide Single DishDrawer™ Dishwasher
- ↓ Product Information Sheet Single DishDrawer™ Dishwasher
- Quick Start Guide
- ↓ Revit Integrated Single DishDrawer™ Dishwasher
- ↓ Rhino Integrated Single DishDrawer[™] Dishwasher
- ↓ Rhino Integrated Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Sketchup Integrated Single DishDrawer™ Dishwasher
- ↓ Sketchup Integrated Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ User Guide
- ↓ User Guide Integrated DishDrawer™ Dishwasher
- ↓ Wash Program Data DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com

FISHER & PAYKEL