QUICK REFERENCE GUIDE > RS4621FRJK1 Date: 11.07.2024 > 1

Integrated Column Freezer, 46cm, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.


- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Depth

Height 2134 mm
Width 451 mm



FEATURES & BENEFITS

Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

Mix & Match

610 mm

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Date: 11.07.2024 > 2

QUICK REFERENCE GUIDE > RS4621FRJK1	
Perfect Fit These models fit flush, with only 3mm gaps around no visible hinges or grilles. Our Integrated Column be seamlessly hidden behind your cabinetry, or you purchase our stainless steel door panel.	models can
SPECIFICATIONS	
Accessories (included) Joiner kit	AJ-RS21LR

Accessories (sold separately) Door panel stainless steel Left hinge 457mm RD4621L10D Door panel stainless steel Right hinge RD4621R10D 457mm Handle kit Classic **AHCLRDSF** Handle kit Contemporary round, aluminium AHSRDSF AHD5RDSF Handle kit Contemporary square fine, aluminium Handle kit Contemporary square fine, black AHD5RDSFB AHP3RDSF Handle kit Professional round flush Toe kick stainless steel 1067mm AKRS10710 AKRS12210 Toe kick stainless steel 1220mm Toe kick stainless steel 1676mm AKRS16810 AKRS18310 Toe kick stainless steel 1828mm

Capacity	
Total gross capacity	242 L
Total net volume	188L

Toe kick stainless steel 457mm

Water filter replacement

Volume	220 L
Volume freezer	220 L
-eatures	
Adjustable door shelves	4
Adjustable glass cantilevered shelves	•
Adjustable glass shelves	3
SmartTouch interface at counter height	•
Water Filter	847200
Freezer Features	
Automatic ice maker	•
Automatic ice maker Bottle chill	
Automatic ice maker Bottle chill Door alarm	•
Automatic ice maker Bottle chill Door alarm Fast freeze	•
Automatic ice maker Bottle chill Door alarm Fast freeze Freezer bins	
Automatic ice maker Bottle chill Door alarm Fast freeze Freezer bins Ice Boost	
Automatic ice maker Bottle chill Door alarm Fast freeze Freezer bins Ice Boost LED bin lighting	
Freezer Features Automatic ice maker Bottle chill Door alarm Fast freeze Freezer bins Ice Boost LED bin lighting LED ceiling lighting LED side lighting	

Minimum inside width of cabinetry frame	457 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal height of cabinetry	2134 mm

Performance

Installation Dimensions

AKRS04610

847200 - FWC3

Adaptive defrost Dual evaporator Frost free Frost free freezer Inverter controlled compressor Noise emissions Noise emissions class	42 dBA D Soft freeze; Freeze; Deep Freeze		
		Sabbath mode	
		Variable food modes	
		Variable temperature zones	2
		Power requirements	
		Rated current	10 A
Rated current Supply frequency		10 A 50 Hz	
		50 Hz	
Supply frequency			

Width	451 mm
Product information	
Packaged weight	118 kg

2134 mm

100 kg

Height

Unpackaged weight

QUICK REFERENCE GUIDE > RS4621FRJK1 Date: 11.07.2024 > 3

Warranty

Parts and labour 2 years
Sealed system parts only additional 3 years

SKU 26140

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Column Freezer
- 2D-DWG Integrated Column Freezer Hinge
- J. 2D-DWG Integrated Column Freezer Panel Prep.
- ↓ 2D-DXF Integrated Column Freezer
- 2D-DXF Integrated Column Freezer Hinge
- ↓ 2D-DXF Integrated Column Freezer Panel Prep
- ↓ Data Sheet Integrated Column Freezer
- Data Sheet Integrated Column Freezer Dual Install (457mm + 610mm)
- Data Sheet Integrated Column Freezer Dual Install (457mm +762mm)
- Data Sheet Integrated Column Freezer with Contemporary Square Handle Kit
- Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit
- ↓ Service & Warranty
- I Installation Guide Toe Kick

- Installation Guide Integrated Column Refrigerator
- Key Purchase Decisions Integrated Columns
- Planning Guide
- ↓ Rhino Integrated Column Freezer
- Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ Sketchup Integrated Column Freezer
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ Specification Guide
- User Guide Integrated Refrigerator Freezer EN
- ↓ DataSheet Chest Freezer with 30inch Trim

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

