QUICK REFERENCE GUIDE > RS6121WRUK1

61cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart™ technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer

- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

Height	2134 mm
Width	603 mm
Depth	610 mm

FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Soft Freeze Mode

Soft freeze is for food that requires a gentle freeze and quick thawing, perfect for items that will be consumed soon. It allows easy portioning and the ability to heat, cook or serve straight from the compartment, without waiting for it to thaw.

Activesmart Foodcare

ActiveSmart Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to capture any drips and spills.

Complementary Design

Both the 61cm and 76cm Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

Clever Energy

Your refrigerator adapts to daily use by cooling and defrosting only when necessary. This means your refrigerator uses the energy it needs without compromising on food care.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm

Door panel stainless steel Right hinge
610mm

RD6121WLD

RD6121WRD

Handle kit Classic

Handle kit Contemporary round, aluminium

AHSRD6121W

AHSRD6121W

QUICK REFERENCE GUIDE > RS6121WRUK1 Date: 17.12.2024 > 2

Handle kit Contemporary square fine,	AHD5RD6121W	Stackable bottle holders	4	4 Power requirements		
aluminium	ALIDEDD MANUE	Ultra slim water dispenser	•	Rated current	10 A	
Handle kit Contemporary square fine, black				Supply frequency	50 Hz	
Handle kit Professional round flush	AHP3RD6121W			Supply voltage	230 V	
Joiner kit	AJ-RS21LR	Freezer Features		5		
Toe kick stainless steel 1220mm	AKRS12210	Automatic ice maker	•			
Toe kick stainless steel 1372mm	AKRS13710	Bottle chill	•	Product dimensions		
Toe kick stainless steel 1828mm	AKRS18310	Door alarm	•	Depth	610 mm	
Toe kick stainless steel 1981mm	AKRS19810	Door shelves	1	Height	2134 mm	
Toe kick stainless steel 610mm	AKRS06110	Freezer bins	2	-		
		Freezer trays	1	Width	603 mm	
		Ice Boost	•			
Capacity		LED bin lighting		Warranty		
Total gross capacity	371 L	LED ceiling lighting	•	-		
Volume	342 L	LED Lighting	•	Parts and labour	1 year	
Volume freezer	115 L	LED side lighting	•			
Volume refrigerator	227 L	Slide Out Pastry Tray	•			
		SmartTouch interface at counter height	•	SKU	25701	
Consumption						
Energy rating	Grade 2	Performance		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these		
		ActiveSmart™ Foodcare	•	dimensions and specifications may change at any time. You should therefore		
				check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Features		Dual evaporator	•			
Adjustable door shelves	4	Frost free	•			
Covered door shelves	1	Humidity control system	•			
Door alarm	•	Inverter controlled compressor	•	Other product downloads available at fisherpaykel.com		
Gallon door shelves	1	Noise emissions	42 dBA			
LED bin lighting	•	Noise emissions class	D	2D-DXF Panel Preparation		
LED ceiling lighting	•	Sabbath mode	•			
LED side lighting	•	Variable temperature zones	2			
SmartTouch interface at counter height	•	variable temperature zones	2	✓ Planning Guide ZH✓ Planning Guide Integrated Refrigera	ition EN	

QUICK REFERENCE GUIDE > RS6121WRUK1 Date: 17.12.2024 > 3

- Revit Refrigerator Freezer
- ↓ Rhino Refrigerator Freezer
- Rhino Refrigerator Freezer with Door Panel and Contemporary Round Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Handle
- ↓ Sketchup Refrigerator Freezer
- SketchUp Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle
- Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle
- Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Handle
- ↓ XXXX ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.