QUICK REFERENCE GUIDE > DW60FC2X2

Series 5, Contemporary Dishwasher

Series 5 | Contemporary

Stainless Steel




Designed to match the Contemporary family of appliances, this dishwasher delivers multiple wash options and Auto Door Open Dry.

- Seven wash programs from Heavy to Light, including Auto, 60min and Eco
- Dry+, Sanitise, Half Load and Intensive modifiers provide extra wash options
- Flexible freestanding installation anywhere in your kitchen

• Impressive 4 star energy rating and 5 star (WELS) water ratings

DIMENSIONS

Height 850 - 895 mm
Width 597 mm
Depth 600 mm



FEATURES & BENEFITS

Considered Design

Designed to match our Contemporary style family of products, this freestanding dishwasher has a sleek stainless steel finish with a front-of-door control panel for intuitive usability.

Effortless Drving

For beautifully dry dishes every time, this dishwasher features the Auto Door Open Dry function. This function automatically releases excess steam at the end of the cycle, ensuring dishes are immediately ready for use or storage.

A Reliable Clean

This dishwasher offers seven wash programs including Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system delivers a superior clean, while the rinse aid indicator reminds you to top up for beautifully clean dishes.

Customise Your Wash

The Half Load modifier is perfect for washing a partial load, for faster turnaround of dishes. Sanitise provides extra protection, killing 99.9% of bacteria* in the final rinse, while the Dry+ modifier is great for plastic dishes.

*Certified to NSF/ANSI Standard 184

Efficient Performance

With a 4 star energy rating and 5 star water rating, this dishwasher delivers a powerful wash. Use the Eco wash program for optimal water and energy consumption, or choose when the cycle begins with Delay Start.

Flexible Loading

Designed to fit 15 place settings with ease, adjustable racks help you to load and care for various items – including a height-adjustable upper basket, and foldable cup holders and tines.

SPECIFICATIONS

Capacity and loading

Accommodates round plates up to (lower basket)

320mm

Accommodates round plates up to (top basket)

250mm

QUICK REFERENCE GUIDE > DW60FC2X2

| Adjustable height, foldable cupracks | • | Performance | | Heavy | • |
|---|----------------|---------------------------|--------------|---|-------------------------------|
| Easy lift adjustable upper basket | • | | | Light | • |
| Fold down tines | | Noise emissions | 46 dBA | Medium | |
| | 15 | | | | • |
| Place settings | 15 | | | Rinse | • _ |
| Place settings | 15 | Power requirements | | Wash programs | 7 |
| | | Amperage | 10A | | |
| Consumption | | Supply frequency | 50Hz | Water connection | |
| Consumption | | Supply voltage | 220 - 240V | water connection | |
| Energy rating | 4 star | | | Water pressure | 30kPa - 1000 kPa |
| Energy usage | 246kWh/year | | | Water supply | 3/4" BSP (20mm) |
| In-use energy carbon emissions estimate 33.3 | kgCO2e/year | Product dimensions | | | Connector Water Inlet Hose |
| Water consumption (per wash cycle) | 12.2L | Depth | 600 mm | | |
| Water rating | star (WELS) | Height | 850 - 895 mm | | |
| | | Width | 597 mm | SKU | 82427 |
| Controls Energy saving delay start option of up to 12 hours • | | Warranty Parts and labour | 2 years | The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these | |
| Intuitive capacitive touch controls | • | raits and labour | 2 years | dimensions and specifications may chan check with Fisher & Paykel's Customer C | |
| Keylock | • | | | correctly describes the model currently | |
| Rinse aid indicator light | • | Wash Program Modifiers | | Appliances Ltd 2020 | |
| | | Dry + | • | | |
| Features | | Half load | • | Other product downloads availab | e at fisherpaykel.com |
| Aquastop | • | Sanitise | • | | |
| Auto Door Open Dry | • | Wash modifiers | 3 | | |
| Flood protection | • | | | | |
| Half load option | • | | | | achor |
| Internal tub material S | tainless Steel | Wash Programs | | | |
| Motor type A | Asynchronous | 60 min | • | <u>↓</u> Service & Warranty<u>↓</u> Installation Guide Dishwasher | |
| ThermoDry system | • | Auto | • | ↓ Preliminary Specification Guide Dishwasher | |
| Three-stage filtration system | • | Eco | • | User Guide Dishwasher | |

QUICK REFERENCE GUIDE > DW60FC2X2



Wash Program Data Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com