QUICK REFERENCE GUIDE > OR90SCI4W1 Date: 17.12.2024 > 1

### 90cm Series 7 Classic 5 Zone Induction Cooker, 2 SmartZones

Series 7 | Classic

White




Heritage styling with contemporary performance in the large convection oven and induction cooktop, with SmartZone capability.

- Five cooking zones, with the ability to pair zones to create SmartZones
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake with pizza mode and rapid proof for making bread

Non-tip full-extension shelves for safe removal of hot dishes

#### **DIMENSIONS**

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



#### **FEATURES & BENEFITS**

#### Multi-Shelf Cooking

Our AeroTech $^{\text{m}}$  system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

#### **Quality And Durability**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

#### Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### **Even Heat**

Accurate, electronically-controlled oven heat ensures a great result every time.

#### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

#### Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

#### **SPECIFICATIONS**

Accessories (included)

# Chromed shelf runners 1 set Flat wire shelf 1

Full extension sliding shelves 1 set (part 578744)

Full extension telescopic shelves 1 set (part 578744)

Grill rack true

Roasting dish 1

Step down wire shelf

#### Accessories (sold separately)

•	Rapid proof	•	Turned stainless steel clock buttons	KICKOR90B1	Kick strip, black (optional)
•	Roast			KICKOR90X1	Kick strip, stainless steel (optional)
•	True convection		Installation Dimensions	KICKOR90W1	Kick strip, white (optional)
	Oven performance	600 mm	Installation cutout dimensions (Depth)		Capacity
	•	900 mm	Installation cutout dimensions (Width)		•
Triple glazed	CoolTouch door			6	Shelf positions
			Oven features	6	Shelf positions (main oven)
	Power requirements			140 L	Total capacity
	rower requirements	•	AeroTech™ technology	121 L	Usable capacity (main oven)
67 A	Amperage	•	Automatic rapid pre-heat		
50 Hz	Supply frequency	•	Bright chromed, cast zinc dials with illuminated halos		Cleaning
220-240 V	Supply voltage	•	Electronic oven control		Cleaning
		•	Full extension telescopic sliding shelves	•	Acid resistant graphite enamel
	Product dimensions	4 x 25W halogen	Internal light	•	Drop down grill element
	Product dimensions	(2 side & 2 top)	ter.i.a. iigiit	•	Flat easy clean glass surface
600 mm	Depth	•	Soft open/close door	•	Removable oven door
898 - 946 mm	Height	•	Storage drawer	•	Removable oven door inner glass
897 mm	Width	•	True convection	•	Removable shelf runners
		•	Twin cavity fans		
	Rangetop features	<u> </u>			Controls
•	Auto heat reduce		Oven functions	•	Audio feedback
•	Dual colour display	•	Bake	•	Automatic cooking/minute timer
•	Gentle heat	•	Classic bake	•	Automatic pre-set temperatures
9	Heat settings	•	Fan bake	•	Celsius/Fahrenheit temperature
•	Hob rail	•	Fan forced	•	Electronic clock
60 mm	Hob rear trim	•	fanGrill	•	Laser etched graphics
•	Induction cooking technology	•	Grill	•	Precise electronic temperature control
1	SmartZone	9	Number of functions	•	Sabbath mode
•	Zone bridging	•	Pastry Bake with Pizza mode	•	Toughened fused glass graphics

QUICK REFERENCE GUIDE > OR90SCI4W1 Date: 17.12.2024 > 3

#### Rangetop Performance

Centre	2300 W
Left front	1600 W
Left rear	2100 W
PowerBoost	•

Safety

Warranty

SKU

Parts and labour

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Child lock	•
CoolTouch door	•
Full extension telescopic shelves	1 set (part 578744)
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

$\underline{ullet}$	Service & Warranty
$\underline{ullet}$	Installation Guide Freestanding Cooker
$\underline{ullet}$	Installation Guide - Kick Strip
$\underline{ullet}$	Revit Induction Cooker
$\underline{ullet}$	Rhino Induction Cooker
$\underline{ullet}$	SketchUp Induction Cooker
$\underline{\downarrow}$	User Guide Freestanding Cooker
$\underline{ullet}$	User Guide

#### Where applicable:

2 years

81686

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

