QUICK REFERENCE GUIDE > RS9121WLUVE1

92cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Left hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it comes complete with an ice maker and internal water dispenser.

- For optimal food care, the Variable Temperature Drawer lets you switch between three modes: Chill, Fridge, or Pantry
- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection
- Enjoy convenient access to fresh, chilled water and ice with the internal water dispenser and ice maker
- · Designed to optimise energy performance and efficiency

DIMENSIONS

Height	2134 mm
Width	908 mm
Depth	610 mm

FEATURES & BENEFITS

Variable temperature drawer

When it comes to optimal food preservation, one temperature does not fit all. Our Variable Temperature Drawer gives you complete control over how you care for your food. With the touch of a button, you can transform the bottom refrigerator drawer into Chill, Fridge, or Pantry modes to best suit different types of food. Adjust the settings for everyday convenience or switch modes to increase chilling capacity, perfect for special occasions.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Elegant interior

With a premium interior for a refined look and feel, this model is the highlight of our Integrated refrigeration collection. Experience superior design and functionality combined seamlessly.

Internal water and ice dispenser

Both the water dispenser and ice maker are located inside this integrated model, ensuring an uninterrupted exterior that blends seamlessly with adjacent cabinetry. The slimline water dispenser is flush-fit to maximise internal storage space. It boasts a temperature-controlled flow and an angled delivery to catch any drips or spills.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

Seamless integration

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Design quality

The premium design and finish include a steel interior lining, full-extension metal shelf runners for easy access, robust glass shelving, and drawers with quality hinges designed for daily use.

SPECIFICATIONS

Accessories (sold separately)

Left hinge RD9121WLD, Right hinge RD9121WRD	Door panel set stainless steel
AHCLRD9121W	Handle kit Classic
AHSRD9121W	Handle kit Contemporary round, aluminium
AHD5RD9121W	Handle kit Contemporary square fine, aluminium
AHD5RD9121WB	Handle kit Contemporary square fine, black
AJ-RS21LR	Joiner Kit

Capacity

Volume	555 L
Volume freezer	190 L
Volume refrigerator	328 L
Volume variable temperature compartment	37 L

Features

Adjustable door shelves

QUICK REFERENCE GUIDE > RS9121WLUVE1

Adjustable glass cantilevered shelves	•	Minimum inside width of cabinetry frame	914 mm	Product information	
Adjustable glass shelves	4	Minimum internal depth of cabinetry	635 mm	Packaged weight	240 kg
Door alarm	•	Minimum internal height of cabinetry	2134 mm		
Fruit and vegetable bins	1				
Full extension drawers	2			Variable Temp Compartment	
Internal water dispenser	•	Performance		Chill	•
Keylock	•	ActiveSmart™ Foodcare	•	Fridge	•
LED bin lighting	•	Adaptive defrost	•	Pantry	•
LED ceiling lighting	•	Eco friendly R600a refrigerant	•	,	
Smart appliance	•	Frost free	•		
SmartTouch interface at counter height	•	Holiday mode	•	Warranty	
Split level cantilevered shelves	•	Humidity control system	•	Parts and labour	5 years
Variable temperature drawer	•	Internal replacable water filter	•	Sealed system parts only	5 years
		Sabbath mode	•		5,555
		Triple evaporator	•		
Freezer Features		Variable food modes	Pantry; Fridge;		
Automatic ice maker	•		Chill	SKU	26761
Bottle chill	•	Variable Temperature Compartment Performance	•		
Door alarm	•			The product dimensions and specifications in this p	age apply to the specific
Fast freeze	•			product and model. Under our policy of continuous	
Freezer bins	1	Power requirements		dimensions and specifications may change at any ti check with Fisher & Paykel's Customer Care Centre	
Freezer drawers	1	Rated current	10 A	correctly describes the model currently available. ©	· -
Freezer trays	1	Supply frequency	50 Hz	Appliances Ltd 2020	
Ice bin and scoop	•	Supply voltage	230 V		
Ice Boost	•			Other product downloads available at fisher	rnavkel com
LED Lighting	•			Other product downloads available at fisher	paykencom
Max Cold	•	Product dimensions		↓ 2D-DWG Integrated Refrigeration - KO	5 Hinge
Slide Out Pastry Tray	•	Depth	610 mm	 ↓ 2D-DWG Integrated Refrigeration - KO ↓ 2D-DWG Integrated Refrigerator 	cgc
SmartTouch interface at counter height	•	Height	2134 mm		Hinge
		Width	908 mm		
			300		
Installation Dimensions				↓ Energy Rating	

QUICK REFERENCE GUIDE > RS9121WLUVE1

↓ Service & Warranty

Planning Guide Integrated Refrigeration EN

Product Information Sheet

↓ Revit 20 Integrated Refrigerator

Rhino 6 Integrated Refrigerator

SketchUp 8 Integrated Refrigerator

↓ User Guide EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com