QUICK REFERENCE GUIDE > DD60SHTI9

Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- With extra height for taller dishes, and customisable internal shelving
- Knock to pause function is perfect if you miss a dish
- Quick wash, Sanitise and Extra Dry options provide superior performance

 Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60STPB

Door panel stainless steel ADDD60STPX

Handle kit Contemporary square fine, aluminium

AHD5DDDW60S

Handle kit Contemporary square fine, black AHD5DDDW60B

Capacity and loading

Accommodates round plates up to

Adjustable height, foldable cupracks

•

QUICK REFERENCE GUIDE > DD60SHTI9

Fold down tines	•
Pitch adjustable tines	•
Place settings	8
Consumption	
Cleaning Index	1.16
Drying Index	0.97
Energy consumption	0.61kWh/cycle
Water consumption	8L
Controls	
Electronic fault/Diagnostic indicator	•
End of cycle beeps	•
Energy saving delay start option of up to 12 hours	•
Internal wash selector	•
Keylock	•
Knock to pause	•
Rinse aid indicator light	•
Features	
Built-in water softener	•
Fan assisted drying	•

Flood protection

Quiet operation

SmartDrive[™] technology

Flow through detergent dispenser

Performance	
Noise emissions	43 dBA
Power requirements	
Amperage	5A
Supply frequency	50Hz
Supply voltage	220 - 240V
Product dimensions	
Depth	553 mm
Height	454 mm
Width	599 mm
Wash Program Modifiers	
Extra Dry	•
Extra Dry Quick	
	•
Quick	•
Quick Sanitise	•
Quick Sanitise Wash modifiers	
Quick Sanitise Wash modifiers Wash Programs	3
Quick Sanitise Wash modifiers Wash Programs Delicate	
Quick Sanitise Wash modifiers Wash Programs Delicate Eco	•
Quick Sanitise Wash modifiers Wash Programs Delicate Eco Fast	

Wate	er connection	
Wat	er pressure	100kPa - 1000
Wat	er supply	3/4" BSP (20m Connector Wa Inlet H
SKU		8.
produ	ct and model. Under our policy	y of continuous improvement, these
produ dimen check correc Applia	ct and model. Under our policy sions and specifications may c with Fisher & Paykel's Custom	y of continuous improvement, these change at any time. You should therefo er Care Centre to ensure this page ntly available. © Fisher & Paykel
produ dimen check correc Applia	ct and model. Under our policy nsions and specifications may c with Fisher & Paykel's Custom ctly describes the model currer ances Ltd 2020	y of continuous improvement, these change at any time. You should thereforer Care Centre to ensure this page atly available. © Fisher & Paykel
produ dimen check correct Applia	ct and model. Under our policy is ions and specifications may consistent with Fisher & Paykel's Custometry describes the model current ances Ltd 2020 r product downloads avail	y of continuous improvement, these change at any time. You should therefore the care Centre to ensure this page ntly available. © Fisher & Paykel
produ dimen check correc Applia	act and model. Under our policy isions and specifications may of with Fisher & Paykel's Custom ctly describes the model currer ances Ltd 2020 r product downloads avail	change at any time. You should therefore care Centre to ensure this page ntly available. © Fisher & Paykel lable at fisherpaykel.com
produ dimen check correc Applia	act and model. Under our policy asions and specifications may convit with Fisher & Paykel's Custom at the second current ances Ltd 2020 r product downloads avail 2D-DWG DishDrawer™ Distances DishDrawer™ DishDrawer™ Dish	y of continuous improvement, these change at any time. You should therefore the care Centre to ensure this page ntly available. © Fisher & Paykel

Wash programs

QUICK REFERENCE GUIDE > DD60SHTI9

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.