QUICK REFERENCE GUIDE > OB60SD9PLX1 Date: 24.07.2024 > 1

Oven, 60cm, 9 Function, Selfcleaning

Series 7 | Contemporary

Stainless Steel



With beautiful Contemporary styling and generous capacity, this built-in oven helps to ensures that every dish you create is cooked to perfection.

- 85L total capacity with nine oven functions including Pizza Bake and Roast
- Moisture level control with ActiveVent technology
- Pyrolytic self-cleaning function breaks down food residue for an easy clean

 Wi-Fi enabled for remote control and notifications through the SmartHQ™ app

DIMENSIONS

| Height | 598 mm |
|--------|--------|
| Width | 596 mm |
| Depth | 565 mm |

FEATURES & BENEFITS

Multi-Function Flexibility

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has nine functions including Pizza Bake and Roast, allowing you to use a variety of cooking styles.

Generous Capacity

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Cook With Confidence

The intuitive 2.4" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been cooking all your life or are just starting out. Cook by food type and allow your oven to guide you through steps, or change temperature and heat type automatically, depending on your selection.

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech™ circulates heat evenly for a consistent temperature.

Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The chrome side racks don't need to be removed when using this function.

Design Freedom

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and detailing to support a cohesive, considered kitchen design.

Safe And Sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories (included) Chromed shelf runners Full extension sliding shelves Roasting dish Step down wire shelf Wire shelf 1

Capacity

| Shelf positions | 6 |
|-----------------|------|
| Total capacity | 85 L |
| Usable capacity | 72 L |

Cleaning

| Acid resistant graphite enamel | |
|--------------------------------|--|
| Pyrolytic self-clean | |

QUICK REFERENCE GUIDE > OB60SD9PLX1 Date: 24.07.2024 > 2

| Removable oven door | • | Number of functions | 9 | Catalytic venting system | • |
|---|--|--------------------------|--------------|---|---------------------|
| Removable oven door inner glass | • | Pyrolytic self-clean | • | Control panel key lock | • |
| Removable shelf runners | • | Roast | • | CoolTouch door | • |
| | | Slow cook | • | Non-tip shelves | • |
| | | Vent bake | • | Safety thermostat | • |
| Controls | | Warm | • | | |
| Adjustable audio and display settings | • | | | | |
| Audio feedback | • | | | Warranty | |
| Automatic cooking/minute timer | • | Performance | | Parts and labour | 1 year |
| Automatic pre-set temperatures | • | ActiveVent™ system | • | | |
| Celsius/Fahrenheit temperature | • | AeroTech™ technology | • | | |
| Certified Sabbath mode | • | Automatic rapid pre-heat | • | CIVII | 82567 |
| Delay start | • | Grill power | 3000 W | SKU | 82567 |
| Electronic clock | • | Temperature range | 35°C - 280°C | | |
| Electronic oven control | • | Whisper quiet cooking | • | The product dimensions and specifications in this page app | ply to the specific |
| Halogen lights | • | | | product and model. Under our policy of continuous improv dimensions and specifications may change at any time. You | |
| Multi-language display | UK English, US English, Simplified | Power requirements | | check with Fisher & Paykel's Customer Care Centre to ensu correctly describes the model currently available. © Fisher Appliances Ltd 2020 | ıre this page |
| | Chinese, Français, Español | Amperage | 15 A | | |
| Soft close doors | • | Supply frequency | 50 Hz | | |
| True convection oven | • | Supply voltage | 220-240 V | Other product downloads available at fisherpayke | el.com |
| Turned stainless steel dials with illuminated halos | • | | | ↓ 2D-DWG Oven | |
| | | Product dimensions | | ± 2D-DXF Oven | |
| | _ | Depth | 565 mm | | |
| Functions | | Height | 598 mm | → Datasheet Oven | |
| Bake | • | Width | 596 mm | Service & Warranty | |
| Fan bake | • | | | ↓ MMM ZH↓ Revit Oven | |
| Fan forced | • | | | | |
| Fan grill | • | Safety | | | |
| Grill | • | Balanced oven door | • | ▶ Preliminary Specification Guide Wall Oven | |
| | | | | | |

QUICK REFERENCE GUIDE > OB60SD9PLX1



User Guide Oven EN



XXXXX ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.