QUICK REFERENCE GUIDE > RS6019BRU1

Integrated Refrigerator Freezer, 60cm, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- · Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	1870 mm
Width	592 mm
Depth	576 mm

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

Hinge change (from right hinge to left hinge)

Accessories (sold separately)

RD6019BR (right hinge), RD6019BL (left hinge)	Door panel set stainless steel
AHSRDB19	Handle kit Contemporary round, aluminium
AHD5RDB19	Handle kit Contemporary square fine, aluminium
AHD5RDB19B	Handle kit Contemporary square fine, black
AHP3RDB19	Handle kit Professional round flush
AJRS19LR	Joiner Kit
AKRS12010	Toe kick stainless steel 1200mm

Toe kick stainless steel 1800mm	AKRS18010	Stackable bottle holders	2	Sabbath mode	•	
Toe kick stainless steel 600mm	AKRS06010	Water tank capacity	1 L			
Water filter replacement	847200 - FWC3	Wi-Fi connectivity	•			
				Power requirements		
				Rated current	10 A	
Capacity		Freezer Features		Supply frequency	50 Hz	
Total gross capacity	328 L	Automatic ice maker	•	Supply voltage	230 V	
Volume	303 L	Bottle chill	•			
Volume freezer	123 L	Door alarm	•			
Volume refrigerator	180 L	Fast freeze	•	Product dimensions		
		Freezer bins	3	Depth	576 mm	
		Ice Boost	•	Height	1870 mm	
Consumption		Ice making rate per day	1 kg	Width	592 mm	
Energy rating	D	LED bin lighting	•			
Energy usage	204kWh/year	LED ceiling lighting	•			
In-use energy carbon emissions estimate 63.	63.0kgCO2e/year	LED side lighting	•	Warranty		
				Parts and labour	5 years	
				Sealed system parts only	5 years	
Features		Installation Dimensions				
Adjustable door shelves	4	Minimum inside width of cabinetry frame	600 mm			
Adjustable glass cantilevered shelves	•	Minimum internal depth of cabinetry	600 mm	SKU	26210	
Covered door shelves	1	Minimum internal height of cabinetry	1880 mm	300 20.		
Door alarm	•					
Internal water dispenser	•			The product dimensions and specifications in the	is page apply to the specific	
LED bin lighting	•	Performance		product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore		
LED ceiling lighting	•	ActiveSmart™ Foodcare	•	check with Fisher & Paykel's Customer Care Centre to ensure this page		
LED side lighting	•	Adaptive defrost	•	correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Smart appliance AU NZ	•	Dual evaporator	•	Appliances Ltd 2020		
Smart appliance EU	•	Frost free	•			
Smart appliance UK IE	•	Humidity control system	•	Other product downloads available at fisherpaykel.com		
SmartTouch control panel	•	Inverter controlled compressor	•			

QUICK REFERENCE GUIDE > RS6019BRU1

- 2D-DWG Refrigerator Freezer
- ↓ 2D-DWG Refrigerator Freezer with Custom Panel
- ↓ 2D-DXF Refrigerator Freezer
- ↓ 2D-DXF Refrigerator Freezer with Custom Panel
- ↓ Data Sheet Refrigerator Freezer
- Data Sheet Refrigerator Freezer with Custom Panel
- Declaration of Conformity
- ↓ Declaration of Conformity Refrigeration with WiFi Capability
- Energy Label Integrated Refrigerator and Freezer with Ice and Water
- Installation Guide Integrated Refrigerator
- ↓ Planning Guide Refrigeration
- Product Information Sheet Integrated Refrigerator and Freezer
- ↓ Revit 18 Refrigerator Freezer
- Rhino 5 Refrigerator Freezer
- ↓ Rhino 5 Refrigerator Freezer with Custom Panel
- J. Rhino 5 Refrigerator Freezer Door with Classic Round Handle
- Rhino 5 Refrigerator Freezer Door with Contemporary Round Handle
- Rhino 5 Refrigerator Freezer Door with Professional Round Flush Handle
- Rhino 5 Refrigerator Freezer Door with Square Fine Black Handle
- ↓ Rhino 5 Refrigerator Freezer Door with Square Fine Handle
- Sketchup 8 Refrigerator Freezer
- ↓ Sketchup 8 Refrigerator Freezer with Custom Panel
- Sketchup 8 Refrigerator Freezer Door with Classic Round Handle
- Sketchup 8 Refrigerator Freezer Door with Professional Round Flush Handle
- Sketchup 8 Refrigerator Freezer Door with Square Fine Black Handle
- Sketchup 8 Refrigerator Freezer Door with Square Fine Handle



User Guide Integrated Refrigerator & Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com