QUICK REFERENCE GUIDE > OB24SDPTDX1

24" Series 9 Contemporary Self-Cleaning Oven

Series 9 | Contemporary

Stainless Steel



With beautiful contemporary styling, advanced cook functions and touchscreen, this built-in oven is a highlight of our collection.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe
- 3 cu ft total capacity, with 16 oven functions including Pastry Bake and Roast, Air Fry and Dehydrate
- Moisture control and even heat distribution thanks to ActiveVent™ and AeroTech technology

 Non-tip, full extension sliding shelves for safe removal of hot dishes

DIMENSIONS

Height	23 9/16 "
Width	23 7/16 "
Depth	22 1/4 "

FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe.

Generous Capacity

With its market-leading 3 cu ft total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Multi-Function Flexibility

The cooking functions have each been tailored, tested, tweaked and perfected to ensure that no matter what you're cooking, you've got the right heat to match. Purchase our Wireless Temperature Sensor accessory and precisely monitor cooking in real time (accessory sold separately).

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while $AeroTech^{TM}$ circulates heat evenly for a consistent temperature.

Self-Cleaning

Our self-clean technology breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Design Freedom

Available in an elegant black or a stylish black with stainless steel, this oven is designed to fit seamlessly into your kitchen. Premium materials and detailing to support a cohesive, considered kitchen design.

SPECIFICATIONS

Accessories (included)

Full extension sliding shelves	1 se
Grill rack	1 se
Roasting dish	
Smokeless grill tray	
Step down wire shelf	
Wired temperature sensor	

Accessories (sold separately)

Optional Accessory round handle	Part 8164
---------------------------------	-----------

Capacity

Shelf positions	6
Total capacity	3 cu f
Usable capacity	2.5 cu f

Cleaning

QUICK REFERENCE GUIDE > OB24SDPTDX1 Date: 17.12.2024 > 2

Removable oven door Air fry Bake 1	Acid resistant graphite enamel	•	Aero™ Bake	•	Product dimensions	
Removable owen door inner glass Bake 4 Height 23 9/16* Removable shelf runners Classic bake 4 Midh 23 7/16* Consumption Maxil Broil	Removable oven door	•	Air fry	•	Depth	22 1/4 "
Removable sheft runners Classic bake Dehydrate Agaid Broil Agaid Broil Consumption Energy usage Agaid proof Pattry Bake Pattr	Removable oven door inner glass	•	Bake	•		·
Dehydrate Maxil Brill Dehydrate Maxil Brill Dehydrate Maxil Brill Dehydrate Maxil Brill Dehydrate Dehydrat	Removable shelf runners	•	Classic bake	•		•
Energy usage 308kWh/year Pastry Bake 1 Catalytic venting system 1 Parabake 2 Catalytic venting system 1 Parabake 2 Catalytic venting system 2 Catalytic ven			Dehydrate	•		,
Energy usage 308kWh/year Pastry Bake 1 Balanced oven door 1 In-use energy carbon emissions estimate 1 SA.OkgCO2e/year Pastry Bake 1 Catalytic venting system 1 Pastry Bake 1 Control panel key lock 1 Party Interest Pastry I			Maxi Broil	•		
In-use energy carbon emissions estimate Pizza bake	Consumption		Number of functions	16	Safety	
In-use energy carbon emissions estimate 38.0kgCO2e/year	Energy usage	308kWh/year	Pastry Bake	•	Balanced oven door	•
Pyrolytic self-clean Rapid proof Controls Rapid proof Controls Rapid proof Control Controls Rapid proof Control Contro	In-use energy carbon emissions estimate	38.0kgCO2e/year	Pizza bake	•		•
Rapid proof Roast			Pyrolytic self-clean	•		•
Controls Adjustable audio and display settings Adjustable audio and display settings Automatic cooking/minute timer Automatic present temperatures Automat			Rapid proof	•		•
Adjustable audio and display settings Automatic cooking/minute timer Automatic cooking/minute timer Automatic pre-set temperatures Vent bake Vent bakes benedet unrenty available. © Fisher & Paykel Vent product downloads available at fisherpaykel.com Vent product downloads available at fisherpaykel.	Controls		Roast	•		•
Automatic pre-set temperatures • Vent bake • Warm • Warm • SKU SKU SKU SKU SKU SKU SKU SKU	Adjustable audio and display settings	•	Slow cook	•	Non tip sherves	
Celsius/Fahrenheit temperature Warm SKU 82261	Automatic cooking/minute timer	•	True Aero	•		
Electronic clock Electronic oven control Food probe Guided cooking by food type and recipes Intuitive touchscreen display Multi-language display WK English, US English, Simplified Chinese, Français, Español Sabbath mode with Star K certification Smart appliance Soft close doors Foot grown Soft close doors Foundation Something the mode with Star K certification Soft close doors Foundation Amperage Amperage Amperage Manage Amperage Manage Amperage Manage Aero Tech™ technology Aero Reall The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page (correctly describes the model currently available. S Fisher & Paykel S Customer Care Centre to ensure this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page apply to the specific correctly describes the model currently available. S Fisher & Paykel's Customer Care Centre to ensure this page apply to the specific correctly describes the model currently available. S Fisher & Paykel's Customer Care Centre to ensure this page apply to the specific correctly describes the model currently available. S Fisher & Paykel's Customer Care Centre to ensure this page apply to the specific correctly describes the model currently available. S Fisher & Paykel's Customer Care Centre to ensure this page apply to the specific correctly describes the model currently available. S Fisher & Paykel's Customer Care Centre to en	Automatic pre-set temperatures	•	Vent bake	•		
Electronic oven control Food probe Cuided cooking by food type and recipes Intuitive touchscreen display Multi-language display UK English, US English, Simplified Chinese, Français, Español Sabbath mode with Star K certification Smart appliance Soft close doors Founctions Functions Aero Tech™ technology Automatic rapid pre-heat Broil power Broil width	Celsius/Fahrenheit temperature	•	Warm	•	SKU	82261
Food probe Guided cooking by food type and recipes Aero Tech™ technology Automatic rapid pre-heat Automatic rapid pre-heat Broil width Broil	Electronic clock	•				
Food probe Guided cooking by food type and recipes Guided cooking by food type and recipes Intuitive touchscreen display Multi-language display Multi-language display UK English, US English, US Simplified Chinese, Français, Español Sabbath mode with Star K certification Soft close doors Functions Performance Aero Rech™ technology Automatic rapid pre-heat Broil power Broil width 15 mm Simplified Chinese, Français, Español Broil width 15 mm Number of passes on Maxi Broil 8 Whisper Quiet Cooking Whisper Quiet Cooking Whisper Quiet Cooking Fower requirements Functions Amperage Amperage 16.6 - 19.4 A Supply voltage product and model. Under our policy of continuous improvement, these dimensions and specifications may change at and model. Under our policy of continuous improvement, these dimensions and specifications may change at and model. Under our policy of continuous improvement, these dimensions and specifications may change at and model. Under our policy of continuous improvement, these dimensions and specifications may change at pack and specifications may change at and model. Under our policy of centructor ether check when Fisher & Paykel Custore stream of specifications may change at and model. Under our policy describes the model currently available. Fisher & Paykel Appliances Ltd 2020 Other product downloads available at fisherpaykel.com Power requirements Under Other Product downloads available at fisherpaykel.com Power requirements Under Other Product downloads available at fisherpaykel.com Under Other Product downloads available at fisherpayk	Electronic oven control	•			The product dimensions and specifications in th	is page apply to the specific
Guided cooking by food type and recipes Intuitive touchscreen display Multi-language display WK English, US English, Simplified Chinese, Français, Español Sabbath mode with Star K certification Soft close doors Functions Aero Fech ^{ili} technology Automatic rapid pre-heat Automatic rapid pre-heat	Food probe	•	Performance			
Intuitive touchscreen display Multi-language display	Guided cooking by food type and recipes	•	AeroTech™ technology	•		
Multi-language display UK English, US English, Simplified Chinese, Français, Español Sabbath mode with Star K certification Smart appliance Soft close doors Functions Multi-language display UK English, US English, US English, Simplified Chinese, Français, Español Broil width 15 mm Other product downloads available at fisherpaykel.com Other product downloads available at fisherpaykel.com Vhisper Quiet Cooking Vhisper Quiet Cooking Vhisper Quiet Cooking Vhisper Quiet Cooking Valuet Cooking	Intuitive touchscreen display	•	Automatic rapid pre-heat	•		
Simplified Chinese, Français, Español Sabbath mode with Star K certification Sabrat appliance Soft close doors Functions Broil width Sprail width	Multi-language display	UK English, US	Broil power	3000 W	Appliances Ltd 2020	
Chinese, Français, EspañolBroil width15 "Other product downloads available at fisherpaykel.comSabbath mode with Star K certificationNumber of passes on Maxi Broil8Smart applianceWhisper Quiet Cooking			Broil width	15 mm		
Sabbath mode with Star K certification Smart appliance Soft close doors Power requirements Amperage Supply voltage Number of passes on Maxi Broil Whisper Quiet Cooking Data Sheet Oven Data Sheet Oven Energy Label Service & Warranty Installation Guide EN / Guide d'installation FR		Chinese, Français,	Broil width	15 "	Other and deat decimber de surileble et fi	harmandad assa
Smart appliance Soft close doors Power requirements Amperage Supply voltage Whisper Quiet Cooking Data Sheet Oven Energy Label Supply voltage 2D-DWG Oven Data Sheet Oven Energy Label Service & Warranty Installation Guide EN / Guide d'installation FR		Espanoi	Number of passes on Maxi Broil	8	Other product downloads available at its	теграукет.сот
Soft close doors Power requirements Amperage Supply voltage 2D-DXF Oven Data Sheet Oven Energy Label Service & Warranty Installation Guide EN / Guide d'installation FR		•	Whisper Quiet Cooking	•	J. 2D-DWG Oven	
Power requirements Power requirements Data Sheet Oven Energy Label Functions Amperage Supply voltage Supply voltage 208 / 240 V Data Sheet Oven Line Sheet Oven Installation Guide EN / Guide d'installation FR		•			<u>*</u>	
Functions Amperage Supply voltage Acre Proil Acre	Soft close doors	•			<u>▼</u>	
Supply voltage Supply voltage 208 / 240 V Installation Guide EN / Guide d'installation FR			Power requirements		± ↓ Energy Label	
Supply voltage Supply voltage 208 / 240 V Installation Guide EN / Guide d'installation FR	Functions		Amperage	16.6 - 19.4 A	-	
A org Droil			Supply voltage	208 / 240 V	↓ Installation Guide EN / Guide d'installation	allation FR
	Aero Broil	•			↓ Installation Guide Oven	

QUICK REFERENCE GUIDE > OB24SDPTDX1 Date: 17.12.2024 > 3



Guide d'installation FR



Revit Oven



Rhino Oven



Guide d'utilisation FR



User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com