QUICK REFERENCE GUIDE > DD24DHTI9 N

# Integrated Double DishDrawer Dishwasher, Tall, Sanitize

Series 9 | Integrated

Panel Ready



Doing the dishes got easier. Load one drawer while the other washes - with the top drawer fitting your large dinner plates easily.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Built-in water softener improves wash performance by reducing unwanted minerals in the water


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

### **DIMENSIONS**

Height 34 - 36 3/8 "

Width 23 9/16 "

Depth 22 1/2 "



## **SPECIFICATIONS**

## Accessories (included)

Kickstrip **true**Knife clip and multipurpose clip
•

Accessories (sold separately)

Door panel stainless steel ADDD24DTPX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S Handle kit Contemporary square fine, AHD5aluminium **OBDD-60SX** AHD5-Handle kit Contemporary square fine, black OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Professional round flush AHP3-DWDD-SX Handle kit Professional round flush, Brass AHP3DDDW24BA off-stands Handle kit Professional round flush, Dark AHP3DDDW24DC Copper off-stands

# Capacity and loading

Accommodates round plates up to	12.25" (top) 11" (bottom)
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

## Consumption

Energy usage 286kWh/year
In-use energy carbon emissions estimate 35.3kgCO2e/year
Water usage (per wash cycle) 3.6 gal running both tubs

QUICK REFERENCE GUIDE > DD24DHTI9 N Date: 20.06.2024 > 2

Controls		Supply voltage	100 - 120V	Water pressure	100kPa - 1000kPa	
Electronic fault/Diagnostic indicator	•			Water supply	3/8" to suit Male Compression	
End of cycle beeps	•				Fitting	
Energy saving delay start option of up to 12 hours	•	Product dimensions  Depth	22 1/2 "			
Internal wash selector	•	Height	34 - 36 3/8 "			
Keylock	•	Width	23 9/16 "	SKU	82337	
Knock to pause	•		,			
Rinse aid indicator light	•			The product dimensions and specification	in this page apply to the specific	
Smart appliance	•	Warranty		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these		
Wi-Fi connectivity	•	Parts and labor	Limited 2 years	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Features		Wash Program Modifiers		Appliances Eta 2020		
Built-in water softener	•	Extra Dry	•	Other product downloads available	at fishernavkel com	
Fan assisted drying	•	Quick	•	other product downloads available	at hisher payken.com	
Flow through detergent dispenser	•	Sanitise	•	↓ 2D-DWG Integrated Double Di	shDrawer™ Dishwasher	
Motor type	BLDC					
Quiet operation	•				DishDrawer™ Dishwasher	
SmartDrive™ technology	•	Wash Programs				
		Delicate	•			
		Eco	•	↓ Installation Guide Double Dish	Drawer™ Dishwasher EN	
Performance		Fast	•	↓ Guide d'installation FR		
Noise on standard cycle top drawer	43 dBA	Heavy	•	▶ Planning Guide Professional St	yle Dial/Handle Accessories	
		Medium	•	<ul><li>↓ Quick Start Guide EN</li><li>↓ Guide De Démarrage Rapide F</li></ul>	D	
		Rinse	•	<ul><li>Guide De Démarrage Rapide F</li><li>Revit Double DishDrawer™ Dis</li></ul>		
Power requirements		Wash programs	6	Rhino Double DishDrawer™ Dish		
Amperage	10A	. <del> </del>		Rhino Double DishDrawer™ Dis Contemporary Square Handle	shwasher with Door Panel and	
Electric circuit	3 wire				Dishwasher	
Rated current Supply frequency	15 A 60Hz	Water connection	_	Sketchup Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle		
		Supplied hose to suit 3/8" (9mm) male compression fitting	•	User Guide DishDrawer™ Dishv	vasher EN	

QUICK REFERENCE GUIDE > DD24DHTI9 N

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com