QUICK REFERENCE GUIDE > DW60U2|2 Date: 10.09.2024 > 1

# Series 5, Integrated Dishwasher

Series 5 | Integrated

Panel Ready



Designed to be integrated seamlessly into your cabinetry, this dishwasher delivers extra wash options and Auto Door Open Dry.\*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Seven wash programs from Heavy to Light, including Auto and 60min
- Dry+, Sanitise and Half Load modifiers provide extra wash options


 Wi-Fi enabled and works with the SmartHQ™ app for remote control and notifications

#### DIMENSIONS

 Height
 820 - 880 mm

 Width
 598 mm

 Depth
 554 mm



# **FEATURES & BENEFITS**

## **Seamless Integration**

Customise your dishwasher with a panel and handle matching your cabinetry, for a seamless finish in your kitchen.

## **Effortless Drying**

For beautifully dry dishes every time, this dishwasher features an advanced drying system. It combines fan-assisted drying with an automatic door opening at the cycle's end. The Auto Door Open Dry feature releases excess steam, ensuring dishes are immediately ready for use or storage. An innovative air curtain channels the steam away from the adjacent benchtop, protecting your cabinetry.

#### A Reliable Clean

This dishwasher offers seven wash programs including Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system delivers a superior clean, while the rinse aid indicator reminds you to top up for beautifully clean dishes.

#### **Customise Your Wash**

The Half Load modifier is perfect for washing a partial load, for faster turnaround of dishes. Sanitise provides extra protection, killing 99.9% of bacteria\* in the final rinse, while the Dry+ modifier is great for plastic dishes. \*Certified to NSF/ ANSI Standard 184

#### **Efficient Performance**

With a 4 star energy rating and 5 star water rating, this dishwasher delivers a powerful wash. Use the Eco wash program for optimal water and energy consumption, or choose when the cycle begins with Delay Start.

#### Flexible Loading

Designed to fit 15 place settings with ease, adjustable racks help you to load and care for various items – including a height-adjustable upper basket, and foldable cup holders and tines.

## **SPECIFICATIONS**

#### Accessories (included)

Cutlery basket

Kickstrip	true	Water rating	5 star (WELS)	Product dimensions	
				Depth	554 mm
Accessories (sold separately)		Controls		Height Width	820 - 880 mm 598 mm
Door panel black stainless steel	ADDW60PB	Energy saving delay start option of up to 12	•		
Door panel stainless steel	ADDW60PX	hours			
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Intuitive capacitive touch controls	•	Warranty	
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Keylock Rinse aid indicator light	•	Parts and labour	2 years
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB	Smart appliance	•		
Handle kit Contemporary square, aluminium	m <b>AHD3-OBDD-60S</b>			Wash Program Modifiers	
Handle kit Contemporary square, black	AHD3-OBDD-60B	Features		Dry +	•
Handle kit Professional round flush	AHP3-DWDD-60S	Air curtain for bench protection	•	Half load	•
		Aquastop	•	Sanitise	•
Capacity and loading		Auto Door Open Dry	•	Wash modifiers	3
		Flood protection	•		
Accommodates round plates up to (lower basket)	320mm	Fully independent spray arms	•	Wash Programs	
Accommodates round plates up to (top	250mm	Internal tub material	Stainless Steel	wasii Programs	
basket)		Motor type	Asynchronous	60 min	•
Adjustable height, foldable cupracks	•	ThermoDry system	•	Auto	•
Easy lift adjustable upper basket	•	Three-stage filtration system	•	Eco	•
Fold down tines	•			Heavy	•
Place settings	15			Light	•
Place settings	15	Performance		Medium	•
		Noise emissions	46 dBA	Rinse	•
Consumption				Wash programs	7
•					
Energy rating	4 star	Power requirements		Water connection	
Energy usage	246kWh/year	Amperage	10A		70kB- 1000 kB
In-use energy carbon emissions estimate	33.3kgCO2e/year	Supply frequency	50Hz	Water pressure	30kPa - 1000 kPa
Water consumption (per wash cycle)	12.6L	Supply voltage	220 - 240V		

QUICK REFERENCE GUIDE > DW60U2I2 Date: 10.09.2024 > 3

Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
SKU	82431

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

### Other product downloads available at fisherpaykel.com

Door Template

Energy & Water Label

Service & Warranty

Installation Guide Built-Under Dishwasher

User Guide Dishwasher

Wash Program Data Dishwasher

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com