QUICK REFERENCE GUIDE > RS9121WRUVE1

92cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it comes complete with an ice maker and internal water dispenser.

- For optimal food care, the Variable Temperature Drawer lets you switch between three modes: Chill, Fridge, or Pantry
- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection
- Enjoy convenient access to fresh, chilled water and ice with the internal water dispenser and ice maker
- · Designed to optimise energy performance and efficiency

DIMENSIONS

Height	2134 mm
Width	908 mm
Depth	610 mm

FEATURES & BENEFITS

Variable temperature drawer

When it comes to optimal food preservation, one temperature does not fit all. Our Variable Temperature Drawer gives you complete control over how you care for your food. With the touch of a button, you can transform the bottom refrigerator drawer into Chill, Fridge, or Pantry modes to best suit different types of food. Adjust the settings for everyday convenience or switch modes to increase chilling capacity, perfect for special occasions.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Elegant interior

With a premium interior for a refined look and feel, this model is the highlight of our Integrated refrigeration collection. Experience superior design and functionality combined seamlessly.

Internal water and ice dispenser

Both the water dispenser and ice maker are located inside this integrated model, ensuring an uninterrupted exterior that blends seamlessly with adjacent cabinetry. The slimline water dispenser is flush-fit to maximise internal storage space. It boasts a temperature-controlled flow and an angled delivery to catch any drips or spills.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

Seamless integration

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Design quality

The premium design and finish include a steel interior lining, full-extension metal shelf runners for easy access, robust glass shelving, and drawers with quality hinges designed for daily use.

SPECIFICATIONS

Accessories (sold separately)

Door panel set stainless steel	Left hinge RD9121WLD Right hinge RD9121WRD
Handle kit Classic	AHCLRD9121W
Handle kit Contemporary round, aluminium	AHSRD9121W
Handle kit Contemporary square fine, aluminium	AHD5RD9121W
Handle kit Contemporary square fine, black	AHD5RD9121WE
Joiner kit	AJ-RS21LF

Capacity

Volume	555 L
Volume freezer	190 L
Volume refrigerator	328 L
Volume variable temperature compartment	37 L

Features

Adjustable door shelves

QUICK REFERENCE GUIDE > RS9121WRUVE1 Date: 02.12.2024 > 2

2D-DXF Panel Preparation Declaration of Conformity ZH

Adjustable glass cantilevered shelves	•	Minimum inside width of cabinetry frame	914 mm	Product information	
Adjustable glass shelves	4	Minimum internal depth of cabinetry	635 mm	Packaged weight 24	40 kg
Door alarm	•	Minimum internal height of cabinetry	2134 mm		
Fruit and vegetable bins	1				
Full extension drawers	2			Variable Temp Compartment	
Internal water dispenser	•	Performance		Chill	•
Keylock	•	ActiveSmart™ Foodcare	•	Fridge	•
LED bin lighting	•	Adaptive defrost	•	Pantry	
LED ceiling lighting	•	Eco friendly R600a refrigerant	•		
SmartTouch interface at counter height	•	Frost free	•		
Split level cantilevered shelves	•	Holiday mode	•	Warranty	
Variable temperature drawer	•	Humidity control system	•	Parts and labour	l year
		Internal replacable water filter	•		years
		Sabbath mode	•	could system parts only	, ca. s
Freezer Features		Triple evaporator	•		
Automatic ice maker	•	Variable food modes	Pantry; Fridge;		
Bottle chill	•		Chill	SKU	26766
Door alarm	•	Variable temperature compartment	•		
Fast freeze	•			The product dimensions and specifications in this page apply to the spe	ecific
Freezer bins	1	Power requirements		product and model. Under our policy of continuous improvement, these	
Freezer drawers	1	rower requirements		dimensions and specifications may change at any time. You should then check with Fisher & Paykel's Customer Care Centre to ensure this page	efore
Freezer trays	1	Rated current	10 A	correctly describes the model currently available. © Fisher & Paykel	
Ice bin and scoop	•	Supply frequency	50 Hz	Appliances Ltd 2020	
Ice Boost	•	Supply voltage	230 V		
LED Lighting	•				
Max Cold	•	Bus dook alter an et an e		Other product downloads available at fisherpaykel.com	
Slide Out Pastry Tray	•	Product dimensions		OD DWG Intermeted Deficiency tion. WOT His are	
SmartTouch interface at counter height	•	Depth	610 mm		
		Height	2134 mm	<u> -</u>	
		Width	908 mm		

Installation Dimensions

FISHER & PAYKEL

QUICK REFERENCE GUIDE > RS9121WRUVE1

- ↓ Service & Warranty
- ↓ Planning Guide ZH
- → Planning Guide Integrated Refrigeration EN
- ↓ Revit 20 Integrated Refrigerator
- ↓ Rhino 6 Integrated Refrigerator
- ↓ SketchUp 8 Integrated Refrigerator
- ↓ User Guide EN
- ↓ User Guide ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.