QUICK REFERENCE GUIDE > RDV3-488-N Date: 17.10.2024 > 1

# 48" Series 9 Professional 8 Burner Dual Fuel Self-Cleaning Range, Natural Gas

Series 9 | Professional

Stainless Steel | Natural Gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities

Beautiful LED halo-illuminated dials provide information at a glance

## DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "



#### **FEATURES & BENEFITS**

# **Cook With Confidence**

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

#### **Generous Capacity**

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

### Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

#### Cooktop Power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

## **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

#### Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

# **SPECIFICATIONS**

# Accessories (included)

Adjustable feet covers •

Branded coin end cap

Accessories (sold separately)		Energy usage	470kWh/year	Air fry	•
Square handle option	AH-R48			Bake	•
				Classic bake	•
		Controls		Clean	•
Burner ratings		Dial with illuminated halo	•	Convection bake	•
Maximum burner power	23500 BTU	Dual control oven dials	•	Convection broil	•
Power back centre	18500BTU	Electric circuit	4 wire	Maxi broil	•
Power back centre (2)	18500BTU	High resolution display	•	Number of oven functions	15
Power back left	18500BTU	Metal illuminated dials	•	Pizza bake	•
Power back right	18500BTU	Multi-language interface	•	Rapid proof	•
Power front centre	18500BTU	Precise cooking with food probe	•	Roast	•
Power front centre (2)	18500BTU	Recipe and food based functions	•	Slow cook	•
Power front left	23500BTU	Sabbath mode	•	True convection	•
Power front right	23500BTU	Smart appliance	•	Warm	•
Total cooktop power	158000 BTU	Tilting touch screen interface	•		
				Oven features	
Capacity		Gas Requirements		Auto re-ignition system	•
Shelf positions (main oven)	5	Fitting and pipe	½ NPT, min. %″ 🛚	Concealed element	•
Shelf positions (second oven)	5		flex line	Electronic oven control	•
Total capacity (main oven)	4.8 cu ft	Supply Pressure (natural gas)	6" to 9" W.C	Full extension telescopic sliding shelves	•
Total capacity second oven	2.1 cu ft			Internal light	true
Usable capacity (main oven)	3.8 cu ft	Main oven features		Self-clean proof side racks	•
,				Titanium coated, illuminated metal dials	•
		Concealed Element	•		
Cleaning		Electronic oven control	•		
Easy clean porcelain basepan	•	Full extension telescopic racks	•	Oven functions	
Pyrolytic self-clean	•	Internal light	•	Air fry	•
. y. ory the sent cheant		Self-clean proof side racks	•	Bake	•
	_			Classic bake	•
Consumption		Main oven functions		Clean	•

QUICK REFERENCE GUIDE > RDV3-488-N

Convection bake	•	Product dimensions	
Convection Broil	•	Depth	29 1/8
Dehydrate	•	Depth (excluding handles)	2918 mn
Dehydrate	•	Height	35 3/4 - 36 3/4
Maxi Broil	•	Width	47 7/8
Number of functions	15		
Pastry bake	•		
Pizza bake	•	Rangetop features	
Rapid proof	•	Sealed range top	
Roast	•	Vent trim included	
Slow cook	•		
True convection	•		
Warm	•	Recommended Back Guards Ventilation	
		Combustible situation	BGRV3-3048H
Oven performance		Non combustible situation	BGRV2-3048 BGRV2-1248
Bake power	4600	Recommended hood	HCB48-12_N
Broil	3600 W		(48") Professiona
Main oven - True convection power	2500 W		Range Hood Dual Blower
Power requirements		Safety	
Connection	4-prong grounding type [NEMA 14-50 plug]	ADA compliant	
Service	50 A	Secondary oven features	
Supply	120 / 240 V, 60		
	Hz	3/4 Extension racks	:
		Concealed element	
Product details		Electronic oven control	
Froduct details		Food probe	
Self Cleaning Sf	Yes	Internal light	

# Secondary oven functions

Air fry	•
Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven functions	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•

SKU 82969

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

2D-DWG Dual Fuel Cooker with Backguard BGRV2-1248

2D-DWG Dual Fuel Cooker with Backguard BGRV2-3048

2D-DWG Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim

2D-DXF Dual Fuel Cooker with Backguard BGRV2-1248

QUICK REFERENCE GUIDE > RDV3-488-N

- $\overline{\uparrow}$
- 2D-DXF Dual Fuel Cooker with Backguard-BGRV2-3048
- 2D-DXF Dual Fuel Cooker with Backguard-BGRV2-3048H and Angled Trim
- ↓ 2D-DXF Dual Fuel Range
- ↓ ArchiCAD Dual Fuel Range
- Energy Label
- ↓ Service & Warranty
- ↓ Planning Guide Professional Style Dial/Handle Accessories
- ↓ Rhino Dual Fuel Cooker
- ↓ Sketchup Dual Fuel Cooker
- ↓ User Guide EN
- ↓ Guide d'utilisation FR

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com