QUICK REFERENCE GUIDE > RS6121FLJK2 Date: 17.12.2024 > 1

# 61cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for true design freedom – this model is left hinge with white interior.

- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

# **DIMENSIONS**

 Height
 2134 mm

 Width
 603 mm

 Depth
 610 mm

# **FEATURES & BENEFITS**

## Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

### DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

## Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

# Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

# Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

# **Design Quality**

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

# Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

# **SPECIFICATIONS**

# Accessories (included)

Joiner kit AJ-RS21LR

# Accessories (sold separately)

Door panel stainless steel Left hinge 762mm

Door panel stainless steel Right hinge 610mm

Handle kit Classic

Handle kit Contemporary round, aluminium

AHSRDSF

Fland is Contemporary square fine,   AHOSROSE   MICHAEL Comment   10 A							
Handle lick Contemporary square fine, black APSROSF   Bottle chill   Supply frequency   SO Hz		AHD5RDSF	Freezer Features		Power requirements		
Handle kt Professional round flush APR-3018 Linier kit APR-3018 Toe kick stainless steel 1220mm AKRS1210 Feezer bins AKRS1310 Ice Boost Coe Boost Linier kit APR-3018 Linier kit AKRS1310 Linier kit Coe kick stainless steel 1327mm AKRS1310 Linier kit Coe Boost Linier kit Coe kick stainless steel 1328mm AKRS1310 Linier kit Coe Boost Linier kit Linier kit Linier	Handle kit Contemporary square fine, black	AHD5RDSFB	Automatic ice maker	•	Rated current	10 A	
Joiner lité AJ-RSS-ILR	Handle kit Professional round flush	AHP3RDSF	Bottle chill	•	Supply frequency	50 Hz	
Toe kick stainless steel 1320mm AKRS13710 kee Boost been steel 1822mm AKRS13710 kee Boost Boos	Joiner kit	AJ-RS21LR	Door alarm	•	Supply voltage	230 - 240 V	
Toe kick stainless steel 1928mm AKRS19310 Ice Boost . Product dimensions  Toe kick stainless steel 1928mm AKRS19810 Ice Boost . Depth G10 mm Toe kick stainless steel 1989mm AKRS19810 Ice De clining lighting . Height 2134 mm Toe kick stainless steel G10mm AKRS19810 Ice De clining lighting . Height 2134 mm  Capacity . SmartTouch interface at counter height . Width 6603 mm  Capacity . SmartTouch interface at counter height . Product information  Total gross capacity 368 L. Volume 336 L. Minimum inside width of cabinetry frame 610 mm Volume freezer 336 L. Minimum internal depth of cabinetry 635 mm Minimum internal height of cabinetry 635 mm Minimum internal height of cabinetry 2134 mm  Minimum internal height of cabinetry 2134 mm  Minimum internal height of cabinetry 234 mm  Mini	Toe kick stainless steel 1220mm	AKRS12210	Fast freeze	•			
Toe kick stainless steel 198/mm AKR\$19810 Toe kick stainless steel 198/mm AKR\$19810  LED bin lighting . Depth 610 mm  Toe kick stainless steel 610 mm  AKR\$06110 LED ceiling lighting . Height 2134 mm  LED side lighting . Width 603 mm  Total gross capacity . Sale . Minimum inside width of cabinetry frame 610 mm  Volume freezer . 336 L Minimum internal depth of cabinetry frame 610 mm  Volume variable temperature compartment 295 L Minimum internal depth of cabinetry 635 mm  Minimum internal depth of cabinetry . 2134 mm  Minimum internal depth of cabinetry . 2134 mm  Performance . Sale daystem parts only 5 years  Performance . Sale daystem parts only 5 years  Adjustable door shelves . Inverter controlled compressor . The product dimensions and specifications in this page apoly to the specific product and model. Under our policy of continuous improvement, these digistable glass shelves . Noise emissions class . D content of the	Toe kick stainless steel 1372mm	AKRS13710	Freezer bins	4			
Toe kick stainless steel 610mm AKRS9810  LED ceiling lighting	Toe kick stainless steel 1828mm	AKRS18310	Ice Boost	•	Product dimensions		
LED side lighting · Width 603 mm  SmartTouch interface at counter height · Product information  Total gross capacity 368 L Volume 336 L Volume rezer 36 L Volume reacer 36 L Volume resear 37 L Volume reacer 37 L Volume variable temperature compartment 295 L Energy rating E Energy rating E Energy usage 274kWh/year ActiveSmart** Foodcare	Toe kick stainless steel 1981mm	AKRS19810	LED bin lighting	•	Depth	610 mm	
Capacity  Total gross capacity 368 L Volume 336 L Volume 9 336 L V	Toe kick stainless steel 610mm	AKRS06110	LED ceiling lighting	•	Height	2134 mm	
Capacity  Total gross capacity  368 L Volume  336 L Volume freezer  336 L Volume freezer  336 L Volume variable temperature compartment  295 L Minimum internal depth of cabinetry Minimum internal height of cabinetry  Minimum internal height of cabinetry  Minimum internal height of cabinetry  Minimum internal height of cabinetry  Minimum internal height of cabinetry  Marranty  Consumption  Energy rating  Energy rating  Energy usage  274kWh/year  Adaptive defrost  Adaptive defr			LED side lighting	•	Width	603 mm	
Total gross capacity  7 Sale L  7 Volume  7 Sale L  7 Volume freezer  7 Sale L  7 Volume variable temperature compartment  7 Sale L  7 Volume variable temperature compartment  7 Sale L  8 Minimum inside width of cabinetry frame  8 Sale Minimum internal depth of cabinetry  8 Sale Minimum internal depth of cabinetry  8 Sale Minimum internal height of cabinetry  8 Sale Majour Syears  8 Sale System parts only  9 Parts and labour  9 Saled system parts only  9 Saled system pa			SmartTouch interface at counter height	•			
Total gross capacity  Volume  7	Capacity				Draduat information		
Volume freezer Volume freezer Volume variable temperature compartment Volume variable temperature depth of cabinetry Adjust Agbieved for cabinetry Volume variable temperature for cabinetry Adjust Agbieved for cabinetry Volume variable temperature for cabinetry Adjust Agbieved for cabinetry Variable temperature zones Volume variable temperature for cabinetry Adjust Agbieved for cabinetry Adjust Agbieved for cabinetry Adjust Agbieved for cabinetry Variable temperature zones Variable temperature zo	Total gross capacity	368 L	Installation Dimonsions		Product information		
Volume variable temperature compartment  295 L  Minimum internal depth of cabinetry  Minimum internal height of cabinetry  2134 mm  Marranty  Consumption  Energy rating  Energy usage  274kWh/year  Adaptive defrost  Dual evaporator  Dual evaporator  Frost free  Adjustable door shelves  Adjustable glass cantilevered shelves  Adjustable glass shelves  Adjustable glass shelves  Adjustable half width door shelves  Adjustable half width door shelves  Adjustable half width door shelves  Adjustable most emissions class  Front levelling feet  Minimum internal depth of cabinetry  Marranty  Warranty  Warranty  Bertor  Adjustable door shelves  Sealed system parts only 5 years  Sealed system parts only 6 years  Sealed system parts only 5 years  Sealed system parts only 5 years  Sealed system parts only 6 years  Sealed system parts only 6 years  Sealed system parts only 5 years  Sealed system parts only 6 years  Sealed syst	Volume	336 L	mstanation biniensions		Packaged weight	137 kg	
Minimum internal height of cabinetry  Minimum internal height of cabinetry  Minimum internal height of cabinetry  Marranty  Parts and labour 5 years  Sealed system parts only 5 years  Sealed system parts only 5 years  Adaptive defrost Dual evaporator  Features  Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Adjustable half width door shelves Adjustable feet  Minimum internal height of cabinetry  Warranty  Parts and labour  Sealed system parts only  SkU  26665  The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page  Cornectly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020	Volume freezer	336 L	Minimum inside width of cabinetry frame		Unpackaged weight	117 kg	
Consumption  Energy rating Energy usage 274kWh/year ActiveSmart™ Foodcare Adjustable door shelves Adjustable glass cantilevered shelves Adjustable half width door shelves Adjustable half width door shelves Adjustable half width door shelves Front levelling feet	Volume variable temperature compartment	295 L	Minimum internal depth of cabinetry	635 mm			
Consumption  Energy rating Energy usage 274kWh/year Energy usage 274kWh/year Energy usage 274kWh/year Adaptive defrost Dual evaporator Dual evaporator  Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Adjustable glass shelves Adjustable shalf width door shelves Adjustable half width door shelves Adjustable half width door shelves Adjustable half width door shelves Adjustable shalf wid			Minimum internal height of cabinetry	2134 mm	Marranty		
Energy usage 274kWh/year ActiveSmart™ Foodcare .  Energy usage 274kWh/year Adaptive defrost .  Dual evaporator .  Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Adjustable glass shelves .  Adjustable glass shelves .  Adjustable shelf width door shelves .  Adjustable half width door shelves .  Adjustable half width door shelves .  Adjustable feregy .  Adjustable glass shelves .  Adjustable shelf width door shelves .  Adjustable half width door shelves .  Adjustable half width door shelves .  Adjustable half width door shelves .  Adjustable shelf widt					warranty		
Energy usage 274kWh/year ActiveSmart™ Foodcare Adaptive defrost SKU 26665  Features Adjustable door shelves 4 Frost free freezer Inverter controlled compressor Inverter controlled compressor The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these Adjustable plass shelves Noise emissions class Noise emissions class Sabbath mode Correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020  Yariable temperature zones 2 Sealed system parts only 5 years Sealed system parts only 5 years Sealed system parts only 5 years	Consumption		Doutoumana		Parts and labour	5 years	
Adaptive defrost  Dual evaporator  Features  Adjustable door shelves  Adjustable glass cantilevered shelves  Adjustable glass shelves  Adjustable glass shelves  Adjustable half width door shelves  Adjustable ha	Energy rating	E	Performance		Sealed system parts only	5 years	
Dual evaporator  Features  Frost free  Frost free  Adjustable door shelves  Adjustable glass cantilevered shelves  Adjustable glass shelves  Adjustable glass shelves  Adjustable half width door shelves  Adjustable half width door shelves  Front levelling feet  Dual evaporator  Frost free  Frost free  Frost free freezer  Inverter controlled compressor  Noise emissions  42 dBA  Noise emissions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page  Sabbath mode  Variable temperature zones  2 defections  Adjustable door shelves  Front levelling feet	Energy usage	274kWh/year	ActiveSmart™ Foodcare	•			
Features  Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Adjustable glass shelves Adjustable half width door shelves Adjustable half width door shelves Front levelling feet  Frost free  Frost free Frost			Adaptive defrost	•			
Adjustable door shelves  Adjustable glass cantilevered shelves  Adjustable glass cantilevered shelves  Adjustable glass shelves  Adjustable glass shelves  Adjustable half width door shelves  Adjustable half width door shelves  Front levelling feet  Frost free freezer  Inverter controlled compressor  Noise emissions  Adjustable dompressor  Noise emissions  Adjustable half width door shelves  Sabbath mode  Variable temperature zones  Yariable temperature zones  Adjustable half width door shelves  Adjustable product dimensions and specifications in this page apply to the specific door not have shelves dimensions and specifications may change at put in the specific door not have shelves dimensions and specifications may change at put in the specific dimensions and specifications may change at put in the specific dimensions and specifications may change at put in the specific dimensions			Dual evaporator	•	SKU	26665	
Adjustable glass cantilevered shelves  Adjustable glass cantilevered shelves  Adjustable glass shelves  Adjustable glass shelves  Adjustable half width door shelves  Adjustable half width door shelves  Front levelling feet  Adjustable glass cantilevered shelves  Adjustable half width door shelves  Adjustable half width door shelves  Yarjable temperature zones  Adjustable door shelves  Inverter controlled compressor  Adjustable door shelves  Noise emissions  Adjustable door shelves  Adjustable glass cantilevered shelves  Adjustable glass shelves  Adjustable half width door shelves  Adjustable half wi	Features		Frost free	•			
Adjustable glass cantilevered shelves  Adjustable glass shelves  Adjustable plass shelves  Adjustable half width door shelves  Adjustable half width door shelves  Front levelling feet  Adjustable glass cantilevered shelves  Adjustable plass shelves  Adjustable half width door shelves  Sabbath mode  Variable temperature zones  Product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020	Adjustable door shelves	4	Frost free freezer	•			
Adjustable glass shelves  Adjustable half width door shelves  Adjustable half width door shelves  Front levelling feet  Adjustable half width door shelves  Variable temperature zones  Adjustable half width door shelves  Sabbath mode  Variable temperature zones  Adjustable dBA  dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020	Adjustable glass cantilevered shelves	•	Inverter controlled compressor	•	product and model. Under our policy of continuous improvement, these		
Adjustable half width door shelves  Adjustable half width door shelves  Front levelling feet  Noise emissions class  Sabbath mode  Sabbath mode  Variable temperature zones  Adjustable half width door shelves  Sabbath mode  Check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020	Adjustable glass shelves	4	Noise emissions	42 dBA			
Sabbath mode  Front levelling feet  Sabbath mode  Variable temperature zones  Sabbath mode  correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020	Adjustable half width door shelves	3	Noise emissions class	D	check with Fisher & Paykel's Customer Care Centre to ensure this page		
Variable temperature zones 2	•	•	Sabbath mode	•			
	<u>-</u>	•	Variable temperature zones	2			

QUICK REFERENCE GUIDE > RS6121FLJK2 Date: 17.12.2024 > 3

# Other product downloads available at fisherpaykel.com

# ↓ 2D-DWG Integrated Refrigeration - K05 Hinge

- , 2D-DXF Integrated Refrigeration K05 Hinge
- □ Declaration of Conformity Refrigeration with WiFi Capability
- ↓ Energy Label Integrated Column Freezer
- ↓ Service & Warranty
- Water Filter Replacement Instructions Parts 847200 and 847201 EN
- ↓ Installation Guide Integrated Column Refrigerator
- Planning Guide Integrated Refrigeration DA
- ↓ Planning Guide Integrated Refrigeration DEU
- → Planning Guide Integrated Refrigeration DUT
- Planning Guide Integrated Refrigeration FIN
- ▶ Planning Guide Integrated Refrigeration FR
- Planning Guide Integrated Refrigeration HEB
- Planning Guide Integrated Refrigeration ITA
- □ Planning Guide Integrated Refrigeration NOR
- → Planning Guide Integrated Refrigeration SWE
- ↓ Revit Integrated Column Freezer
- Rhino Integrated Column Freezer
- Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle
- Sketchup Integrated Column Freezer
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ Brugervejledning DA
- , User Guide Integrated Refrigerator Freezer EN
- ↓ Käyttöopas FI
- ↓ MXXXX MXXXXXHE

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000886605 Wwww.fisherpaykel.com