QUICK REFERENCE GUIDE > RDV2-364GD-L_N Date: 17.12.2024 > 1

36" Series 9 Professional 4 Burner + Griddle Dual Fuel Range, LPG

Series 9 | Professional

Stainless Steel | LPG



Get the best of gas and convection technology, with a powerful four burner gas cooktop and large capacity oven.


- Top burner heat of 19,000 BTU, for seriously fast boiling
- Convection oven with 4.8 cu ft total capacity
- · Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height 35 3/4 - 36 3/4 "

Width 35 7/8 "

Depth 29 1/8 "



FEATURES & BENEFITS

Cooktop Power

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials. The ovens have true convection and electronic oven control for precise and consistent temperatures.

Consistent broiling

The Dual Fuel Range broiler provides an even heat that covers a very large surface area — perfect for browning a fully loaded oven tray.

Easy to clean

The Dual Fuel Range oven has a self-cleaning function and removable side racks. The cooktop has sealed burners and an encapsulated cooking surface with a commercial-style stainless steel finish.

Instant Visibility

Control dials have halo-illumination glowing white - heating up; orange - temperature reached; red - self-cleaning mode. The oven is illuminated by two powerful incandescent lights.

Cooking flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

SPECIFICATIONS

Accessories (sold separately)

Square handle option	AH-R36
Wok grate included	Yes

Burner ratings

Maximum burner power	19000 BTU
Power back left	13000BTU
Power back right	13000BTU
Power front left	19000BTU
Power front right	15000BTU
Power griddle	15000BTU

True convection

Bake	
Broil	
Clean	
Convection bake	
Convection Broil	
Number of functions	•
Self-clean function	
True convection	
Oven performance	
Bake power	4600
Main oven - True convection power	2500 V
Power Requirements	
Power Requirements Rated current	30 /
·	
Rated current	
Rated current Supply frequency	60 н
Rated current Supply frequency Product Dimensions	30 / 60 H 29 1/8 29 1/8
Rated current Supply frequency Product Dimensions Depth	60 H 29 1/8
Rated current Supply frequency Product Dimensions Depth Depth (excluding handles)	29 1/8 29 1/8
Rated current Supply frequency Product Dimensions Depth Depth (excluding handles) Height	29 1/8 29 1/8 29 1/8 35 3/4 - 36 3/4

Safety

Full extension telescopic sliding shelves

Date: 17.12.2024 > 2

SKU 71369

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Dual Fuel Range

2D-DXF Dual Fuel Range

Datasheet Dual Fuel Range
2D-DWG Dual Fuel Range

______ ↓ 2D-DXF Dual Fuel Range

↓ Data Sheet Dual Fuel Range

, Service & Warranty

Installation Guide EN / Guide d'installation FR

Planning Guide Dual Fuel Range

User Guide EN

Where applicable:

Vent trim included

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com