QUICK REFERENCE GUIDE > DW60UT4HI2 Date: 14.06.2024 > 1

Integrated Dishwasher, Tall, Sanitise

Series 9 | Integrated

Panel Ready



Designed to integrate seamlessly into your cabinetry, this tall dishwasher delivers superior wash performance and advanced drying.

- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash programs from Heavy to Light, including Auto, 60min and Glassware
- Dry+, Sanitise, Half Load and Intensive modifiers provide extra wash options

 Wi-Fi enabled and connects with the SmartHQ[™] app for remote control and notifications

DIMENSIONS

 Height
 857 - 917 mm

 Width
 597 mm

 Depth
 554 mm

FEATURES & BENEFITS

Seamless Integration

Customise your dishwasher with a panel and handle matching your cabinetry, for a seamless finish in your kitchen.

Advanced Drying

For beautifully dry dishes every time, this dishwasher features an advanced drying system. It combines fan-assisted drying with an automatic door opening at the cycle's end. The Auto Door Open Dry feature releases excess steam, ensuring dishes are immediately ready for use or storage. An innovative air curtain channels the steam away from the adjacent benchtop, protecting your cabinetry.

An Exceptional Clean

This dishwasher offers eight wash programs including Glassware and Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system delivers a superior clean, while the rinse aid indicator reminds you to top up for beautifully clean dishes.

Customise Your Wash

Create the perfect wash with our range of modifiers, from Intensive for a thorough clean to Half Load, ideal for a partial load. The Sanitise modifier provides extra protection, killing 99.9% of bacteria* in the final rinse, while Dry+ is great for plastic dishes. *Certified to NSF/ANSI Standard 184

Quiet Performer

Running at a very low decibel rating, this dishwasher does its job without making a fuss. The combination of clever technology and simple mechanics means greater reliability and superior wash performance, with minimal noise.

Flexible Loading

Designed to fit 16 place settings, the tall height of this model lets you stack large items with ease. Adjustable racking provides flexibility for any load, with a full-width cutlery tray, height-adjustable middle rack, cup holders and wine glass supports.

SPECIFICATIONS

Accessories (included)

Cutlery basket • Kickstrip true

Accessories (sold separately)

Door panel stainless steel

Handle kit Classic

Handle kit Contemporary round, aluminium

Handle kit Contemporary square fine, aluminium

Handle kit Contemporary square fine, black

Handle kit Contemporary square fine, black

AHD5-OBDD-60SB

ADDW60TPX

Handle kit Contemporary square, aluminiumAHD3-OBDD-60S

Handle kit Contemporary square, black

AHD3-OBDD-60B

Capacity and loading		Keylock	•	Height	857 - 917 mm
Accommodates round plates up to (lower basket)	325mm	Rinse aid indicator light	•	Width	597 mm
		Wi-Fi connectivity	•		
Accommodates round plates up to (top basket)	220mm (with cutlery tray),				
buskety	280mm (cutlery			Warranty	
	tray removed)	Features		Parts and labour	5 years
Adjustable height, foldable cupracks	•	Air curtain for bench protection	•		
Easy lift adjustable upper basket	•	Aquastop	•		
Fold down tines	•	Auto Door Open Dry	•	Wash Program Modifiers	
Fold down wine racks	•	Built-in water softener	•	Dry +	•
Full width cutlery/utensil tray	•	Fan assisted drying	•	Half load	•
Large crockery insert in lower basket	•	Flood protection	•	Intensive	•
Place settings	16	Fully independent spray arms	•	Sanitise	•
Telescopic slides	•	Half load option	•	Wash modifiers	4
Wine glass supports with stemware gripper	• •	Motor type	BLDC		
		Three-stage filtration system	•		
Companyation		Variable wash pressure technology	•	Wash Programs	
Consumption				60 min	•
Energy rating	В			Auto	•
Energy usage	66kWh/100 cycles	Performance		Eco	•
In-use energy carbon emissions estimate	13.1kgCO2e/100	Noise emissions	42 dBA	Glassware	•
	cycles			Heavy	•
Water usage (per wash cycle)	9.5L			Light	•
		Power requirements		Medium	•
		Amperage	10A	Rinse	•
Controls		Supply frequency	50Hz	Wash programs	8
Energy saving delay start option of up to 24 hours	•	Supply voltage	220 - 240V		
Floor light cycle feedback	•			Water connection	
Internal light	•	Product dimensions			701 P 400C 1 T
Internal wash selector	•			Water pressure	30kPa - 1000 kPa
Intuitive capacitive touch controls	•	Depth	554 mm		

QUICK REFERENCE GUIDE > DW60UT4HI2

water suppry	Connector Water Inlet Hose		
SKU	82990		

3/4" BSD (20mm)

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- Declaration of Conformity
- Energy Label Integrated Dishwasher
- ↓ Service & Warranty

Mater supply

- Installation Guide Built-Under Dishwasher
- Planning Guide Dishwasher EN
- ↓ Product Information Sheet Integrated Dishwasher
- User Guide Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com