# 90cm Series 9 Classic 5 Zone Induction Pyrolytic Cooker, 2 SmartZones

Series 9 | Professional

#### Stainless Steel



Professional style and performance, with a large oven and five cooktop zones that can be paired to create an expansive cook zone.

- Large convection oven with 140L total capacity
- Nine functions plus Rotisserie, including Pastry Bake, Pizza Mode and Rapid Proof
- Non-tip full-extension shelves for safe removal of hot dishes

• Pyrolytic self-cleaning oven cycle breaks down food residue for an easy clean

# DIMENSIONS

Height	898-946 mm
Width	897 mm
Depth	600 mm

# **FEATURES & BENEFITS**

#### Multi-Shelf Cooking

Our AeroTech<sup>™</sup> system circulates heat evenly for a consistent temperature throughout the cavity, helping you achieve perfect results even when using multiple shelves.

#### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to a premium freestanding cooker.

## **Power & Control**

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic selfclean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically controlled oven heat ensures a great result every time.

## Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

# SPECIFICATIONS

Accessories (included)	
Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Pyrolytic proof shelf runners	1 set
Roasting dish and grill rack set	1 set
Rotisserie set	1 set
Step down wire shelf	•

#### Accessories (sold separately)

Kick strip, stainless steel (	(optional)	KICKOR90X1

Cap	baci	ty		

Shelf positions	6
Total capacity	140 L
Usable capacity	120 L

## Cleaning

Acid resistant graphite enamel	•
Drop down grill element	•
Flat easy clean glass surface	•

#### QUICK REFERENCE GUIDE > OR90SPI6X1

Pyrolytic proof shelf runners
Pyrolytic self-clean
Removable oven door
Removable oven door inner glass
Removable shelf runners

٠

900 mm

#### Controls

Audio feedback	•
Automatic cooking/minute timer	•
Automatic pre-set temperatures	•
Celsius/Fahrenheit temperature	•
Dial with illuminated halo	•
Electronic clock	•
High resolution display	•
Laser etched graphics	•
Precise electronic temperature control	•
Sabbath mode	•
Toughened fused glass graphics	•
Turned stainless steel clock buttons	•
Turned stainless steel clock crown (dial)	•
Installation Dimensions	
Installation cutout dimensions (Depth)	600 mm

Installation cutout dimensions (Width)

Main oven features

Internal light

Oven features	
AeroTech™ technology	
Automatic rapid pre-heat	
Convection	
Electronic oven control	
Full extension telescopic sliding shelves	
Internal light	4 x 25W haloge (2 side & 2 top
Soft open/close door	
Twin cavity fans	
Warming drawer	
<b>Oven functions</b> Bake Fan bake	
Bake Fan bake Fan forced Fan grill	
Bake Fan bake Fan forced Fan grill Grill	0
Bake Fan bake Fan forced Fan grill Grill Number of functions	9 + rotisseri
Bake Fan bake Fan forced Fan grill Grill Number of functions Pastry Bake with Pizza mode	9 + rotisseri
Bake Fan bake Fan forced Fan grill Grill Number of functions	9 + rotisseri
Bake Fan bake Fan forced Fan grill Grill Number of functions Pastry Bake with Pizza mode Pyrolytic self-clean	9 + rotisseri
Fan bake Fan forced Fan grill Grill Number of functions Pastry Bake with Pizza mode Pyrolytic self-clean Rapid proof	9 + rotisseri
Bake Fan bake Fan forced Fan grill Grill Number of functions Pastry Bake with Pizza mode Pyrolytic self-clean Rapid proof Roast	9 + rotisseri
Bake Fan bake Fan forced Fan grill Grill Number of functions Pastry Bake with Pizza mode Pyrolytic self-clean Rapid proof Roast Rotisserie	9 + rotisseri Quadruple glaze

# **Power requirements**

Amperage	68 A
Supply frequency	50 Hz
Supply voltage	220-240 V

#### Product dimensions

Depth	600 mm
Height	898-946 mm
Width	897 mm

## Rangetop features

Dual colour display	•
Gentle heat	•
Heat settings	9
Hob rail	•
Hob rear trim	60 mm
Induction cooking technology	•
PowerBoost	true
SmartZone	true
Zone bridging	•

#### **Rangetop Performance**

202 W

Centre	2300 W
Left front zone rating	1600 (1850) W
Left rear zone rating	2100 (3000) W
Number of cooking zones	5
PowerBoost	3000
Right front zone rating	1600 (1850) W

Warming drawer power

Right rear zone rating	2100 (3000) W	
Safety		
Advanced cooling system	•	
Anti-tilt bracket	•	
Balanced oven door	•	
Catalytic venting system	•	
Child lock	•	
CoolTouch door	•	
Full extension telescopic sliding shelves	•	
Non-tip shelves	•	
Pan detection system	•	
Safety time out	•	
Spill containment	1.2 L	
Spillage auto off	•	
Surface hot indicators	•	

Warranty

Parts and labour	2 years
SKU	82724

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

2D-DWG Professional Cooking
2D-DXF Professional Cooking
Service & Warranty
Installation Guide Freestanding Cooker
User Guide Freestanding Cooker
Datasheet

#### Where applicable:

1

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 0800 372 273 Wwww.fisherpaykel.com Date: 24.09.2024 > 3

FISHER & PAYKEL