QUICK REFERENCE GUIDE > DD60DCHX9

# Series 7, Contemporary Double DishDrawer Dishwasher

Series 7 | Contemporary

Stainless Steel



Wash one drawer while you load the other, with minimal bending. Or wash both at once, with room in each drawer for full size dinner plates.


- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking allows you to customise internal shelves to suit your needs

## **DIMENSIONS**

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 573 mm



#### **FEATURES & BENEFITS**

#### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads.

## Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

## Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

### **Designed To Match**

DishDrawer™ Dishwashers are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials for a stylish finish in your kitchen.

#### **Quiet Performer**

The combination of intelligent technology and simple mechanics means more space for your dishes, greater reliability and excellent wash performance.

## **SPECIFICATIONS**

#### Accessories (included)

Cutlery basket

Kickstrip

true

Knife clip and multipurpose clip

•

## Capacity and loading

QUICK REFERENCE GUIDE > DD60DCHX9

Accommodates round plates up to	280mm	Amperage	10A	Water connection		
Adjustable height, foldable cupracks	•	Supply frequency	50Hz	Water pressure	100kPa - 1000kPa	
Fold down tines	•	Supply voltage	220 - 240V	Water supply	3/4" BSP (20mm)	
Pitch adjustable tines	•				Connector Water Inlet Hose	
Place settings	14				illet riose	
Place settings per drawer	7	Product dimensions				
		Depth	573 mm			
		Height	820 - 880 mm	SKU	81627	
Controls		Width	599 mm			
Electronic fault/Diagnostic indicator	•			The product dimensions and specif	fications in this page apply to the specific	
End of cycle beeps	•				cy of continuous improvement, these	
Energy saving delay start option of up to 12 hours	•	Warranty		dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page		
Keylock	•	Parts and labour	2 years	correctly describes the model current Appliances Ltd 2020	ently available. © Fisher & Paykel	
Rinse aid indicator light	•			, ipplianous Eta 2020		
		Wash Program Modifiers				
		-		Other product downloads ava	ailable at fisherpaykel.com	
Features		Extra Dry	•			
Built-in water softener	•	Quick	•		awer™ Dishwasher	
Fan assisted drying	•	Sanitise	•	<u>↓</u> 2D-DXF Double DishDra	wer™ Dishwasher	
Flood protection	•	Wash modifiers	3	Data Sheet Double Dish	Drawer™ Dishwasher	
Flow through detergent dispenser	•				D'   D   TM D'	
Motor type	BLDC	Wash Programs			e DishDrawer™ Dishwasher	
Quiet operation	•	-		■ Revit Double DishDrawe	er™ Dishwasher	
SmartDrive™ technology	•	Delicate	•	▼ ↓ Rhino Double DishDraw	er™ Dishwasher	
		Eco	•	↓ Sketchup Double DishDi	rawer™ Dishwasher	
		Fast	•	User Guide DishDrawer™ ZH		
Performance		Heavy	•			
Noise on standard cycle top drawer	43 dBA	Medium	•	Where applicable:		
		Rinse	•			
		Wash programs	6			

Power requirements

QUICK REFERENCE GUIDE > DD60DCHX9 Date: 17.12.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com