QUICK REFERENCE GUIDE > RDV3-486GD-L Date: 17.10.2024 > 1

48" Series 9 Professional 6 Burner Griddle Dual Fuel Range, LPG

Series 9 | Professional

Stainless Steel | LPG



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe
- Gas cooktop with a griddle and six burners that deliver up to 19,000 BTU for fast boiling
- 6.9 cu ft total oven capacity across two oven cavities

Use the food probe to monitor your cooking real time

DIMENSIONS

Height 35 3/4 - 36 3/4 "

Width 47 7/8 "

Depth 29 1/8 "

FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included) Adjustable feet covers Branded coin end cap Telescopic sliding runners true

Accessories (sold separately)

square	handle	option	AH-R48
--------	--------	--------	--------

Burner ratings

Maximum burner power	19000 BTU
Power back centre	13000BTU
Power back left	13000BTU
Power back right	13000BTU
Power front centre	15000BTU

QUICK REFERENCE GUIDE > RDV3-486GD-L Date: 17.10.2024 > 2

Power front left	19000BTU	Fitting and pipe	½ NPT, min. %″ ∑ flex line	Oven features	
Power front right	15000BTU	Supply Pressure (LPG)	11" to 14" W.C	Auto re-ignition system	•
Power griddle	15000BTU	Supply Fressure (EFO)	11 to 14 W.C	Concealed element	•
Total cooktop power	103000 BTU			Electronic oven control	•
		Main oven features		Food probe	•
Capacity		Concealed Element	•	Full extension telescopic sliding shelves	•
Capacity		Electronic oven control	•	Internal light	true
Shelf positions (main oven)	5	Food probe	•	Large broil pan	•
Shelf positions (second oven)	5	Full extension telescopic racks	•	Self-clean proof side racks	•
Total capacity (main oven)	4.8 cu ft	Internal light	•	True convection	•
Total capacity second oven	2.1 cu ft	Large broil pan			
Usable capacity (main oven)	3.8 cu ft	- '	•		
		Self-clean proof side racks	•	Oven functions	
		True convection	•	Air fry	•
Cleaning				Bake	•
Easy clean porcelain basepan	•	Main oven functions		Broil	•
Pyrolytic proof shelf runners	•	Air fry		Classic bake	•
		Bake		Clean	•
		Broil		Convection bake	•
Controls		Classic bake	•	Convection Broil	•
Dial with illuminated halo	•	Classic bake Clean	•	Dehydrate	•
Dual control oven dials	•		•	Dehydrate	•
High resolution display	•	Convection bake	•	Maxi Broil	•
Multi-language interface	•	Convection broil	•	Number of functions	15
Precise cooking with food probe	•	Maxi broil	•	Pastry bake	•
Recipe and food based functions	•	Number of oven functions	15	Pizza bake	•
Sabbath mode	•	Pizza bake	•	Rapid proof	•
Smart appliance	•	Rapid proof	•	Roast	•
Tilting touch screen interface	•	Roast	•	Slow cook	•
		Slow cook	•	True convection	•
		True convection	•	Warm	
Gas Requirements		Warm	•		
Gas Requirements		Warm	•		

QUICK REFERENCE GUIDE > RDV3-486GD-L Date: 17.10.2024 > 3

Power requirements		Safety			
Connection	4-prong	ADA compliant	•		
	grounding type [NEMA 14-50P plug]	Child lock	•		
Service	50 A				
Supply 120 / 240 V, 60 Hz		Secondary oven features			
		3/4 Extension racks	2		
		Concealed element	•		
Product dimensions		Electronic oven control	•		
Depth	29 1/8 "	Food probe	•		
Height	35 3/4 - 36 3/4 "	Internal light			
Width	47 7/8 "				
		Secondary oven functions			
Rangetop features		Air fry	•		
Sealed range top	•	Bake	•		
Vent trim included	•	Classic bake	•		
		Convection bake	•		
		Convection broil	•		
Rangetop Performance		Maxi broil			
Number of burners	6	Number of secondary oven functions	11		
Number of burners	· ·	Pastry bake	•		
		Pizza bake	•		
Recommended Back Guards Ventilation		Rapid proof	•		
Combustible situation	BGRV3-3048H	Roast	•		
Non combustible situation BGRV2-3048 / BGRV2-1248		Warm •			
Recommended hood	HCB48-12_N (48" Professional Range Hood,	Warranty			
	Dual Blower)	Parts and labor	Limited 2 years		

SKU 82386

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Dual Fuel Range 2D-DXF Dual Fuel Range ArchiCAD Dual Fuel Range Data Sheet Professional Range Energy Label Service & Warranty Planning Guide Professional Style Dial/Handle Accessories Revit Dual Fuel Range Rhino Dual Fuel Range

Where applicable:

SketchUp Dual Fuel Range

User Guide EN Guide d'utilisation FR

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

QUICK REFERENCE GUIDE > RDV3-486GD-L

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com