QUICK REFERENCE GUIDE > RS2484WLU1

Integrated Refrigerator Freezer, 24", Ice & Water

Series 9 | Integrated

Panel Ready | Left hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart™ technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker

 Customize with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "

FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Activesmart™ Foodcare

ActiveSmart™ Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior. Internal storage space is maximized thanks to a flush-fit slimline water dispenser that gives a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel. The dual valve system instantly stops water flow to prevent drips and spills.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer. The door and veggie bins are family safe, allowing for hands-free operation thanks to its soft close mechanism

Complementary Design

Both the 24" and 30" Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

Clever Energy

With an Energy Star Most Efficient rating, your refrigerator adapts to daily use by cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84" RD2484WLD

Door panel stainless steel Right hinge 84" RD2484WRD

Handle kit Contemporary round, aluminium AHSRD2484W

Handle kit Contemporary square fine, aluminium

QUICK REFERENCE GUIDE > RS2484WLU1 Date: 14.06.2024 > 2

•	Adaptive defrost	4	Adjustable door shelves	ack AHD5RD2484WB	Handle kit Contemporary square fine, bl
•	Dual evaporator	•	Adjustable glass cantilevered shelves	nium AHD3RD2484W	Handle kit Contemporary square, alumin
•	Frost free freezer	1	Covered door shelves	AHCRD2484W	Handle kit Professional round
•	Humidity control system	•	Door alarm	AHP3RD2484W	Handle kit Professional round flush
•	Inverter controlled compressor	2	Fruit and vegetable bins	AHV2RD2484W	Handle kit Professional square
•	Sabbath mode	1	Gallon door shelves	AJ-RS84LR	Joiner Kit
Pantry; Fridge; Soft freeze; Freezer 2	Variable food modes	•	Internal water dispenser	AKRS2404	Toe kick stainless steel 24"
		•	LED bin lighting	AKRS4204	Toe kick stainless steel 42"
	Variable temperature zones	•	LED ceiling lighting	AKRS4804	Toe kick stainless steel 48"
		•	LED lighting	AKRS5404	Toe kick stainless steel 54"
		•	LED side lighting	AKRS6004	Toe kick stainless steel 60"
	Power requirements	•	SmartTouch interface at counter height	AKRS6604	Toe kick stainless steel 66"
10 A	Rated current	4	Stackable bottle holders	AKRS7204	Toe kick stainless steel 72"
60 Hz	Supply frequency			AKR\$7804	Toe kick stainless steel 78"
115 V	Supply voltage			AKRS8404	Toe kick stainless steel 84"
			Freezer Features	847200 - FWC3	Water filter replacement
		•	Automatic ice maker		
	Product dimensions	•	Door alarm		
24 "	Depth	•	Fast freeze		Capacity
84 "	Height	2	Freezer bins	12.08 cu ft	Total gross capacity
23 3/4 "	Width	1	Freezer trays	12.1 cu ft	Volume
		•	Ice Boost	4.1 cu ft	Volume freezer
		•	LED bin lighting	8 cu ft	Volume refrigerator
	Product information	•	LED ceiling lighting		
357 lbs	Packaged weight	•	LED side lighting		
269 lbs	Unpackaged weight	•	Max Cold		Consumption
	, , , , , , , , , , , , , , , , , , , ,	•	SmartTouch interface at counter height	Energy star	Energy rating
				439kWh/year	Energy usage
	Warranty				
2 years	Warranty Parts and labor		Performance		

QUICK REFERENCE GUIDE > RS2484WLU1 Date: 14.06.2024 > 3

SKU 25684

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ Service & Warranty
- ↓ Water Filter Replacement Instructions & Installation Guide EN
- ↓ Installation Guide
- J. Installation Guide Toe Kick
- Guide d'installation Instructions de Remplacement du Filtre à Eau FR
- J. Guide d'installation FR
- ↓ Rhino Refrigerator Freezer with Custom Panel
- Rhino Refrigerator Freezer with Door Panel and Contemporary Round Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Handle
- Rhino Refrigerator Freezer with Door Panel and Professional Round Flush Handle
- → Rhino Refrigerator Freezer with Door Panel and Professional Round Handle
- Rhino Refrigerator Freezer with Door Panel and Professional Square Handle
- ↓ Sketchup Refrigerator Freezer with Custom Panel
- Sketchup Refrigerator Freezer with Door Panel and Contemporary Round Handle

- SketchUp Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle
- Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle
- Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Handle
- Sketchup Refrigerator Freezer with Door Panel and Professional Round Flush Handle
- Sketchup Refrigerator Freezer with Door Panel and Professional Round Handle
- Sketchup Refrigerator Freezer with Door Panel and Professional Square Handle
- ↓ User Guide Integrated Refrigerator Freezer EN
- ↓ Guide d'utilisation FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com