
QUICK REFERENCE GUIDE > RS6121VL2K1 Date: 10.07.2024 > 1

Integrated Column Wine Cabinet, 61cm

Series 11 | Integrated

Panel Ready | Left hinge




Create a wine collector's ultimate kitchen with a panel ready Column Wine Cabinet that seamlessly integrates into your kitchen design.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- A generous 91 bottle capacity, with optional display capability for your favourite bottles
- Two independent Variable Temperature Zones, each with four wine modes to create the best environment for any varietal

 Pair with Integrated Column Refrigerators and Freezers or install separately to suit your kitchen design

DIMENSIONS

Height 2134 mm
Width 603 mm
Depth 610 mm



FEATURES & BENEFITS

The Perfect Fit

Customise your Integrated Column Wine Cabinet with a door panel that matches your kitchen cabinetry, or purchase our stainless steel door panel accessory. You can also choose your preferred handle style, opt for left or right hinge, as well as mix and match with other Integrated Column Refrigerator and Freezer models.

Optimal Wine Care

To provide the optimal storage environment for your collection, your Integrated Column Wine Cabinet has been engineered to maintain a consistent temperature throughout both zones. An activated carbon filter in each compartment clears the air of pollutants to ensure your wine is perfectly cared for.

Precise Temperature Control

Four specially developed wine modes provide optimal temperatures for serving and cellaring different types of wine. Red, White, Sparkling and Cellar modes ensure that each bottle gets the care it needs to be enjoyed at its best. You can also adjust manually in 0.5°C increments between 6-18°C.

Reduced Vibration

Vibration can dull flavor and cause other unwanted issues in wine. With a quiet, low vibration compressor, full-extension slides with white oak shelving, and other strategically chosen absorptive materials, the Integrated Column Wine Cabinet carefully maintains the flavour profile of every drop.

Customisable Lighting

The tinted glass door effectively filters out UV light, allowing your wine to mature at its natural pace. LED lighting provides four beautiful illumination options to showcase the highlights of your collection, from a candlelit ambience to a brilliant display lighting. Display mode automates the lighting cycle to show off your collection on special occasions.

Curate Your Collection

Showcase your collection with accessories for our Integrated Column Wine Cabinet. Independent cradles can be adjusted to create your ideal display angle, while a water-based pencil and aluminium labels offer a stylish way to catalogue your wine.

SPECIFICATIONS

Accessories (sold separately)

QUICK REFERENCE GUIDE > RS6121VL2K1 Date: 10.07.2024 > 2

Door panel stainless steel Wine cabinet	RD6121VR4 (right	LED ceiling lighting	•	Warranty	
	hinge), RD6121VL4 (left	LED side lighting	•	Parts and labour	
	hinge)	Low vibration compressor	•		
Handle kit Contemporary round	AHS-RD21	Precision ball-bearing runner mounted racks	•		
Handle kit Contemporary square	AHD3-RD21	Rated load for slide runners	40 kg		
Handle kit Contemporary square fine, aluminium	AHD5RDSF	SmartTouch interface at counter height	•	SKU	
Handle kit Contemporary square fine, black	AHD5RDSFB	Soft-mounted wine racks	•		
Handle kit Contemporary square, aluminiun		UV tempered glass door	•	The product dimensions	
Handle kit Professional round flush	AHP3RDSF	Wi-Fi connectivity	•	product and model. Und	
Joiner kit	AJ-RS21LR			dimensions and specific check with Fisher & Payl	
Toe kick stainless steel 1067mm	AKRS10710			correctly describes the r Appliances Ltd 2020	
Toe kick stainless steel 1220mm	AKRS12210	Performance		Appliances Ltd 2020	
Toe kick stainless steel 1372mm	AKRS13710	ActiveSmart™ wine care	•		
Toe kick stainless steel 610mm	AKRS06110	Dual evaporator	•	Other product down	
Wine display kit (four cradles and rail with	ADV4	Inverter controlled compressor	•		
positioning guide)		Sabbath mode	•		
Wine display label Kit (14 labels with white	ALV14	Variable temperature zones	2		
pencil) Wine filter odour kit	863974	Variable wine modes	Red, White, Sparkling, Cellar	Installation Gu	
				Revit Wine Cal	
Capacity		Power requirements		Rhino Wine Ca Round Handle	
Number of bottles	91	Rated current	10 A	Rhino Wine Ca Square Handle	
Volume	376 L	Supply frequency	50 Hz		
		Supply voltage	230 V	Sketchup Wine Round Handle	
Features					
Air filter lower compartment	•	Product dimensions		<u>↓</u> User Guide	
Air filter upper compartment	•	Depth	610 mm		
Door alarm	•	Height	2134 mm	Where applicable:	
Full extension display shelf	1	Width	603 mm		
Full extension storage racks	13				

2 years

25743

ns and specifications in this page apply to the specific nder our policy of continuous improvement, these ications may change at any time. You should therefore aykel's Customer Care Centre to ensure this page e model currently available. © Fisher & Paykel

nloads available at fisherpaykel.com

rranty

uide Toe Kick

uide Integrated Column Refrigerator

abinet

Cabinet

Cabinet with Door Panel and Contemporary

Cabinet with Door Panel and Contemporary

ne Cabinet

ne Cabinet with Door Panel and Contemporary

ne Cabinet with Door Panel and Contemporary

QUICK REFERENCE GUIDE > RS6121VL2K1 Date: 10.07.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com