QUICK REFERENCE GUIDE > OR36SCI6R1 Date: 17.12.2024 > 1

36" Series 9 Classic 5 Zone Induction Self-Cleaning Range, 2 SmartZones

Series 9 | Classic

Red



Heritage styling meets modern performance, including an induction cooktop with the ability to pair zones to create a large cook zone.

- Five induction cooking zones that can be bridged to form two "SmartZones"
- Convection oven with 4.9 cu ft total capacity and nine oven functions including Roast and Aero™Pastry

- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height 35 3/4 - 37 1/4 "

Width 35 7/8 "

Depth 25 1/4 "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake. The AeroTech™ system circulates air evenly throughout the entire oven, perfect for multi-shelf cooking.

Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Quality And Durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

Large Capacity

The large 4.9 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a quadruple-glazed CoolTouch door, and a child lock. Induction cooktops heat only the cookware, not the elements, so they are much safer in family kitchens.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Full extension sliding shelves	2 sets (par 578755)
Full extension telescopic shelves	2 sets (par 578744)
Grill rack	true

Accessories (sold separately)

Hob rear trim	3" (part 81654)
Kick strip, black (optional)	KICKOR36B1
Kick strip, red (optional)	KICKOR36R1
Kick strip, stainless steel (optional)	KICKOR36X1
Kick strip, white (optional)	KICKOR36W1

Capacity

Shelf positions 7

QUICK REFERENCE GUIDE > OR36SCI6R1 Date: 17.12.2024 > 2

Cleaning		Electronic oven control	•	Supply	120 / 240 V or
Acid resistant graphite enamel	•	Full extension telescopic sliding shelves	•		120 / 208 V, 60 Hz
Drop down broil element	•	Internal light	4 x 25W halogen		
Flat easy clean glass surface	•	Soft open/close door	(2 side & 2 top)		
Pyrolytic proof shelf runners	•	Turned stainless steel clock dial	•	Product Dimensions	
Pyrolytic self-clean	•		•	Depth	25 1/4 "
Removable oven door	•	Twin cavity fans Warming drawer	•	Height	35 3/4 - 37 1/4 "
Removable shelf runners	•	warming drawer		Width	35 7/8 "
		Oven functions			
Controls		Aero Broil	•	Rangetop features	
Audio feedback	•	Aero™ Bake	•	Auto heat reduce	•
Automatic cooking/minute timer	•	Aero™ Pastry with Pizza mode	•	Dual zones	•
Automatic pre-set temperatures	•	Bake	•	Gentle heat	•
Celsius/Fahrenheit temperature	•	Number of functions	9	Heat settings	9
Electronic clock	•	Rapid proof	•	Induction cooking technology	•
High resolution display	•	Roast	•	SmartZone	1
Laser etched graphics	•	Self-clean function	•	Zone bridging	•
Precise electronic temperature control	•	True Aero	•		
Sabbath mode	•				
Toughened fused glass graphics	•			Rangetop Performance	
Turned stainless steel clock buttons	•	Oven performance		Centre	5500 W
Turned stainless steel clock crown (dial)	•	Broil power	4300 W	Left front	3700 W
		CoolTouch door	Quadruple glazed	Left rear	3700 W
		Warming drawer power	. 220 W	Number of cooking zones	5
Oven features				PowerBoost	•
AeroTech™ technology	•				
Automatic rapid pre-heat	•	Power Requirements			
Bright chromed, cast zinc dials with illuminated halos	•	Connection	4-prong [NEMA 14-50P power	Safety ADA compliant	•
Concealed element	•		cord]	Advanced cooling system	•
Convection	•	Service	40 A	a. a. iood ooomig system	

QUICK REFERENCE GUIDE > OR36SCI6R1 Date: 17.12.2024 > 3

Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU 81968

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ Service & Warranty

Installation Guide EN

↓ Installation Guide FR

Revit Induction Range

Rhino Induction Range

↓ Sketchup Induction Range

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com