QUICK REFERENCE GUIDE > OR90SDI6X1 Date: 17.12.2024 > 1

# 90cm Series 9 Contemporary 5 Zone Induction Pyrolytic Freestanding Cooker, 2 SmartZones

Series 9 | Contemporary

Stainless Steel



Contemporary styling with a large capacity oven, this is the perfect choice for those who love to cook.

• Five cooking zones that can be paired to form SmartZones

- Convection oven with 140L total capacity, and nine functions plus Rotisserie
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning oven cycle breaks down food residue for an easy clean

## **DIMENSIONS**

Height 898 - 946 mm
Width 897 mm
Depth 600 mm

## **FEATURES & BENEFITS**

## **Multi-Shelf Cooking**

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the bottom shelf turn out just as perfectly as food cooked on the top shelf.

## **Quality And Durability**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door and chromed cast zinc dials add up to an exceptional, premium range cooker.

## **Power And Control**

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Easy Cleaning

Your hob simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

#### Complementary Design

With clean lines and complementary tonal contrasts, the timeless aesthetic of this Contemporary style range cooker supports a considered kitchen design.

## Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

## **SPECIFICATIONS**

## Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	true
Roasting dish	1
Rotisserie set	1 set
Step down wire shelf	•

## Accessories (sold separately)

Kick strip, stainless steel (optional	) KICKOR90X1
---------------------------------------	--------------

#### Capacity

Shelf positions	6
Total capacity	140 L
Usable capacity	120 L

#### Cleaning

QUICK REFERENCE GUIDE > OR90SDI6X1 Date: 17.12.2024 > 2

Acid resistant graphite enamel	•	Installation Dimensions		Oven performance	
Drop down grill element	•	Installation cutout dimensions (Depth)	600 mm	CoolTouch door	Quadruple glazed
Flat easy clean glass surface	•	Installation cutout dimensions (Width)	900 mm	Warming drawer power	202 W
Pyrolytic proof shelf runners	•				
Pyrolytic self-clean	•				
Removable oven door	•	Oven features		Power requirements	
Removable oven door inner glass	•	AeroTech™ technology	•	Amperage	68 A
Removable shelf runners	•	Automatic rapid pre-heat	•	Supply frequency	50 Hz
		Electronic oven control	•		
		Full extension telescopic sliding shelves	•		
Consumption		Internal light	4 x 25W halogen	Product dimensions	
Energy rating	Α		(2 side & 2 top)	Depth	600 mm
Energy usage	1.62kWh/cycle	Soft open/close door	•	Height	898 - 946 mm
		True convection	•	Width	897 mm
		Twin cavity fans	•	Wideli	007 111111
Controls		Warming drawer	•		
Audio feedback	•			Rangetop features	
Automatic cooking/minute timer	•			Auto heat reduce	
Automatic pre-set temperatures	•	Oven functions		Dual colour display	
Celsius/Fahrenheit temperature	•	Bake	•	Gentle heat	
Electronic clock	•	Fan bake	•	Heat settings	9
High resolution display	•	Fan forced	•	Hob rear trim	60 mm
Laser etched graphics	•	fanGrill	•	Induction cooking technology	•
Precise electronic temperature control	•	Grill	•	SmartZone	1
Sabbath mode	•	Number of functions	9	Zone bridging	'
Toughened fused glass graphics	•	Pastry Bake with Pizza mode	•	zone priaging	•
Turned stainless steel clock buttons	•	Rapid proof	•		
Turned stainless steel clock crown (dial)	•	Roast	•	Rangetop Performance	
Turned stainless steel dials with illuminated	•	Rotisserie	•		2700 ***
halos		True convection	•	Centre	2300 W
				Left front zone rating	1600 (1850) W
				Left rear zone rating	2100 (3000) W

QUICK REFERENCE GUIDE > OR90SDI6X1 Date: 17.12.2024 > 3

Number of cooking zones	5
PowerBoost	•
PowerBoost all zones	up to 3000 W
Right front zone rating	1600 (1850) W
Right rear zone rating	2100 (3000) W

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Safety

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

#### Warranty

SKU

	Parts and labour	5 years	
_			

# Other product downloads available at fisherpaykel.com

Service & Warranty

Installation Guide Freestanding Cooker

User Guide Freestanding Cooker

Declaration of Conformity

Energy Label

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



82227

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com